

### PRODUCT CATALOGUE 2024







- 56 Chainsaws
- 62 Pro X Rear Handle Chainsaw
- 63 Pro X Top Handle Chainsaw
- 64 Telescopic Pole Products
- 70 Line Trimmers & Brush Cutters
- 77 Pro X Rotocut
- 78 Pro X Line Trimmer & Brush Cutters
- 84 Hedge Trimmers
- 92 Pro X Hedge Trimmers
- 96 Blowers
- 104 Snow Throwers
- 108 Multitool
- 120 Lifestyle
- 130 Accessories





## LEADING EUROPE TO A BATTERY POWERED FIITURE

Our unique patented 56V ARC Lithium™ batteries are designed to maximise performance. Boasting the outdoor tool industry's highest energy capacity in a portable battery, they last longer and charge quickly. Each battery is interchangeable across the entire E60 cordless range – delivering optimum power and performance for every tool and every job.

#### Batteries designed to be better.

Our battery's unique ARC-shaped design and KeepCool™ Technology work together to lower temperature and prevent overheating and shutdowns. Each battery's intelligent power management system works hand-in-hand with all tools to ensure the very best power, performance and run time. E60's superior battery technology really does deliver power beyond belief.

#### Experts in battery technology.

Our industry-leading innovation stems from a talented team of over 400 highly qualified technicians. Their expertise is the driving force behind our future-focused research and development, and our award-winning range of outdoor cordless products.

#### Experts in tool technology.

Our dedication to innovation doesn't stop with our battery. We listen to our users and have developed world-first patented tool technologies that answer some of the biggest user pain points in the industry, such as Line IQ™ Technology, Peak Power™ Performance and Powerload™ Technology.

## Smarter, Greener ways to work outdoors.

## ZER EMISSION

At EGO, we think beyond performance. Our experts are relentless in their drive to innovate tools for a better world. EGO's 56V ARC Lithium™ batteries not only outperform fuel, they are better for the environment. Petrol-powered outdoor tools produce more nitric oxide, nitrogen dioxide and carbon dioxide than car engines. With zero toxic emissions in use, EGO power tools are cleaner, quieter, and safer. Without the need for fossil fuel, they are also cheaper to run and maintain. Our cordless tools are designed with smart features that pose no risk to users' health and are comfortable to use for prolonged periods.

## CHALLENGE 20 25

Challenge 2025 is our commitment to educate and empower outdoor power equipment users to pick the only logical choice when purchasing new gardening equipment: battery powered. It's time to leave petrol where it belongs, in the past. Leading to significant reductions in harmful emissions and noise, while increasing safety and user comfort. For more information on Challenge 2025, visit www.challenge2025.eu.

#### Beyond challenge 2025.

We believe it's not just about making improvements to help the environment, but actively participating in its repair. We have partnered with Eden Reforestation Projects and pledge to plant a tree for every EGO tool sold in Europe, as well as each tool registered for extended warranty, helping to support local communities and protect ecosystems across the globe.



**Eden Reforestation Projects** 



4 INTRODUCTION 5





### A BATTERY DESIGNED LIKE NO OTHER

#### EGO's unique patented 56V ARC Lithium™ battery delivers the industry's highest energy capacity.

Our team of experts has revolutionised battery technology to deliver the optimum power and performance for outdoor cordless tools. EGO's 56V batteries deliver more usable power than any other portable battery. The eight batteries in our range can be used flexibly with each one of our cordless tools.

## Key to its performance is the battery's intelligent design.

The innovative ARC shape of our 56V battery increases surface area, placing the battery cells close to the surface to maximise cooling and prevent overheating. Each battery cell is surrounded by E6O's unique KeepCool™ Technology, designed to absorb heat energy and keep the cells at their optimum temperature for longer run times. Software and microprocessors monitor and optimise each cell to deliver the best power and performance for every job.

#### Super fast recharge.

Our commitment to innovation not only delivers the industry's highest energy capacity in a portable battery. It also means that when it's time to recharge, the EGO Power\* 56V ARC Lithium<sup>™</sup> battery is one of the quickest around.





For more information on how EGO Power\* batteries work, and what makes them so

revolutionary, download the Battery FAQ document on our website.

egopowerplus.eu/FAQdownload

## EGO POWER<sup>+</sup> ARC LITHIUM™ BATTERY, DESIGNED TO MAXIMISE PERFORMANCE

## The patented 56V ARC Lithium<sup>™</sup> battery doesn't just manage heat, it maximises cooling.

A battery gets hotter the longer it's used. The more power it generates, the more heat is released. Too much heat and the battery will shut down for safety. Heat also degrades cells over time, reducing battery life. That's why batteries must be cooled effectively to increase performance, run time and battery life.

Our batteries have been designed to cool effectively in three innovative ways:


Mechanically - EGO's unique ARC shaped arrangement of battery cells.


**Chemically** - EGO's unique KeepCool™ Technology.

**Electronically** - EGO's industry-leading intelligent power management system.



EGO'S UNIQUE ARC SHAPED DESIGN







#### INCREASED Surface area

The battery ARC shape has been carefully designed to optimise cooling and reduce overheating. Unlike "brick shaped" batteries, the individual battery cells are positioned adjacent to the external housing so heat can be easily transferred away from the cells.



#### KEEPCOOL™ Technology

It's not just the innovative ARC design that helps prevent overheating. The battery has another clever way to keep cool. Each and every cell is surrounded by our unique KeepCool™ phase change material that absorbs heat energy and keeps individual cells at their optimum temperature for longer run times.



#### INTELLIGENT POWER

Power is nothing without control. It's why the E60 Power<sup>+</sup> 56V ARC Lithium™ battery is continuously controlled by software and microprocessors within the battery and by the tools' intelligent power management systems. These constantly monitor and optimise each individual cell, to deliver the very best power, performance and run time.



EXTERIOR Mounted Batter\

Unlike other manufacturers, EGO batteries fit onto the outside of the tools and are not encased within the tool, which means they stay cool to deliver longer lasting power. To keep them safe and sound, the electronics are protected from dust and moisture by a resin coating and the cells are packaged in a robust case that absorbs shocks and vibrations.

6 | EGO POWER+ BATTERY TECHNOLOGY | 7



# ANY BATTERY,

Our industry-leading 56V ARC Lithium™ batteries work with all EGO Power+ tools, even our Pro X range. With great performance and long run times, simply select your tool, click in and go.



EGO POWER<sup>+</sup> Ride-on mowers













EGO POWER+ LINE TRIMMERS & BRUSH CUTTERS

EGO POWER<sup>+</sup> Chainsaws



















HEDGE TRIMMERS

CULTIVATOR

BRUSHES

OLIVE SHAKER

BRUSH CUTTER

SNOW SHOVEL

**EGO** PRO X



8 | THE EGO POWER+ SYSTEM





## THE POWER TO OUTPERFORM

Introducing the innovative EGO Power\* system from the cordless specialists. EGO Power+ delivers petrol-matching power without noise, fuss, or emissions.

Our industry-leading 56V ARC Lithium™ battery technology offers a new level of performance, giving you the power you need to keep working hard until the job's done. With impressive run times and fast recharge, there's no need to purchase or store highly flammable fuel. Instead, you get the freedom to work emission-free. For total flexibility, all of EGO's 56V ARC Lithium™ batteries fit every tool in the EGO Power<sup>+</sup> 56V range.\* Just click in the battery and you're ready to go. When you try this revolutionary cordless system you'll never look back.

#### The support of our service dealer network.

EGO approved service dealers can help you select the most suitable tools for your needs, give you face-to-face advice and provide a diagnostic service to keep your tools running for years to come. With a nationwide network of EGO approved service dealers, you're never too far from the support you need.

## **SWITCH**

The EGO Power<sup>+</sup> system outperforms petrol without any of the downsides. It's simpler, cleaner, quieter - and with less vibrations, more comfortable to use. Lower running and maintenance costs means switching to EGO Power<sup>+</sup> leads to long-term savings too. Its cutting-edge battery technology delivers optimum power and performance for every tool and for every job. Plus, with zero emissions during use, it reduces your impact on the environment.



### Industry-leading warranties.

#### Domestic user

For domestic users we offer a 5-year warranty on all tools and a 3-year warranty on batteries, when registered within 30 days of purchase.\*\*

#### Professional user

Professional range when tools are registered within 30 days of purchase.\*\*

	TO	OLS	BATTERIES					
	DOMESTIC USE	PROFESSIONAL USE	DOMESTIC USE	PROFESSIONAL USE				
POWER	5 YEAR TOOL WARRANTY	1 YEAR TOOL WARRANTY	3 YEAR RATTERY WARRANTY					
POWER	5 YEAR TOOL WARRANTY	2 YEAR TOOL WARRANTY	3 YEAR RATTERY WARRANTY	2 YEAR BATTERY WARRANTY				
PROX	5 YEAR TOOL WARRANTY	3 YEAR TOOL WARRANTY	3 YEAR BATTERT WARRANTY	3 YEAR BATTERY WARRANTY				

We offer professional users a 3-year warranty on the Pro X range, and a 2-year warranty on the

### WHY CHANGE FROM PETROL TO EGO POWER+?



#### SUPERIOR BATTERY TECHNOLOGY

Our industry-leading 56V ARC Lithium™ batteries deliver intelligent, balanced, petrol matching power for all EGO tools



With zero emissions during use, our 56V ARC Lithium™ battery gives petrol-matching power but without the fuss and fumes

#### 

#### BETTER FOR YOUR HEALTH

EGO Power<sup>+</sup> tools always operate at lower noise and vibration levels than traditional petrol-powered tools



#### EASY SET-UP AND STARTING

No filling up with fuel; with EGO Power+ just click in the battery and get to work



#### LOWER RUNNING COSTS

The cost of running an EGO Power<sup>+</sup> product for a month is around the same as using a 2 stroke product for a day\*



#### FOLD FLAT. EASY STORE DESIGN

Unlike large, heavy petrol mowers, the EGO Power<sup>+</sup> fold-flat design makes storage, cleaning and transportation simple



#### **SAVE TIME**

No more trips to the petrol station. EGO's rapid charger refuels our intelligent batteries in as little as 30 minutes



No more dangerous fuel in storage, no more fumes, make more space available for other things

\*Based on average daily use of 3 litres of post mix fuel per day.

10 | EGO POWER+ WARRANTIES EGO POWER+ WARRANTIES | 11

56V battery system

\* 12V Shrub Shears are not compatible with ARC Lithium™

\*\* For defects caused by material or manufacturing fault. This does not cover wear and tear. Full terms and conditions are available



### NEW FOR 2024

## **OUR LATEST**

The 2024 range pushes the boundaries of innovation, with expanding ride-on mower and Pro X categories.

Each new product has EGO's unrivalled ARC Lithium™ Technology at its core, giving you the power to tackle even bigger and tougher tasks with the same impressive run times and rapid recharge as always.

HPW2000E

P125



TR3800E-B 98CM RIDE-ON

COLLECTION

TRACTOR MOWER











# CHOOSE THE RIGHT TOOL FOR ANY TASK

EGO's range of outdoor power equipment is designed to deliver an outstanding level of performance for every outdoor job, providing the right balance of power and usability for domestic, professional and specialist users.

EGO's unique ARC Lithium™ cordless technology combines with best-in-class ergonomic design to deliver maximum power and efficiency for working outdoors.

#### Work smarter. Work healthier.

Any EGO battery will fit any EGO tool (see pages 8-9), so you can choose the right combination to suit your challenge:

- Range of 8 batteries and 1 backpack battery available, so you can choose the optimum power-to-weight ratio for any task.
- Belt and back harness-mounted options for lighter working.
- Backpack battery options for the most demanding jobs in all weathers.

EGO outdoor power equipment allows you to work in a cleaner, quieter and safer way. EGO delivers the power of petrol, without the emissions, noise and vibration associated with petrol-powered products – better for you and better for the environment.

The best battery power, from the cordless specialists.

Our results speak for themselves.
Our average product rating is
4.5 out of 5 stars.



SUPER-TOUGH, SUPER-POWERFUL RANGE FOR PROFESSIONAL AND SPECIALIST USE



A super-tough, super-powerful range of tools designed for garden maintenance professionals, facilities management and specialists.

The EGO Power<sup>+</sup> Pro X range is engineered to work harder, all day, every day, in the most challenging conditions. Ergonomic design meets unrivalled power and performance in the Pro X range. These tools push the boundaries of battery technology, with the power and performance to surpass petrol-powered equivalents. Built to last, the Pro X range delivers clean, quiet safe and productive working



**PROFESSIONAL** 

HARD-WEARING TOOLS FOR LARGE GARDENS AND PROFESSIONAL USE



A range designed for heavy-duty use, perfect for large garden maintenance and landscaping professionals.

Ideal for everyday use, the EGO Power<sup>+</sup> Professional range gives you the edge when facing tougher tasks for longer periods. This range includes additional features, designed to make light work of larger garden maintenance tasks. Whether working in a large garden or tackling commercial jobs, you can rely on EGO Power<sup>+</sup> Professional tools to be powerful, hard-wearing and robust.



PETROL-MATCHING PERFORMANCE FOR DOMESTIC GARDENS



A complete range of cordless outdoor power tools, ideal for regular domestic use.

EGO Power<sup>+</sup> tools are designed for regular use in domestic gardens. EGO Power<sup>+</sup> tools gives domestic users, cordless, petrol-matching power without the noise, fuss or emissions. With EGO's outstanding level of performance built-in as standard – tackle every garden maintenance task with ease.

14 | THE EGO POWER+ TOOL CATEGORIES | 15







NEW FOR 2024

# POWER YOUR BUSINESS ALL DAY LONG

In a world that's constantly evolving, so too are our demands for outdoor power equipment.

Over recent years battery powered OPE has increased in popularity. However, there still remain concerns around robustness and performance when comparing battery power to more traditional petrol powered equipment. These concerns have been well and truly answered with the launch of EGO's groundbreaking range of battery-powered professional outdoor power equipment and charging solutions. With a focus on incredible performance, flexible fast charging, and seamless connectivity through IoT and fleet management, EGO are revolutionising the way professionals tackle outdoor tasks.

#### The toughest tools for the toughest tasks.

EGO's new Pro X tools have been developed for demanding professional use in the toughest of environments. Special design features such as carbon fibre components, steel drive shafts, robust gear boxes and cast aluminium mower decks, ensure strength, stability, and durability in extreme conditions. Plus, with EGO's industry-leading battery power and performance, each tool exceeds their petrol-powered equivalent.

New product introductions for 2024 include the new Pro X Mower, Pro X Chainsaw, Pro X Line Trimmers/ Brush Cutters, Pro X Backpack Blower and long and short reach Pro X Hedge Trimmers, all designed for comfortable, tough, all-day working.

#### All-day battery power for professionals.

At the centre of the new extended EGO Pro X range is the new PGX Power hub which provides flexible charging solutions to meet the individual needs of the user. Whether it's charging at the depot, into a vehicle, or even in the middle of a forest, EGO have the solution. Capable of charging up to 70 batteries, the EGO PGX Power Hub ensures run time anxiety is a thing of the past, taking all-day professional working to the next level.

#### Stay Connected.

With the new E60 Connect app and wireless/Bluetooth® connectivity, it's easy to remotely manage large fleets of tools, including control of tool charging, tool usage over time, tool maintenance periods and firmware upgrades.







16 | EGO POWER+ PRO X RANGE | 17











## MINIMAL VIBRATION, NOISE AND COST

EGO tools deliver all the power of petrol tools without the physical stresses, noise and vibration.

Choosing EGO's low-vibration cordless tools helps to avoid the risk of Hand-Arm Vibration Syndrome (HAVS). Also known as 'Vibration White Finger', it can cause painful and disabling disorders of the blood vessels, nerves and joints.

#### Comfortable for all day use.

With a smooth brushless motor and fewer moving parts, all EGO tools have been designed to operate with low levels of vibration, often under the 2.5m/s<sup>2</sup> Exposure Action Value limit (EAV) and well below the Exposure Limit Value (ELV). This allows users to work comfortably all day.

#### Quieter working conditions.

Daily exposure to noisy petrol tools can lead to increased work-related stress, hearing loss and Tinnitus - a permanent ringing sensation in the ears. EGO tools are much quieter than petrol-powered alternatives and reduce the risk of increased stress levels and potential hearing loss over long-term use.

## COST COMPARISON PETROL VS. EGO POWER+

Based on a customer purchasing three tools from the Pro X range - the HTX7500 hedge trimmer, STX3800 line trimmer and LBX6000 leaf blower, plus the backpack harness and rapid charger to run all three tools, and petrol-powered equivalent tools and fuel.



- Cost Estimates are based on purchasing HTX7500 hedge trimmer, STX3800 line trimmer and LBX6000 leaf blower
  plus the 2x 10Ah batteries and rapid+ charger to run all three tools, and petrol-powered equivalent tools and fuel.
- Fuel consumption running these machines for 6 hours a day for 170 days a year.

18 | EGO POWER+ PRO X RANGE EGO POWER+ VS. PETROL 19



## THE ULTIMATE IN FLEXIBILITY

The EGO Pro X range redefines professional battery powered tools, delivering maximum flexibility and choice. So that professionals can choose to work in the best way to suit the job - every Pro X tool is compatible with all EGO battery options\*, offering ultimate efficiency to complete any job of any size. The EGO Pro X Backpack Harness can be used to redistribute the weight of the battery when required, and the EGO Pro X Backpack battery can be used for tasks that require a longer runtime.



4AH BATTERY, 224WH, 1P



5AH BATTERY, 280WH, 2P



7.5AH BATTERY, 420WH, 3P







4AH BATTERY, 224WH, 2P







**BACKPACK BATTERY 1568WH** 





BATTERY HOLSTER



EGO POWER+ PRO X

EGO POWER+ PRO X

EGO POWER+ PRO X

BACKPACK BLOWER



EGO POWER+ PRO X

EGO POWER+ PRO X Line Trimmers/Brush Cutters

LAWNMOWER

EGO POWER+ PRO X Rear Handle Chainsaw







WITH THE CAPABILITY TO OUTPERFORM PETROL, OUR INNOVATIVE RANGE OF BATTERIES AND CHARGERS DELIVER ALL THE POWER YOU NEED.



22 | EGO POWER+ BATTERIES & CHARGERS











how EGO Power<sup>+</sup> batteries

so revolutionary, download the Battery FAQ document on our website.

egopowerplus.eu/FAQdownload



# THE RIGHT POWER FOR EVERY JOB

EGO Power<sup>+</sup> 56V ARC Lithium™ batteries.

From the lightest 2.5Ah to the largest 12Ah in the range, as the batteries go up in size, so does the power capacity and run time. Whichever model you choose, they have all been engineered for optimal performance and designed to fit all EGO tools\*.



12V Shrub Shears not compatible with ARC Lithium™ 56V battery system.



5AH BATTERY 280WH, 2P













12AH BATTERY 672WH, 4P

24 | EGO POWER+ BATTERIES

## COMFORTABLE **ALL-DAY USE**

The ergonomic EGO Power<sup>+</sup> backpack harnesses and battery holster are the most comfortable way to enjoy EGO's industry-leading power. They evenly distribute weight for an easier, more comfortable way to work.



Image shown as a kit BH1001



#### **BACKPACK HARNESS**

The BH1000 is ideal for taking the weight of the battery from your arms. This provides greater stability and comfort especially when using our larger batteries over prolonged periods.



#### PRO X BACKPACK HARNESS

The BHX1000 has been designed with the professional user in mind and when used together with the AFH1500 Harness (supplied separately or as part of a kit) provides exceptional comfort for all day use. The BHX1000 is compatible with the Pro X series and with the ADB1000 adapter can be used with other EGO tools. The AFH1500 Harness (supplied separately) is compatible with the BHX1000 and the BAX1500 Pro X backpack battery.



#### PRO X BATTERY HOLSTER. CABLE AND ARBORIST'S STROP

The holster is designed to house the EGO battery, which is perfectly matched for use with the EGO Power<sup>+</sup> Pro X Top Handle Chainsaw to deliver optimal torque and power for professional arborists. The safety-strop attachment integrates with the battery cable and belt or harness to keep you and your team safe in the trees.

	BH1000	BHX1000	ABH3000
CONNECTION METHOD	Quick plug-in and out for EGO Power <sup>+</sup> Pro X tools. Adapter ADB1000 for all other EGO Power <sup>+</sup> tools.	Quick plug-in and out for EGO Power <sup>+</sup> Pro X tools. Adapter ADB1000 for all other EGO Power <sup>+</sup> tools.	Quick plug-in and out for EGO Power* Pro X tools. Adapter ADB1000 for all other EGO Power* tools.
CARRYING HANDLE	Yes	Yes	No – fixed to belt or harness
HIP PAD FOR BRUSH CUTTER	AHP1300 (optional)	AHP1500 (optional)	No
UPRIGHT STAND STORAGE	Yes	Yes	No
WEIGHT WITHOUT BATTERY	2.2kg	2.9kg	1.1kg
DOMESTIC WARRANTY	3 years	3 years	3 years
PROFESSIONAL WARRANTY	2 years	3 years	3 years
AVAILABLE AS A KIT	BH1001: Includes backpack harness and adapter	BHX1000-K0002: Includes backpack harness, harness/hip belt and adapter	-



POWER PROW BACKPACK BATTERY



### ADVANCED COMFORT FOR ULTIMATE PRODUCTIVITY

#### Team up your EGO Power<sup>+</sup> tools with our backpack battery.

Balancing exceptional run time with user comfort, the ergonomic design of EGO's ARC Lithium™ BAX1500 backpack keeps you working comfortably all day long. The battery pack can be removed from the harness and is compatible with all EGO tools.

#### Designed to perform, built to last.

The EGO Power<sup>+</sup> Backpack Battery can last throughout a full day's work\* from a single charge. The high-quality cells, with high power rating and high energy density, can handle over 1,000 charge cycles. Plus, rapid recharging means they can go from empty to full in just 3.5 hours.



12V AND USB CHARGING POINTS

	BAX1500
CAPACITY	1568Wh at 56V rated
CONNECTION METHOD	Adapter / Plug-in
BATTERY WEIGHT	9.0kg w/o harness
HARNESS	Supplied separately or as part of a kit
WEATHERPROOF PROTECTION	IP56
CHARGER	CHX5500E
CYCLE LIFE	In excess of 1000 cycles
DOMESTIC WARRANTY	3 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	BAX1501: Includes backpack battery, harness and adapter



#### BAX1500 PRO X BACKPACK BATTERY

The EGO Power<sup>+</sup> Pro X backpack battery delivers the power output and run times needed for demanding jobs. All minus the noise, emissions and vibration. The BAX1500 can work through the most extreme weathers and its tough casing is designed to withstand any drops or knocks.

### BIG POWER BIG BENEFITS

**COMPATIBLE WITH EVERY EGO POWER+ TOOL** 

HIGH-EFFICIENCY **BATTERY LIFE** 

**DETACHABLE BATTERY AND HARNESS** 

#### **WORK HEALTHIER**

Without strains, musculoskeletal problems, or emissions.

#### **COST EFFECTIVE**

Purchasing and running the Pro X Hedge Trimmer, Line Trimmer and Leaf Blower will save you over 6,000 € in 5 years, compared with their petrol-powered equivalents. Costs estimated on run times of 6 hours a day, 170 days a year.



\*Dependent on the tool and based on an 8 hour working day





## MARKET-LEADING CHARGING TIMES

When it comes to recharging our range of batteries, the EGO Power<sup>+</sup> charger keeps you working for longer. Charging 2.5Ah batteries in under 30 minutes, the CH7000E-T reduces charging times so that you can get back to the task in hand.

The innovative fan-cooled system allows charging to start sooner and finish faster; while the intelligent battery control system constantly monitors each cell's power and temperature to deliver the most efficient and quickest charge.



#### CH7000E-T 700W RAPID+ CHARGER

Boasting an impressive charge time of under 30 minutes for the 2.5Ah battery, this charger features an integrated LED charging indicator and an intelligent battery control system. This fan-cooled charger provides the most efficient charge possible.

#### CH3200E 320W OUICK CHARGER

Charging the 2.5Ah battery in just 35 minutes, our light-weight charger is among the fastest on the market. This fan-cooled charger, equipped with an intelligent battery control system is complete with an integrated LED charging indicator for clear battery diagnostics.





CH5500E Rapid Charger



LED CHARGING /
DIAGNOSTICS INDICATOR
Constant feedback on battery
status and recharge levels



CH2100E Standard Charger CHX5500E PRO X CHARGER

For use with BAX1500 Pro X Backpack Battery

PERFOR	MANCE STATISTICS								
BATTERY N	MODEL	BA1400T	BA2240T/ BA2242T	BA2800T	BA3360T	BA4200T	BA5600T	BA6720T	BAX1500
BATTERY (	ATTERY (Ah) 2.5Ah 4.0Ah		5.0Ah	6.0Ah	7.5Ah	10.0Ah	12.0Ah	28.0Ah	
CAPACITY	(Wh)	140	224	280	336	420	420 560		1568Wh at 56V rated
	RAPID CHARGER: CH5500E	30 mins	30 mins	40 mins	45 mins	60 mins	70 mins	80 mins	210 mins
	STANDARD CHARGER: CH2100E	50 mins	80 mins	100 mins	120 mins	145 mins	190 mins	220 mins	-
CHARGE TIMES	PRO X CHARGER: CHX5500E	-	-	-	-	-	-	-	Default: 420 mins Rapid: 210 mins
	320W QUICK CHARGER: CH3200E	35 mins	55 mins	70 mins	80 mins	100 mins	130 mins	160 mins	-
	700W RAPID+ CHARGER: CH7000E-T	<30 mins	<30 mins	30 mins	35 mins	45 mins	60 mins	75 mins	-
WEIGHT		1.2kg	1.9kg/2.2kg	2.2kg	2.6kg	2.8kg	3.4kg	3.6kg	9.0kg
DOMESTIC	OMESTIC WARRANTY 3 years 3 years		3 years	3 years	3 years	3 years	3 years	3 years	
PROFESSIONAL WARRANTY		2 years	2 years	2 years	2 years	2 years	2 years	2 years	3 years

EGO POWER+ CHARGERS 29









DESIGNED TO CHARGE EGO ZG RIDE-ON MOWERS. EGO RIDE-ON TRACTOR MOWERS AND EGO MULTI-PORT CHARGING CASE.



#### **CHARGING ADAPTOR**

Use with the CH5500E EGO 550W Rapid Charger or the CH7000E 700W Rapid+ Charger in order to work with the Multi-Port Charging Case.





#### CHV1600E **1600W CHARGER**

The EGO Professional 1600W Charger can charge six 10Ah EGO ARC Lithium™ Batteries in as little as 3 hours. it is designed to work with the EGO Multi-Port Charging Case, EGO ZG Ride-on Mowers and EGO Ride-on Tractor Mowers.





# CHARGE 6 PORTABLE EGO BATTERIES

EGO's Professional Multi-Port Charging Case will charge any combination of up to six EGO portable batteries at the same time - ideal for professional users.

EGO's intelligent power management system charges batteries with the lowest level of charge first, then brings all the batteries up to full charge at the same rate. Charging 6x 10Ah batteries in as little as 3 hours in combination with the 1600W charger.





#### MULTI-PORT CHARGING CASE & CHARGER

Includes CHV1600E 1600W charger.





#### MULTI-PORT CHARGING CASE


The Multi-Port Charging Case can be used directly with the EGO CHV1600E 1600W Charger or with the EGO 550W Rapid Charger (see page 29) when combined with the ACA1000 EGO Charging Adapter.

COMPARATIVE CHARGE TIMES		
1600W CHARGER with case	<b>6x</b> 10Ah Portable Batteries	~ 3 Hours
550W RAPID CHARGER & CHARGING ADAPTER with case	6x 10Ah Portable Batteries	~ 8 Hours





**≡**GO (%)



NEW FOR 2024

## A BREAKTHROUGH IN ALL-DAY-LONG POWER

At the centre of the new EGO Pro X battery charging system is a portable superfast Power Bank charger that keeps Pro X tools working on-site all day long.

Combined with the new EGO PGX Power Hub, more than 250Ah of energy can be charged in sequence overnight - ready for the next day's work.

The EGO Pro X Power Hub has loT Bluetooth and WiFi connectivity to provide all the information needed to manage a fleet of Pro X tools – supplying data from all enabled EGO products and physically connected charging peripherals.

The EGO 1600W PGX Power Hub has been designed to connect with existing 13A mains power supplies, so there's no need to update the power supply for installation.





#### PGX1400PB

#### PGX POWER BANK

<u>=</u>60

The EGO PGX Power Bank uses the energy from the EGO Professional 40Ah High Capacity Battery to charge any of EGO's portable ARC Lithium™ Batteries.

This provides professional users with super-fast, efficient charging for all day working, and reduces the need to carry more batteries.

- Provides 2 x 700W charging ports for any EGO 56V ARC Lithium™ Batteries.
- LED indicator shows charging status.
- Includes handles for ease of transport
- Stackable to save space.
- Connects to PGX1600E-H 1600W Power Hub for on grid fast charging.
- IoT wired data connection. Relays charging information via PGX Hub.
- Connects with the next charging peripheral to expand charging system indefinitely.
- Wall anchor point for storage and safe transport.
- Physical anti-theft device.









**40AH HIGH CAPACITY BATTERY** 

HC2240T



- Side interface locking for secure attachment to the charger.
- IoT Bluetooth enabled to relay data, monitor status and control.
- Integrated folding handle.







#### PGX3000D 3-PORT DOCK

*=60*°

Designed to connect to the EGO Pro X 1600W Power Hub.

- Accommodates up to 3 EGO 56V ARC Lithium<sup>™</sup> Batteries.
- Led Indicator clearly shows charging status.
- Connects with the next charging peripheral, can expand charging system by up to 30 peripherals.
- loT wired data connection. Relays charging information via PGX Hub.
- Wall mounting, E-Track compatible with separate accessory kit.
- Side Handles and Battery Retention Clip allows portability.
- Physical anti-theft device.





Charges more than 250Ah of energy in sequence overnight.

- Led Indicator clearly shows Power Hub status while charging.
- Fan cooled for efficient charging.
- IoT Bluetooth and WiFi enabled to relay data from new compatible Pro X products and physically connected charging peripherals.
- Wall mountable, E-Track mounting accessories available.





#### INT FUNCTIONS

- Monitor / view charging status and statistics
- Prioritise charging
- Firmware upgrades
- Charging completion reminder · Battery optimisation
- Usage statistics



## A BATTERY FOR EVERY TOOL AND EVERY JOB

With a choice of 8 batteries and 1 battery backpack, choose the one that gives you the power and run time\* you need.





- Run time may vary and depend on battery used, charge level of battery, condition of grass/hedge and user's operation technique
- \*\* Run time based on a 10cm x 10cm timber
- \*\*\* Portable batteries must be used with either BH1000 or BHX1000 harnesses
- \*\*\*\* The light will illuminate at 10,000lm in ambient temperature 25° C for 1 hour and will run for 2 more hours in brightness level 5. Please note that the 1 hour run time is dependent on ambient temperature. In a cooler environment the "Boost" mode will have a longer run time, but in a hot environment the "Boost" mode will have a shorter run time
- Run times shown are for clearing up to 10cm of dry snow with 2x the battery listed. Run times vary based on snow depth, snow type and battery combinations
- \*\* Run times shown are for x2 of the batteries listed

												BATTERY											BACKPACK BATTERY
CODE	PRODUCT NAME		8A14001			BA2240T/BA2			BA2800			BA3360T			BA4200			BA560			BA6720		BAX1500
EGO Power <sup>+</sup> Mower			/ 140Wh ( ower* M			4.0Ah / 224Wh (	(Up to)	5.0/	Ah / 280Wh	(Up to)	6.0Ah	/ 336Wh (l	Jp to)	7.5Al	h / 420Wl	n (Up to)	10.	.0Ah / 560W	/h (Up to)	12.0	Ah / 672W	'h (Up to)	28Ah / 1568Wh (Up to)
LM1700E	42cm Mower		up to 40			Cuts up to 64	Osam	Cut	ts up to 80	00sam	Cuts	up to 900	sam	Cuts	un to 12	200sqm	Cut	ts up to 16	00sam	Cuts	up to 19	00sam	_
LM1700E-SP	42cm Self-Propelled Mower	Cuts up to 300sqm			Cuts up to 48			ts up to 60			up to 800	•		up to 9			ts up to 12			up to 14	-	-	
LM1900E-SP	47cm Self-Propelled Mower	Cuts up to 400sqm		(	Cuts up to 64	0sqm	Cut	ts up to 80	00sqm	Cuts	up to 900	sqm	Cuts	up to 12	200sqm	Cut	ts up to 16	00sqm	Cuts	up to 19	00sqm	-	
LM2020E-SP	50cm Self-Propelled Mower	Cuts ı	up to 350	Osqm	(	Cuts up to 56	0sqm	Cut	ts up to 70	00sqm	Cuts	up to 800	sqm	Cuts	up to 10	)50sqm	Cut	ts up to 14	00sqm	Cuts	up to 17	00sqm	-
LM2130E-SP	52cm Self-Propelled Mower with Select Cut Technology	Cuts ı	up to 33	3sqm	(	Cuts up to 53	3sqm	Cut	ts up to 66	66sqm	Cuts	ıp to 100	Osqm		•	000sqm		ts up to 13	33sqm	Cuts	up to 16	00sqm	-
LMX5300SP**	53cm Self-propelled Mower with Dual Battery Ports		-		Ш				s up to 16	50sqm	Cuts	ıp to 215	Osqm	Cuts	up to 26	00sqm	Cut	ts up to 35	00sqm	Cuts	up to 42	00sqm	
	rimmers, Brush Cutter and Rotocut				mer	rs, Brush Cutt		otocut															
ST1300E-S ST1400E-ST	33cm Line Trimmer  35cm Telescopic Line Trimmer with Powerload™ Technology		70 mins			110 mins			140 mir 120 mir			170 mins 135 mins			210 mii 165 mii			280 mir 240 mir			340 min 290 min		- 660 mins
ST1510E	38cm Line Trimmer with Powerload™ Technology		60 mins 30 mins			50 mins			60 min			70 mins			90 min			120 mir			145 min		-
ST1510E	38cm Loop Handled Line Trimmer		18 mins			36 mins			45 min			55 mins			72 min			90 min			110 min		240 mins
ST1610E-T	40cm Line Trimmer with Line IQ™ and Powerload™ Technology		40 mins			65 mins			85 min			100 mins			125 mii			165 mir			200 min		475 mins
BC3800E	38cm Bike Handled Brush Cutter		20 mins			32 mins			40 min	s		50 mins			65 min	S		80 min	s		96 mins	s	280 mins
BCX3800	Bike Handled Line Trimmer/Brush Cutter***		-			40 mins			50 min	s		60 mins			75 min	S		97 min	s		120 min	ıs	420 mins
STX3800	Loop Handled Line Trimmer/Brush Cutter***		-			40 mins			50 min	s		60 mins			72 min	IS		97 min	s		116 min	ıs	420 mins
RTX2300	Rotocut (Assembled on BCX/STX3800)***		25 mins			40 mins			52 min			65 mins			80 min			105 mii			125 min		325 mins
BCX4500	Bike Handled Line Trimmer/Brush Cutter		-			-			140 mir			175 mins			220 mii			300 mii			355 min		840 mins
STX4500	Loop Handled Line Trimmer/Brush Cutter	F00 F	-	de-T	ire	-			75 min	S		90 mins			115 mii	ns		155 mir	18		190 min	ıs	450 mins
EGO Power <sup>+</sup> Hedge HT2000E	Trimmers 51cm Hedge Trimmer		ower+ He 75 mins	•	ımm	ners 120 mins	•		150 mir	ne		210 mins			225 mii	ne		300 mir	ne		360 min	nc .	_
HT2410E	61cm Hedge Trimmer		75 mins 75 mins			120 mins			150 mir			210 mins 180 mins			225 mii			300 mir		_	360 min		-
HT2410E HT2600E	66cm Hedge Trimmer		60 mins			90 mins			120 mir			145 mins			180 mii			240 mir		_	270 min		
HT5100E	51cm Hedge Trimmer		40 mins			70 mins			82 min			100 mins			125 mii			164 mir		_	195 min		490 mins
HT6500E	65cm Hedge Trimmer		33 mins			60 mins			72 min			90 mins			110 mii			144 mir		_	170 min		420 mins
HTX6500	65cm Hedge Trimmer***		-			55 mins			70 min			83 mins			105 mii			140 mir		_	170 min		420 mins
HTX7500	75cm Hedge Trimmer***		-			45 mins			60 min	S		75 mins			90 min	S		120 mir	18		145 min	ıs	380 mins
HTX5300-P	53cm Short-reach Fixed Pole Hedge Trimmer		70 mins			112 mins	S		140 mir	ıs		168 mins			210 mii	ns		280 mir	ıs	336 mins		IS	784 mins
HTX5300-PA	53cm Long-reach Articulating Pole Hedge Trimmer		70 mins			112 mins	<u> </u>		140 mir	ıs		168 mins			210 mii	ns		280 mir	18		336 min	IS	784 mins
EGO Power <sup>+</sup> Chains			ower <sup>+</sup> Ch		VS											-							
CS1410E	35cm Chainsaw 40cm Chainsaw		130 cuts		220 cuts		300 cuts			330 cuts		450 cuts		600 cuts		720 cuts			-				
CS1610E CS1800E	40cm Chainsaw 45cm Chainsaw with Auto Chain Tensioning		130 cuts 130 cuts				220 cuts		300 cuts 300 cuts			330 cuts		450 cuts		600 cuts		720 cuts			-		
CS2000E	50cm Chainsaw		55 cuts		220 cuts 90 cuts			110 cuts			330 cuts 450 cut 135 cuts 165 cut			600 cuts 225 cuts			720 cuts 270 cuts						
CSX3000	30cm Top Handle Chainsaw		140 cuts		225 cuts			265 cuts		330 cuts		165 cuts 420 cuts		560 cuts		700 cuts			_				
CSX5000	50cm Rear Handle Chainsaw			40 cuts				60 cuts		75 cuts		90 cuts		110 cuts		150 cuts		175 cuts			-		
EGO Power+ Telesc	opic Pole Products	EGO Po	wer <sup>+</sup> Te	lescopi	ic Po	ole Products																	
PS1000E	Telescopic Pole Saw		70 cuts			110 cuts	6		140 cut	ts		170 cuts			210 cu	ts		285 cu	ts		340 cut	S	780 cuts
PSX2500	Pole Saw Attachment	1	110 cuts			182 cuts	5		231 cut	ts		280 cuts			379 cu	ts		455 cu	ts		545 cut	:S	1200 cuts
	Hedge Trimmer Attachment		65 mins			95 mins			120 mir	15		140 mins			210 mii	ns		260 mir	18		310 min	ıs	720 mins
EGO Power <sup>+</sup> Blower	TS .		ower <sup>+</sup> Bl			. 10.5			100.1		1.	10.1			100.1			10.1			10.1		14. *
Run time in Mins LB5300E	Blower 900m³/h	Low 75	High 22	Max 10		Low High 120 35	Max 16	Low 150	-	Max 20	180	High 53	Max 24	225	High 66	Max 30	300		Max 40	360	High 105	Max 48	Max* 110 mins
LB5800E	Blower 986m³/h	100	15	9		160 24	14	200		18	240	36	22	300	45	27	400		36	480	72	36	110 mins
LB7650E	Blower 1300m³/h	30	13	-		120 20	14	150		17	180	30	18	225	37	26	300		34	360	60	40	-
LB6000E	Backpack Blower 1020m³/h	75	13	9		96 17	12	120		15	150	27	18	180	33	23	240		30	290	52	36	_
LBPX8000	Backpack Blower 1360m³/h		-			40 10	8	50	13	10	70	16	12	75	20	15	100		20	120	32	24	-
LBX6000	Blower 1014m³/h***		-			-			60 min	s		75 mins			93 min	S		120 mir	15		144 min	ıs	340 mins
EGO Power+ Multi-	Tool	EGO Po	wer+ M	ulti-Too	ol																		
STA1500	Multi-Tool Line Trimmer Attachment		18 mins			35 mins			45 min			55 mins			72 min			93 min			110 min		300 mins
STA1600	Multi-Tool Line Trimmer Attachment with Powerload™ Technology		18 mins			35 mins			45 min			55 mins			70 min			90 min			110 min		240 mins
BCA1200	Multi-Tool Brush Cutter Attachment	27 mins			50 mins			60 min			75 mins		95 mins				125 mins			150 min		375 mins	
HTA2000 HTA2000S	Multi-Tool Hedge Trimmer Attachment  Multi-Tool Short Hedge Trimmer Attachment		37 mins			65 mins 65 mins			82 min			98 mins			122 mii 122 mii			157 mir 157 mir			188 min 188 min		680 mins
PSA1000**	Multi-Tool Snort neage Irinmer Attachment  Multi-Tool Pole Saw Attachment		37 mins					110 cuts		82 mins 98 mins 140 cuts 170 cuts			210 cu			285 cut			340 cut		660 cuts		
EA0800	Multi-Tool Edger Attachment	70 cuts			50 mins			60 min			75 mins			100 mii			132 mir			158 min		530 mins	
CTA9500	Multi-Tool Cultivator Attachment	40 mins			60 mins			80 min			100 mins						160 mir			190 min		480 mins	
BBA2100	Multi-Tool Bristle Brush Attachment	50 mins				120 mins			120 mir			140 mins		120 mins 150 mins				160 mins 200 mins			280 min		420 mins
OSA1000	Multi-Tool Olive Shaker Attachment	50 mins			80 mins			100 mir			120 mins			160 mi			210 mii			250 min		660 mins	
SSA1200	Multi-Tool Snow Shovel Attachment	45 mins			75 mins			90 min	S		110 mins			135 mi	ns		180 mii	18		216 min		504 mins	
RTA2300	Multi-Tool Rotocut Attachment		25 mins			40 mins			52 min	S		60 mins			80 min	S		105 mir	18		125 min	ıs	325 mins
EGO Power+ Snow			ower+ Sr		rowe														V				
SNT2400E	2 Stage Snow Thrower		14 mins			22 mins			28 min			30 mins			44 mins			56 mins			67 mins		-
SNT2120E-AP	Auger Propelled Snow Thrower	F00 P	-	faat I		_			23 min	S		28 mins			34 min	IS .		45 min	5		56 mins	5	-
EGO Power <sup>+</sup> Lifesty Run time in Mins	ile .		wer <sup>+</sup> Li	,	1	ow Link	May	Low	High	May	Low	High	May	Low	High	Max	Lau	u Hiab	May	Low	High	Max	Max*
HPW2000E	Pressure Washer	Low 25	High 12.5	Max 6.25		Low High 40 20	Max 10	Low 50	High 25	Max 12.5	Low 60	High 30	Max 15	Low 75	High 37.5	Max 18.75			Max 25	120	High 60	30	Max*
FN1800E	45cm Misting Fan	1908	132	84		048 210	132	3810		168	4572	312	198	5718		246			330	9144		396	
LT1000E	Portable Area Light	1080	150	****		728 240	****	2160		****	2592	360	****	3240		****	432		****	5184	_	****	-
LT0300E	Prism Light	1800		-		880 480	-	3600		-	4320	720	-	5400		-		0 1200	-		1440	-	-
0000L		1000	-00		20	- 50		3000	000		7020	. 20		0.00	000		, 20	1200		3340			

34 | BATTERY COMPATIBILITY & RUNTIMES | 35



WITH A RANGE OF CUTTING CAPACITIES, SELF-PROPELLED MODELS, AND PUSH BUTTON START, TACKLE ANY SIZE LAWN WITH EASE.





# THE POWER OF PETROL

With lower running costs, zero emissions and significantly quieter than a petrol mower, the EGO Power<sup>+</sup> mower range offers a variety of key features and cutting capacities to suit any lawn.

The self-propelled motor keeps you in control and makes light work of slopes and undulations. On a single charge, our battery gives you up to 1,900 sqm cutting area\*. Automatic Variable Speed on selected models, delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance for different conditions.

The 3-in-1 functionality lets you drop, bag or mulch clippings (mulching kits are sold separately), while the LED headlights let you work further into the day. The efficient grass collection system, uses all available space in the collection bag, meaning less-frequent emptying. And when you're done, the easy-fold design makes cleaning and storage simple.

SELF-PROPELLED MOTOR Take the strain out of mowing sloping ground PUSH BUTTON START Power up in seconds QUICK RELEASE — Telescopic handle For easy cleaning and compact storage BAG FULL INDICATOR LED HEADLIGHTS Lets you know when Work further into the day the bag needs emptying HIGH TORQUE, High-efficiency motor For operation in all conditions ADJUSTABLE HANDLE HEIGHT Easily adjusts to suit you, and the job in hand LARGE CAPACITY BAG Collects more grass and requires emptying less frequently For convenient storage LARGE DIAMETER For easy motion on different terrains 8-POSITION SPRING LOADED DECK HEIGHT ADJUSTMENT AVAILABLE IN A RANGE OF CUTTING WIDTHS Easily set different grass 42, 47, 50, 52 and 53 cm cutting heights from 20-95mm cutting width options to suit any size of lawn Model shown: LM1900E-SP

Please note: some features are not available on all models.

<sup>\*</sup>Based on a 12.0Ah battery using LM1900E-SP. Cutting area can vary depending on model and battery as well as condition of grass and user operation technique.



# A MOWER FOR EVERY LAWN THE RIGHT TOOL FOR THE JOB

The EGO Power\* mower range showcases a variety of specifications designed to make lawn care quicker, easier and more efficient. And with model sizes ranging from 42cm to 53cm cutting width, there's an option for every task and size of lawn.

Technologically advanced in every way, each mower packs incredible petrol-matching power as standard. Thanks to our revolutionary ARC Lithium™ 56V battery system, they make minimal noise, emit zero emissions, and start up at the touch of a button.

While these benefits apply to all EGO Power<sup>+</sup> mowers, key differences make some models better suited to specific kinds of gardens.

Check out our handy diagram to the right to identify the size of lawn you can cut on a single charge, and therefore the mowers that are suitable for you.



#### **Choosing the RIGHT mower:**



### Small, tight spaces, or close to trees.

For smaller spaces and improved precision around obstacles, mowers with a smaller cutting capacity are ideal.

Our compact 42cm models LM1700E or LM1700E-SP are perfect for smaller spaces.



#### Bigger, open spaces.

A mower with a wider cutting capacity will help you cover more ground in fewer passes. Opting for a bigger battery will increase run time, as will variable automatic cutting speed control. For a faster cut, a larger capacity bag can collect more grass and needs emptying less often.

Try our 52cm model LM2130E-SP which makes even the biggest jobs feel small.



#### Sloping ground.

Using a self-propelled mower takes the strain out of pushing the mower uphill.

Our self-propelled mowers, LM1700E-SP, LM1900E-SP, LM2130E-SP, LM2020E-SP and LMX5300SP are available in different cutting capacities to suit the size of your lawn, choose a wider cutting capacity for less passes.

#### Additional comfort.

If comfort is a priority, selfpropelled mowers require less effort, and with an adjustable handle, you can decide on the most suitable height.

Choose the cutting capacity to suit the size of your lawn- a wider cutting capacity will mean less passes required to cut the lawn.

#### Finishes.

The EGO Rear Roller Kit is a simple and effective way of enabling your EGO mower to stripe your lawn, giving you a manicured look whilst keeping the versatility of being able to mulch and rear discharge clippings.

#### **REAR ROLLER KITS**

Just add an EGO Rear Roller Kit to enable your EGO mower to stripe your lawn (please check that a Rear Roller Kit is available for your model – see below).



AR1700 available for LM1700E, LM1700E-SP AR1900 available for LM1900E-SP AR2100 available for LM2130E-SP

#### Grass cutting options.

There are 3 different ways that E60 Power<sup>+</sup> mowers deal with cut grass. Great for lawns that aren't too thick, mulching redistributes grass particles and fertilising nutrients. Drop cuttings or rear discharge allows for quicker mowing through thick and long grass. Bag collection keeps lawns clear of any cuttings.



#### MULCHING KITS

The EGO Power<sup>+</sup> Mulching Kit will allow the mower to cut and distribute fine grass cuttings back into the lawn to help retain moisture and nutrients for a healthier lawn.

ABP1700 available for LM1700E, LM1700E-SP
ABP1900 available for LM1900F-SP



#### CUT

Interchangeable multi-blade cutting system that allows you to choose between specialist mulching blade and bagging blade, to either distribute fine cuttings into your lawn or to collect cuttings into the large collection bag.

ABP2100D-E available for LM2130E-SP





#### LM1700E **42CM MOWER**

POWER

Perfect for precision mowing in smaller spaces and medium sized gardens with level ground. Includes a 55L collection bag.





#### LM1900E-SP 47CM SELF-PROPELLED MOWER

POWER POWER

The wider cutting width is perfect for precision mowing of medium sized gardens. Self-propelled for tackling sloping lawns with ease. Includes a 55L collection bag.





#### LM1700E-SP 42CM SELF-PROPELLED MOWER



Perfect for mowing in smaller spaces and medium sized gardens. Self-propelled for tackling sloping and undulating lawns with ease. Includes a 55L collection bag.





#### LM2020E-SP **50CM SELF-PROPELLED MOWER**



The wide cutting width is perfect for precision mowing of medium and larger-sized gardens. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. Includes a larger 60L collection bag.



#### LM2130E-SP 52CM SELF-PROPELLED MOWER



CUTX

The wide cutting width is perfect for precision mowing of larger gardens and wider spaces. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. The Select Cut interchangeable multi-blade cutting system that allows you to choose between specialist mulching blade and bagging blade. Includes an extra-large 70L collection bag.







		LM1700E	LM1700E-SP	LM1900E-SP	LM2020E-SP	LM2130E-SP	
CUTTING CA	APACITY	42cm	42cm	47cm	50cm	52cm	
SELF-PROPELLED SPEED No		No	0.5-1.4m/s (1.8-5.0km/h)	0.6-1.4m/s (2.2-5.0km/h)	0.6-1.4m/s (2.2-5.0km/h)	0.4 -1.4 m/s (1.4 -5km/h)	
CUTTING DE	CK MATERIAL	Poly	Poly	Poly	Steel	Poly	
CUTTING	2.5Ah	Cuts up to 400sqm	Cuts up to 300sqm	Cuts up to 400sqm	Cuts up to 350sqm	Cuts up to 333sqm	
AREA*	4.0Ah	Cuts up to 640sqm	Cuts up to 480sqm	Cuts up to 640sqm	Cuts up to 560sqm	Cuts up to 533sqm	
	5.0Ah	Cuts up to 800sqm	Cuts up to 600sqm	Cuts up to 800sqm	Cuts up to 700sqm	Cuts up to 666sqm	
	6.0Ah	Cuts up to 900sqm	Cuts up to 800sqm	Cuts up to 900sqm	Cuts up to 800sqm	Cuts up to 1000sqm	
	7.5Ah	Cuts up to 1200sqm	Cuts up to 900sqm	Cuts up to 1200sqm	Cuts up to 1050sqm	Cuts up to 1000sqm	
	10.0Ah	Cuts up to 1600sqm	Cuts up to 1200sqm	Cuts up to 1600sqm	Cuts up to 1400sqm	Cuts up to 1333sqm	
	12.0Ah	Cuts up to 1900sqm	Cuts up to 1400sqm	Cuts up to 1900sqm	Cuts up to 1700sqm	Cuts up to 1600sqm	
CUTTING SP	PEED CONTROL	Constant speed	Constant speed	Constant speed	Automatic Variable Speed**	Automatic Variable Speed**	
NO LOAD SP	PEED	3,000rpm	3,000rpm	2,850rpm	2,700-3,000rpm	2,700-3,000rpm	
CUT HEIGHT	SETTINGS	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	25/35/50/65/80/95mm	25/32/40/51/64/77/90mm	
HANDLE HE	IGHTS	Three – user adjustable	Three - user adjustable	Three - user adjustable	Three - user adjustable	Three – user adjustable	
BAG CAPACI	ITY	55L	55L	55L	60L	70L	
FUNCTIONS	;	Mulch <sup>†</sup> , collect, rear discharge	Mulch <sup>†</sup> , collect, rear discharge	Mulch <sup>†</sup> , collect, rear discharge	Mulch <sup>†</sup> , collect, side discharge	Mulch† and collect	
NOISE RATII Lpa/Lwa	NG	78dB(A) 95dB(A)	78dB(A) 95dB(A)	80dB(A) 95dB(A)	80dB(A) 93dB(A)	80dB(A) 90dB(A)	
VIBRATION (	(M/S <sup>2</sup> )	2.4	1.5	1.4	1	0.6	
VERTICAL ST	TORAGE	Yes	Yes	Yes	Yes	Yes	
WEIGHT WIT	THOUT BATTERY	22kg	25kg	25kg	27kg	26kg	
MOTOR TYP	E	Brushless	Brushless	Brushless	Brushless	Brushless	
DOMESTIC WARRANTY		5 years	5 years	5 years	5 years	5 years	
PROFESSIO	NAL WARRANTY	1 year	1 year	1 year	2 years	2 years	
AVAILABLE /	AS A KIT	LM1701E: Includes mower, 2.5Ah battery and standard charger	LM1702E-SP: Includes self- propelled mower, 4Ah battery and standard charger	LM1903E-SP: Includes self- propelled mower, 5Ah battery and rapid charger	LM2021E-SP: Includes self- propelled mower, 5Ah battery and rapid charger	LM2135-SP: Includes self- propelled mower, 7.5Ah batte and rapid charger	

<sup>\*</sup>Cutting area may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique. \*Automatic Variable Speed delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance.

42 EGO POWER+ MOWERS EGO POWER+ MOWERS 43

Please note, mulching kits for models LM1700E, LM1700E-SP, LM1900E-SP and LM2130E-SP are available separate to purchase (ABP1700, ABP1900 and ABP2100D-E).

- highlighted cutting area is optimal for battery.







**DUAL BATTERY PORTS** 

LED HEADLIGHTS

Work further into

Combines two EGO ARC Lithium™

Batteries to provide extra

PeakPower™ when required

SIMPLE DURABLE CONTROLS For self-propelled drive speed adjustment and blade engagement. Clear screen shows battery capacity and drive speed

LARGE CAPACITY 85L COLLECTION BAG WITH LEVEL INDICATOR Efficient grass collection,

collects more grass and requires emptying less often

SINGLE-TUBE Steel Handles

Fold flat for

TOUGH DRIVE SYSTEM

and durability

CAST ALUMINIUM DECK

With Rubberised front and

back wheels and aluminium hubs, for excellent traction

convenient transport,


storage and easy cleaning – while still remaining durable


#### **EGO**

#### 53CM PRO X SELF-PROPELLED MOWER WITH DUAL BATTERY PORTS

IOT READY WITH
BUILT IN BLE MODULE

The wider cutting width is designed for mowing of large and wide spaces. Self-propelled with automatic variable cutting speed, two battery ports, and Peak Power™ Technology, ideal for all day working. The cast aluminium deck gives a robust stable performance. Includes an extra-large 85L collection bag.





\*Cutting area may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

3 years

DOMESTIC WARRANTY PROFESSIONAL WARRANTY

# ALL-DAY POWER FOR THE TOUGHEST CUTTING CONDITION

The new LMX5300SP has been designed with the professional user in mind. The backbone of the mower is the cast aluminium deck, which ensures that the mower is robust, stable and performs to a high level.

The dual battery ports provide Peak Power™ to the mower when more energy is needed, while the 1600W motor has ample torque, providing high power for tough cutting conditions.


Part of the Pro X range, ideal for users who demand tough and durable tools, the mower is also comfortable for all-day use with selfpropelled variable-speed adjustment, and adjustable handle height.

#### NEW PRO X CHARGING SYSTEM

#### For the ultimate in powerful all-day working

Portable and super-fast – the Pro X DC:DC multi-battery charging system keeps Pro X tools working on-site all day long.

See page 32-33 for more details.



MULCHING PLUG

MESS NINES

ROBUST BARRIER BARS Protect the motors and housings, can also be used as handles

8 CUTTING HEIGHT ADJUSTMENTS

Via front and rear wheel levers, from 20mm to 105mm. A versatile

Provides stability, durability and ensures outstanding performance

44 | EGO POWER+ PRO X MOWERS



BATTERIES FOR TRULY EXCEPTIONAL PERFORMANCE.



46 | EGO POWER+ RIDE-ON MOWERS





## OUTSTANDING BATTERY-POWERED RIDE-ON PERFORMANCE

The development of EGO's new ride-on mowers range is a testament to the ground-breaking success of the EGO ZG ride-on mower. The world's first battery-platform compatible zero-turn ride-on mower proved that the combined power of EGO's revolutionary ARC Lithium™ batteries could more than match petrol-powered equivalents.

Also utilising up to six EGO ARC Lithium™ portable batteries, EGO's new Ride-on Tractor Mowers are set to equal the success of the EGO Z6 series. Allowing you to not only match the amount of energy you need for your mowing needs but also to use the same batteries with other EGO tools.

EGO ride-on mowers deliver the equivalent power of a 22-horsepower petrol engine, with less noise and none of the emissions. You can tailor the combination of batteries to suit the size of your lawn and grass-cutting preferences, while fully customisable digital controls give you the flexibility to match set-up and performance to the job in hand, cutting up to 2.5 Acres on a single charge\*.

\*When using six 12Ah EGO ARC Lithium" batteries in the EGO Z6 Mower.











Dialling up the power for those tough tasks has never been easier.

Peak Power™ Technology combines the power from your choice of two to six EGO 56V ARC Lithium™ batteries to deliver the performance of a petrol mower, automatically increasing the power for tougher cutting tasks.







48 | EGO POWER+ RIDE-ON MOWERS | 49





## 16 NEW FOR 2024 MOW UP TO 2 ACRES ON A SINGLE CHARGE

The new EGO ride-on tractors set the standard in battery powered collection and side-discharge mowers.

The powerful twin blades and pressed steel decks ensure that the mowers perform robustly with either efficient grass collection into the grass box at the rear of the mower, or rapid side-discharge.

The central LCD control display is located on the dash making it easy to make adjustments to travel and blade speeds.

Bluetooth connectivity allows the user to monitor machine performance as well as to ensure batteries are charged and ready for cutting.







NEW FOR 2024

#### TR3800E-B

#### 98CM RIDE-ON COLLECTION TRACTOR MOWER

The EGO Collection Tractor benefits from efficient grass collection into a large rear 300 litre collection box to maximise cutting times.

















NEW FOR 2024

#### 107CM RIDE-ON SIDE DISCHARGE TRACTOR MOWER

The EGO Side Discharge Tractor allows cutting of higher levels of grass faster, as grass collection is not required.

Large areas of grass can be covered on a single charge, throwing grass out to the right side of the mower, making it suitable for paddocks.



















FAST 1600W CHARGER Fully charges 6x 10Ah EGO 56v ARC Lithium™ batteries in as little as just 3 hours See page 30 for details

	TR3800E-B	TR4200E		
NUMBER OF BLADES	2	2		
CUTTING WIDTH	98cm	107cm		
STEERING	Steering wheel	Steering wheel		
SPEED	Up to 10km	Up to 10km		
DECK LIFTING	12	12		
CUTTING HEIGHT	25mm-100mm	25mm-100mm		
FUNCTIONS	Bagging, mulch	Side discharge, mulch		
REAR COLLECTION	300L	-		
SEAT SUSPENSION	18" high back padded seat	18" high back padded seat		
NOISE RATING LpA/LwA	84dB(A) / 98dB(A)	84dB(A) / 96dB(A)		
WEIGHT	220kg	182kg		
DOMESTIC WARRANTY	5 years	5 years		
PROFESSIONAL WARRANTY	1 year	1 year		
SUPPLIED COMPLETE AS:	TR3801E-B: Includes ride-on mower, 2x blades, mulching plug and 1600W charger	TR4201E: Includes ride-on mower, mulching plug and 1600W charger		

 ${}^{\star}\text{Run time may vary based on the batteries used, charge level of batteries, condition of grass and user's operation technique.}$ The T6 needs a minimum of 15Ah to function.

50 | EGO POWER+ RIDE-ON MOWERS EGO POWER+ RIDE-ON MOWERS 51

#### POWER Z6 ZERO-TURN RIDE-ON MOWER





#### Introducing EGO's unique Z6 steering wheel model, featuring e-STEER™ Technology for advanced steering control and confidence.

Our newest Z6 model drives like a car and turns like a zero-turn simultaneously, with a precision steering wheel and the latest in digital steering technology – as well as offering the same world-first battery platform-compatibility as all EGO ride-on models.

With zero-turn capability, all EGO Z6 mowers can turn a full 360 degrees, on the spot, for perfect about-turns and for cutting around the tightest corners right up to the edge. While customisable driving modes and variable cutting speeds, give maximum flexibility for different cutting conditions.







#### FAST 1600W CHARGER Fully charges 6x 10Ah EGO 56v ARC Lithium™ batteries in as little as just 3 hours See page 30 for details



#### ZT4200E-S 107CM Z6 ZERO TURN MOWER WITH E-STEER™ TECHNOLOGY

The Z6 ZT4200E-S drives like a car and turns like a zero-turn ride-on mower. The innovative precision steering wheel ensures you are in complete control, handling tight corners easily with on-the-spot turning. Equipped with the latest in digital technology and cruise control, the Z6 takes maneuverability to the next level with 3 customisable driving modes: Control, Standard and Sport.













#### ACCESSORIES ALSO AVAILABLE











52 | EGO POWER+ RIDE-ON MOWERS EGO POWER+ RIDE-ON MOWERS | 53



#### POWER Z6 ZERO-TURN RIDE-ON MOWER







	ZT4200E-S	ZT4200E-L	ZT5200E-L
NUMBER OF BLADES	2	2	3
CUTTING WIDTH	107cm	107cm	132cm
STEERING	Steering wheel	Lap Bar	Lap Bar
SPEED	5-13 km/h	5-13 km/h	8-13km/h
DECKLIFTING	Manual	Manual	Manual
CUTTING HEIGHT	25mm-100mm, 10 settings	25mm-100mm, 10 settings	25mm-100mm, 10 settings
FUNCTIONS	Mulch, collect, side discharge	Mulch, collect, side discharge	Mulch, collect, side discharge
REAR COLLECTION	230L	230L	230L
SEAT SUSPENSION	Hydraulic	Hydraulic	Hydraulic
NOISE RATING LpA/LwA	84dB(A) 96dB(A)	84dB(A) 96dB(A)	84dB(A) 96dB(A)
WEIGHT	195kg	195kg	217kg
DOMESTIC WARRANTY	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	1 year
SUPPLIED COMPLETE AS:	ZT4201E-S: Includes ride-on mower, mulching plug and 1600W charger	ZT4201E-L: Includes ride-on mower, mulching plug and 1600W charger	ZT5201E-L: Includes ride-on mower and 1600W charger

 $^{\star}$ Run time may vary based on the batteries used, charge level of batteries, condition of grass and user's operation technique. The Z6 needs a minimum of 15Ah to function.

54 | EGO POWER+ RIDE-ON MOWERS | 55



BUILT FOR THE TOUGHEST JOBS, POWERED TECHNOLOGY, NOTHING GETS IN THEIR WAY.





AUTO CHAIN TENSIONING

The EGO Power<sup>+</sup> 18 inch chainsaw with Auto Chain

Tensioning is built to tackle tough jobs. With a high speed 20m/s chain speed and a powerful

All guesswork is removed when it comes to the

correct chain tension thanks to an auto tensioning

feature. When replacing or tensioning the chain, simply loosen the sprocket cover on the saw,

motor, nothing will get in its way.

re-tighten and you're ready to go.

# BUILT For the

#### The EGO Power+ chainsaws are built to tackle even the hardest jobs. Trunks, logs, branches, nothing gets in their way.

Choose simple, safe Auto Chain Tensioning to maintain proper tension during use or opt for tool-free chain tensioning for easy set-up and adjustment. Check the lubrication level through the oil inspection window and you're ready to go. The electronic chain brake protects against kickback while you work. And, the auto-lubrication system keeps the chain moving freely at all times.

Plus with EGO's 56V ARC Lithium™ battery delivering such an impressive run time and incredible power on a single charge, it'll keep you working cut after cut after cut.

<u>≡</u>GO

CHAIN BRAKE



FAST CHAIN SPEED - 20.0M/S For smooth, easy cut through

For safe operation LED LIGHT For use in low light conditions AND POWERFUL AUTOMATIC CHAIN OILING For better cutting performance

**AUTO CHAIN TENSIONING** For simple chain tensioning\*

POWER

BRUSHLESS

OPAQUE OIL LEVEL INSPECTION WINDOW

--,**5**00 €

BUMPER SPIKES For control when cutting logs

DURABLE 45CM, 18" Guide Bar

SIMPLE ADJUSTMENT

For safe and effective chain tensioning.

Please note: some features are not available on all models. Model shown: CS1800E

\*Available on selected models.



large trunks and logs

















#### CS1410E 35CM CHAINSAW

Perfect for easily cutting through branches and medium-sized logs up to 35cm (approx. 14ins) in width.















#### CS1610E **40CM CHAINSAW**

An outstanding combination of high torque and chain speed - perfect for easily cutting through branches and medium-sized logs up to 40cm (approx. 16ins) in width.









AUTO CHAIN TENSIONING





#### CS1800E **45CM CHAINSAW**

A chain speed of 20m/s, provides all the power and torque needed to quickly cut through thick branches and larger logs up to 45cm (17.5ins) in width.





**AUTO CHAIN** TENSIONING



#### CS2000E **50CM CHAINSAW**

The CS2000E is EGO's highest specification chainsaw for domestic use, boasting 25m/s chain speed and a new configuration for improved balance and handling, ideal for cutting thick branches and larger logs up to 50cm (19.6 inches) in width. Features a new innovative display showing battery charge level and speed setting.



#### BCS1000 CHAINSAW BAG

Durable bag with oil tray and folding scabbard cover for safely transporting chainsaws. Separate pockets for storing accessories.



Available separately, see page 133.

	C\$1410E	C\$1610E	C\$1800E	CS2000E
BAR LENGTH	35cm	40cm	45cm	50cm
CHAIN SPEED	20m/s	20m/s	20m/s	25m/s
CUTS UP TO*	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 55 cuts 4.0Ah Up to 90 cuts 5.0Ah Up to 110 cuts 6.0Ah Up to 135 cuts 7.5Ah Up to 165 cuts 10.0Ah Up to 225 cuts 12.0Ah Up to 270 cuts
CHAIN BAR	AG1400	AG1600	AG1800	AG2000
CHAIN TYPE	AC1400 (90PX - 3/8" x 1.1mm)	AC1600 (90PX - 3/8" x 1.1mm)	AC1800 (91PX -3/8" x 1.3mm)	AC2000
OIL RESERVOIR	150ml	150ml	200ml	150ml
CHAIN OIL	Automatic	Automatic	Automatic	Automatic
CHAIN BRAKE	Yes	Yes	Yes	Yes
NOISE RATING LpA/LwA	91dB(A) 102dB(A)	91dB(A) 102dB(A)	93dB(A) 104dB(A)	89dB(A) 105dB(A)
VIBRATION (M/S2)	3.4/2.8	3.4/2.8	5.1/3.5	4.7/4.2
CHAIN TENSIONING	Automatic	Automatic	Semi automatic	Manual
WEIGHT WITHOUT BATTERY	4.1kg	4.1kg	4.5kg	5.9kg
MOTOR TYPE	Brushless	Brushless	Brushless	Brushless
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	2 years	2 years
AVAILABLE AS A KIT	CS1411E: Includes chainsaw, 2.5Ah battery and standard charger	CS1614E: Includes chainsaw, 5Ah battery and rapid charger	-	CS2005E: Includes chainsaw, 6Ah battery and rapid charger

<sup>\*</sup>Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.

**60** | EGO POWER+ CHAINSAWS EGO POWER+ CHAINSAWS 61

highlighted cutting area is optimal for battery.

#### POWER PROW REAR HANDLE CHAINSAW

# THE POWER AND SPEED

The first in a new generation of EGO rear handle chainsaws. Meeting the needs of professional users who need a ground saw to complete the toughest jobs. Balance is a key focus of the new design, ensuring the saw can be used for longer periods.

At a chain speed of 30m/s the saw provides the power and speed comparable to established petrol saws.

The CSX5000 utilises full chisel chains making cutting fast and efficient - with enough power to drive the 50cm chain to perform at its best.

The saw also features a new display screen that clearly shows oil level, battery capacity and adjustable speed.

#### NEW FOR 2024





#### CSX5000 PRO X 50CM REAR HANDLE

Designed to deliver a best-in-class combination of power, torque and chain speed for the professional user.





#### For the ultimate in powerful all-day working

Portable and super-fast - the Pro X DC:DC multi-battery charging system keeps Pro X tools working on-site all day long.

See page 32-33 for more details

BAR LENGTH	50cm
CHAIN SPEED	20/25/30m/s
CUTS UP TO*	2.5Ah Up to 40 cuts 4.0Ah Up to 60 cuts 5.0Ah Up to 75 cuts 6.0Ah Up to 90 cuts 7.5Ah Up to 110 cuts 10.0Ah Up to 150 cuts 12.0Ah Up to 175 cuts
CHAIN BAR	AK2025
CHAIN TYPE	AC2035
OIL RESERVOIR	250ml
CHAIN OIL	Automatic - Worm drive adjustable
CHAIN BRAKE	Yes - Mechanical and Electronic
NOISE RATING LpA/LwA	92dB(A) 104dB(A)
VIBRATION (M/S2)	3.3/1.7
CHAIN TENSIONING	Manual
WEIGHT WITHOUT BATTERY	6.2kg
MOTORTYPE	Brushless
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years

CSX500



POWER PROX TOP HANDLE CHAINSAW

150



## EASIER, SAFER,

IMPRESSIVE USER COMFORT AND SAFETY Low vibration and noise levels and

> SIGHTLINES Helping operators make accurate cuts

zero emissions

Created with arborist specialists in mind, EGO's Pro X CSX3000 Top Handle Chainsaw is an exceptional combination of torque and power.

With industry-leading ARC Lithium™ battery technology at its core, the Top Handle Chainsaw provides the optimum combination of power, torque, and chain speed.

BATTERY-LEVEL AND OIL Indicator light alerts Provides warning when power and oil levels are running low Benefiting from long run-times and fast recharge, it's built to tackle tough, all-day use. The Chainsaw's unique Chain Brake Safety System stops the tool's motor if kickback occurs, reducing the risk of injury.

Additional features of Battery-Level and Oil Indicator lights alert you when you're running low, making the tool suitable for every tree-top task. With a range of chain bars from 12" to 16" available, the EGO Top Handle Chainsaw makes jobs easier, cleaner, quieter and safer.

CHAIN-BRAKE SAFETY SYSTEM Stops the motor in its tracks if kickback occurs

> METAL BUMPER SPIKES For better grip during cuts

Hem

COMPATIBLE WITH A RANGE OF CHAIN BARS From 12"- 16"



#### ABH3000 BATTERY HOLSTER BA2240T

**4AH BATTERY** 

Battery holster cable integrates with the safety strop to securely attach to the belt and harness. The 4Ah battery has been designed with the optimal power-to-weight ratio for use by professional arborists.

Available separately, see pages 25 and 26.



#### PRO X TOP HANDLE CHAINSAW

Designed to deliver a best-in-class combination of power, torque and chain speed for the professional arborist.

TOP HANDLE TRIGGER

Provides power when you need it, no need for a pull cord







	CSX3000
BLADE LENGTH	30cm
CHAIN SPEED	20m/s
CUTS UP TO*	2.5Ah Up to 140 cuts 4.0Ah Up to 225 cuts 5.0Ah Up to 265 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 420 cuts 10.0Ah Up to 560 cuts 12.0Ah Up to 700 cuts
CHAIN BAR	AG1200
CHAIN TYPE	AC1200 (90PX - 3/8" x 1.1mm)
OIL RESERVOIR	200ml
CHAIN OIL	${\bf Automatic\text{-}Wormdriveadjustable}$
CHAIN BRAKE	Yes - Mechanical and Electronic
NOISE RATING LpA/LwA	88dB(A) / 98dB(A)
VIBRATION (M/S2)	1.7/2.2
CHAIN TENSIONING	Side
WEIGHT WITHOUT BATTERY	3.5kg
MOTORTYPE	Brushless
DOMESTIC WARRANTY	Not suitable
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	CSX3002: Includes top handle chainsaw, 4Ah battery and rapid charger

- highlighted cutting area is optimal for battery.



MAXIMUM REACH, MANOEUVRABILITY AND CUTTING POWER FOR HIGH BRANCHES AND HEDGES.



## REACH

#### The EGO Pole Saw makes ladders and tricky tree maintenance a thing of the past.

With a 25cm bar and chain speeds of up to 20m/s, the EGO Pole Saw cuts through high branches with ease. The cutting head and shaft attach to the tool via a connector, allowing the Pole Saw to be stored compactly. Switch up the length of the tool up to 4m to reach any branch, however near or far, with the telescopic feature. The lightweight, sturdy, carbon fibre shaft and LED cutting guides aid manoeuvrability and keep cuts accurate.



#### TELESCOPIC POLE SAW

Work on those hard-to-reach areas with ease. Our lightweight EGO Telescopic Pole Saw reaches lengths of 4m when fully extended and, thanks to its motor located at the head of the tool, maintains great balance and ergonomics.



TELESCOPIC

TOOL FREE FILLER

TOOL FREE CHAIN TENSIONING

BRANCH-GRABBING HOOK

FFATURE

BAR LENGTH 25cm CHAIN TYPE Gauge 0.043", pitch 1/4" CUTS UP TO\* 2.5Ah Up to 70 cuts 4.0Ah Up to 110 cuts 5.0Ah Up to 140 cuts 6.0Ah Up to 170 cuts 7.5Ah Up to 210 cuts 10.0Ah Up to 285 cuts 12.0Ah Up to 340 cuts **CHAIN SPEED** 20m/s TOTAL EXTENDED LENGTH 296cm (tool) 396cm (with one extension pole) 496cm (with two extension poles) OIL RESERVOIR 80ml CHAIN OIL Automatic 82dB(A) NOISE RATING 100dB(A) LpA/LwA VIBRATION (M/S2) 1.01/1.51 **CHAIN TENSIONING** Automatic WEIGHT WIHOUT BATTERY 4.25kg MOTOR TYPE Brushless DOMESTIC WARRANTY 5 years PROFESSIONAL WARRANTY 2 years PS1003E: Includes telescopic pole saw, extension pole, 4Ah battery and standard charger

TOOL FREE

HANDLE ADJUSTER

\*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts. highlighted cutting area is optimal for battery.



#### EP1000 **EXTENSION POLE**

Nothing is out of reach with this strong yet lightweight extension pole.





# REACH HIGH BRANCHES

EGO's Telescopic Pole system enables you to work on those harder-to-reach jobs with ease.

Switch between a Pruning Saw or Hedge Trimmer attachment in a matter of seconds. The Telescopic Pole houses the battery and dual-trigger controls and has an extendable reach of up to 4 metres. When fully extended, the tool maintains great balance, articulation, and ergonomics.



IN-LINE BATTERY POSITION For optimum balance during use

ALUMINIUM OVAL SHAFT Robust design for comfort, grip and reach


Easy to change attachment with thumb screw locking

PRO X TELESCOPIC Hedge trimmer attachment Cut branches up to 26mm in diameter. 6-position articulation and additional twist rotation

PRO X TELESCOPIC Pruning saw attachment The power, torque and chain-speed to cut branches up to 200mm in diameter









\*The Telescopic Pruning Saw attachment and the Telescopic Hedge Trimmer can be purchased separately.

\*\*Depending on which attachment.



DOUBLE TRIGGER Controls

Comfortable, safe and reliable

#### PPX1000 PRO X TELESCOPIC POLE

Use with the EGO Power<sup>+</sup> Pro X Pruning Saw and Hedge Trimmer attachments\*, and with any of EGO's 56V ARC Lithium™ batteries. Extends up to 4m\*\* in length to easily reach high branches and hedges, and ideal for low hedges when set to a shorter extension.



	PPX1000	
LENGTH	172 - 265cm	
IP CLASS	IPX4	
SPEED CONTROL	Variable speed 2 triggers	
SHAFT MATERIAL	Oval, rubber sleeve	
WEIGHT WITHOUT BATTERY	3.5kg	
DOMESTIC WARRANTY	5 years	
PROFESSIONAL WARRANTY	3 years	
AVAILABLE AS A KIT***	PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment	

HIGH CHAIN SPEED

FELLING LINE FOR

**ACCURATE CUTS** 

WITH LED LIGHT

FRONT-MOUNTED

MOTOR AND OIL


SYSTEM



TELESCOPIC ADJUSTMENT Reaches and cuts high branches



FAST CHAIN SPEED





#### PTX5100

#### PRO X TELESCOPIC HEDGE TRIMMER ATTACHMENT

For use with the EGO Power<sup>+</sup> Pro X Telescopic Pole (sold separately). Cut branches up to 26mm with ease. Tackle hard-to-reach areas with 6-position articulation and twist rotation.

(
















\*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique. \*\*Without battery and charger.

		A best-in-class 22m/s cuts thick branches with ease
		PSX2500
	BAR LENGTH	25cm
	CHAIN TYPE	90PX040X (Pitch <sup>3</sup> /8", Gauge 1.1mm)
	CHAIN SPEED	22m/s
PSX2500	RUN TIME*	2.5Ah Up to 110 cuts 4.0Ah Up to 182 cuts 5.0Ah Up to 231 cuts 6.0Ah Up to 230 cuts 7.5Ah Up to 379 cuts 10.0Ah Up to 455 cuts 12.0Ah Up to 545 cuts
PRO X TELESCOPIC PRUNING SAW ATTACHMENT	SPEED CONTROL	Variable Speed
For use with the EGO Power <sup>+</sup> Pro X Telescopic Pole (sold separately).	TOTAL LENGTH	140cm
Cut through branches up to 200mm in diameter with ease.	TOTAL EXTENDED LENGTH	400cm
	OIL TANK CAPACITY	180ml with worm gear
	NOISE RATING LpA/LwA	85 dB(A) / 99 dB(A)

\*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100 mm x 100 mm cuts. \*Without battery and charger.

2.2kg

1.2

5 years

3 years

PPCX1000: Includes telescopic pole, pruning saw attachment and hedge

trimmer attachment

Brushless

WEIGHT WITHOUT BATTERY

MOTOR TYPE

VIBRATION (M/S2)

DOMESTIC WARRANTY

PROFESSIONAL WARRANTY

BRUSHLESS MOTOR To deliver maximum power and run time for tough jobs

**68** | EGO POWER+ PRO X TELESCOPIC POLE PRODUCTS EGO POWER+ PRO X TELESCOPIC POLE PRODUCTS | 69



THE PERFECT COMBINATION OF POWER, BALANCE BRUSH CUTTERS CUT EVERY JOB DOWN TO SIZE.









## ULTIMATE TRIMMING CONTROL

EGO has revolutionised its range of Power<sup>+</sup> Line Trimmers once more, with the introduction of world-first Line IQ™ Technology for non-stop performance.

#### **Automatic Line Feeding**

EGO's latest innovation features auto-sensors which monitor and automatically feed the length of line so there's no bump needed. Coupled with EGO's patented Powerload™ Technology, it's designed to eliminate the usual hassle so you can focus on the job at hand.

With a range of cutting swathes and speeds, there's an EGO Line Trimmer suitable for every use, from smaller gardens to more demanding, professional jobs. Backed by powerful brushless motors and created with ease-of-use in mind, EGO Power<sup>+</sup> Line Trimmers deliver optimum efficiency and runtime, as well as low vibration levels and adjustable shaft length for comfortable working conditions.



## LINE-IQ TECHNOLOGY

#### **Automatic Line Feeding**

Forget frustrating line feeding issues with EGO's automatic Line IQ™ Technology, there's no need to bump the head, so you can keep trimming for non-stop performance.





LINE-IQ







BUMP LINE FEED

POWERLOAD™ HEAD









EGO" POWER



*POWERLOAD*\*\*













	ST1300E-S	ST1400E-ST	ST1510E	ST1530E	ST1610E-T
CUTTING WIDTH - Line trimmer head	33cm	35cm	38cm	38cm	40cm
TOTAL LENGTH	173cm	165-183cm	173cm	167cm	184cm
RUN TIME*	2.5Ah Up to 70 mins 4.0Ah Up to 110 mins 5.0Ah Up to 140 mins 6.0Ah Up to 170 mins 7.5Ah Up to 210 mins 10.0Ah Up to 280 mins 12.0Ah Up to 340 mins	2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 6.0Ah Up to 135 mins 7.5Ah Up to 165 mins 10.0Ah Up to 240 mins 12.0Ah Up to 290 mins	2.5Ah Up to 30 mins 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 6.0Ah Up to 70 mins 7.5Ah Up to 90 mins 10.0Ah Up to 120 mins 12.0Ah Up to 145 mins	2.5Ah Up to 18 mins 4.0Ah Up to 36 mins 5.0Ah Up to 45 mins 6.0Ah Up to 55 mins 7.5Ah Up to 72 mins 10.0Ah Up to 90 mins 12.0Ah Up to 110 mins	2.5Ah Up to 40 mins 4.0Ah Up to 65 mins 5.0Ah Up to 85 mins 6.0Ah Up to 100 mins 7.5Ah Up to 125 mins 10.0Ah Up to 165 mins 12.0Ah Up to 200 mins
SPEED CONTROL	Constant speed	Variable speed	Constant speed	Constant speed	Variable speed
SPEED CONTROL	Two-speed	Two-speed	Two-speed	Two-speed	Digital 2 speed
NO LOAD SPEEDS	5,200-6,500rpm	3,500-5,800rpm	4,000-5,800rpm	6,000-7,000rpm	3,500-5,500rpm
LINE DIAMETER SUPPLIED**	2.0mm	2.4mm	2.4mm	2.4mm	2.4mm
LINE FEED	Bump feed head	Powerload™ head	Powerload™ head	Rapid reload bump feed head	Line-IQ feed / Powerload™ head
DUALLINE	Yes	Yes	Yes	Yes	Yes
ROTATING DIRECTION	Clockwise	Clockwise	Clockwise	Anti clockwise	Clockwise
AUXILIARY HANDLE	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust	Quick-adjust
HARNESS	N/A	N/A	Single shoulder	Single shoulder	Single shoulder
WEIGHT WITHOUT BATTERY	2.7kg	3.4kg	3.2kg	4.2kg	3.4kg
VIBRATION (M/S2)	2.1/1.2	3.2/2.3	1.1/1.5	3.9/2.7	4.6/2.7
MOTOR TYPE	Brushless	Brushless	Brushless	Brushless	Brushless
NOISE RATING LpA/LwA	75dB(A) 93dB(A)	69dB(A) 89dB(A)	79.3dB(A) 93dB(A)	82.6dB(A) 96dB(A)	77dB(A) 90dB(A)
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	1 year	2 years	1 year
AVAILABLE AS A KIT	ST1301E-S: Includes line trimmer, 2.5Ah battery and standard charger	ST1401E-ST: Includes line trimmer, 2.5Ah battery and standard charger	ST1511E: Includes line trimmer, 2.5Ah battery and standard charger	-	ST1613E-T: Includes line trimmer, 4.0Ah battery and standard charger

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique. \*\*Please refer to pages 82-83 for more information.

QUICK-ADJUST HANDLE

<sup>.</sup> highlighted cutting area is optimal for battery.

### POWER BRUSH CUTTER/LINE TRIMMER





#### BC3800E

#### 30/38CM BRUSH CUTTER / LINE TRIMMER

The three-sided blade and brushless motor has the power to clear virtually any ground. Can be used as either a brush cutter or line trimmer.





\*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique. \*\*Please refer to pages 82-83 for more information.

-Three-sided blade

- Line trimmer head

BLADE MATERIAL

SPEED CONTROL

LINE FEED

LINE DIAMETER SUPPLIED\*\*

WEIGHT WITHOUT BATTERY

ROTATING DIRECTION

-Three-sided blade

- Line trimmer head

VIBRATION (M/S2)

-Three-sided blade

MOTOR TYPE

NOISE RATING

DOMESTIC WARRANTY

PROFESSIONAL WARRANTY

LpA/LwA

TOTAL LENGTH

RUN TIME\*

30cm

38cm

186cm

2.4mm

4.6kg

4.4kg

1.5/1.9

2.3/2.4

Brushless

80dR(A)

5 years

2 years

Anti clockwise

2.5Ah Up to 20 mins

4.0Ah Up to 32 mins

5.0Ah Up to 40 mins

6.0Ah Up to 50 mins 7.5Ah Up to 65 mins

10.0Ah Up to 80 mins

12.0Ah Up to 96 mins

Three-sided steel blade

Constant variable speed

Rapid reload bump feed head

## EGO POWER PRO% ROTOCUT












The EGO Pro X Rotocut attachment cuts through grass, weeds and moss on concrete, pathways, and verges with ease.

Featuring two counter-rotating blades instead of line, Rotocut maximises run-time and reduces vibration. Most importantly, it prevents debris from being thrown, making it ideal for use in built-up areas where risk of damage or injury can be acute. With a low profile on the gear box, it can take on the most difficult-to-reach areas.

The base plate is mounted on bearings, increasing the overall life of the tool, and reducing pavement damage. The blades have been designed to ensure clean and accurate cutting performance whilst maintaining durability.

Rotocut can be used with any rear-motored tools or EGO line trimmer multi tools, making it the ultimate attachment for added precision and protection.



**=60** 

#### RTX2300 PRO X ROTOCUT

Rotocut's flat design and simple attachment process means it can fit to most rear motor brush cutters and line trimmers on the market.



	RTX2300
CUTTING WIDTH	23cm
RUN TIME*	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 6.0Ah Up to 65 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins 12.0Ah Up to 125 mins BAX1500 Up to 325 mins
ROTATING DIRECTION	Two blades counter rotation
BLADETYPE	High strength alloy steel
WEIGHT	1.9kg
VIBRATION (M/S2)	1.1/1.5
NOISE RATING LpA/LwA	79.3dB(A) 93dB(A)
CUTTING SPEED	450rpm
COMPATIBLE EGO TOOLS	STX3800 / BCX3800 / ST1530E / BC3800E / STA1500 / BCA1200
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years

\*Run time may vary and depend on the battery used, charge level of battery and user's operation technique.



IOT READY WITH BUILT IN BLE MODULE









#### BCX4500

## PRO X BIKE HANDLED Line Trimmer/Brush Cutter

The new Pro X line trimmer provides comparable power and performance as petrol powered line trimmers. With easy to use controls mounted on the ergonomic bike handle, pair up with any EGO 56V ARC Lithium™ portable battery for all-day power and comfort.









BLUETOOTH MODULE











#### STX4500

## PRO X LOOP HANDLED Line Trimmer/Brush Cutter

powerful, professional tool. With a quick adjustable loop handle, pair up with any EGO 56V ARC Lithium™







Leave the fuss and fumes of petrol behind with this













NEW FOR 2024

The new Pro X line trimmers offer greater versatility and choice for a wide range of professional users. Available in both loop and bike handle versions they are suitable for landscapers, facilities operations and municipal users.

All EGO portable batteries are compatible with the tool making this extremely well balanced for all day use.

Tool speed can be controlled via the handle, which means the tool runtime can be increased when working on light loads. The speed can also be increased for heavier working loads, at the touch of a button.

Equipped with a Rapid Reload head and 2.7mm twist line the tools are simple to load with line when empty. This reduces downtime and the need for additional maintenance in the field.

ADJUSTABLE Harness Points For comfortable all day working

CARBON FIBRE SHAFT For greater strength and stability while reducing weight

TOOL-FREE HANDLE Adjustment

BATTERY AND SPEED INDICATOR Conveniently positioned on handle. 3 speeds for different trimming and cutting jobs







VARIABLE SPEED Trigger

With safety lock-off for efficient,



#### For the ultimate in powerful all-day working

Portable and super-fast - the Pro X DC:DC multi-battery charging system keeps Pro X tools working on-site all day long.

See page 32-33 for more details.

RAPID RELOAD HEAD 45cm cutting diameter, equipped with 2.7mm line COMPATIBLE WITH Metal Brush

**CUTTER BLADES** 

	BCX4500		STX4500		
CUTTING WIDTH					
- Line trimmer head	45cm		45cm		
- Three-sided blade	30cm		30cm		
TOTAL LENGTH	183cm		183cm		
RUN TIME* WITH	With trimmer head	With brush cutter head	With trimmer head only		
BAX1500 BATTERY	5.0Ah Up to 75 mins 6.0Ah Up to 90 mins 7.5Ah Up to 115 mins 10.0Ah Up to 155 mins 12.0Ah Up to 190 mins	5.0Ah Up to 140 mins 6.0Ah Up to 175 mins 7.5Ah Up to 220 mins 10.0Ah Up to 300 mins 12.0Ah Up to 355 mins	5.0Ah Up to 75 mins 6.0Ah Up to 90 mins 7.5Ah Up to 115 mins 10.0Ah Up to 155 mins 12.0Ah Up to 190 mins		
BLADE MATERIAL	Three-sided steel blade		Three-sided steel blade		
SPEED CONTROL	Constant variable speed		Constant variable speed		
NO LOAD SPEEDS	3500/4500/5200rpm ste	pless adjusting	3500/4500/5200rpm stepless adjusting		
SOFT-START	Yes		Yes		
LINE DIAMETER SUPPLIED**	2.7mm		2.7mm		
LINE FEED	Manual wind bump feed h	nead	Manual wind bump feed head		
DUALLINE	Yes		Yes		
ROTATING DIRECTION	Anti-clockwise		Anti-clockwise		
AUXILIARY HANDLE	Tool free		Tool free		
HARNESS	Double shoulder harness		Strap		
WEIGHT	5.1kg		4.1kg		
MOTORTYPE	Brushless		Brushless		
	With trimmer head With brush cutter head		With trimmer head only		
NOISE RATING LpA/LwA	95dB(A) 96dB(A) 82dB(A) 83dB(A)		95dB(A) 82dB(A)		
VIBRATION (M/S <sup>2</sup> )	1.2	1.5	1.7/1.2		
DOMESTIC WARRANTY	5 years		5 years		
PROFESSIONAL WARRANTY	3 years		3 years		

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique

78 | EGO POWER+ PRO X LINE TRIMMERS/BRUSH CUTTERS EGO POWER+ PRO X LINE TRIMMERS/BRUSH CUTTERS 79









VARIABLE SPEED TRIGGER With Safety Lock-off For efficient, safe working

# THE TOUGH ANSWER TO ROUGH GROUND

EFFICIENT AND POWERFUL Brushless motor For longer running times

Perfectly balanced for comfortable use, EGO's Pro X line trimmers / brush cutters make short work of even the roughest ground with the ready-for-anything 2KW motor.

Light yet strong, the solid steel drive shaft is housed in a carbon fibre drive tube. Unlike alloy shafts, it won't bend and lose its shape over time, keeping vibration levels to a minimum.













#### BCX3800

PRO X LINE TRIMMER / Brush Cutter (bike handle)

Leave the fuss and fumes of petrol behind with this powerful, pro-standard tool. Pair up with our Pro X backpack battery BAX1500 for all-day power and comfort.















ANY INSERT HEAD



RAPID RELOAD BUMP Line feed head For quick, easy line refilling and extending



#### STX3800

PRO X LINE TRIMMER / Brush Cutter (Loop Handle)

Our Pro X line trimmer provides the same power and performance as petrol. Now with a quick adjustable handle, pair up with our Pro X backpack battery BAX1500 for all-day power and comfort.















	BCX3800		STX3800			
CUTTING WIDTH						
- Line trimmer head	38cm		38cm			
- Three-sided blade	30cm		30cm			
TOTAL LENGTH	186cm		186cm			
RUN TIME* WITH	With trimmer head	With brush cutter head	With trimmer head	With brush cutter head		
BAX1500 BATTERY	Up to 240 mins	Up to 465 mins	Up to 240 mins	Up to 465 mins		
BLADE MATERIAL	Three-sided steel blade		Three-sided steel blade			
SPEED CONTROL	Constant variable speed		Constant variable speed			
NO LOAD SPEEDS	5800rpm		5800rpm			
SOFT-START	Yes		Yes			
LINE DIAMETER SUPPLIED**	2.4mm		2.4 mm			
LINE FEED	Manual wind bump feed	head	Manual wind bump feed head			
DUALLINE	Yes		Yes			
ROTATING DIRECTION	Anti clockwise		Anti clockwise			
AUXILIARY HANDLE	Bike handle		Quick adjustable loop handle			
HARNESS	Hip pad (AHP1500)		-			
WEIGHT	6.8kg	6.5kg	6.5kg	6.2kg		
MOTOR TYPE	Brushless		Brushless			
	With trimmer head	With brush cutter head	With trimmer head	With brush cutter head		
NOISE RATING LpA/LwA	74dB(A) 96dB(A)	83dB(A) 98dB(A)	74dB(A) 96dB(A)			
VIBRATION (M/S2)	1.9/1.5	1.9/1.3	3.2/2.3 –			
DOMESTIC WARRANTY	5 years		5 years			
PROFESSIONAL WARPANTY	3 years		3 years			

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique
\*\*Please refer to pages 82-83 for more information

POWER BRUSH CUTTER/LINE TRIMMER

## LINES, BLADES AND ACCESSORIES TO SUIT EVERY JOB

EGO have a range of lines, blades and harnesses to suit any trimming or cutting job, plus a range of replacement cutting heads for all EGO Line Trimmer products.

#### **Lines for Line Trimmers**





Choose a smaller line thickness for clearing long grass and lighter vegetation, or a larger, more durable line thickness for cutting down heavier, dense vegetation. Commercial, more powerful Line Trimmers are more suitable for the heavier lines, while twisted lines are quieter during use. For simple line replacement - choose a pre-wound spool for compatible tools. See our simple guide to choosing the right line below.

#### **Brush Cutting Blades**







**Cutting Heads** 




Replacement cutting heads are available for EGO Line Trimmer machines with standard, bump-feed, Powerload™ and Line IQ™ heads.

#### Straps and Harnesses





A full range of replacement straps and harnesses are available for EGO Line Trimmer machines, to



#### **Rotocut Blades**



Rotocut attachments, which are ideal for working through tough-to-shift growth in paths and drives, and along the base of walls and curbs.

## Replacement Rotocut blades will fit the EGO Power<sup>+</sup> make tackling the job easier.

Choosing the CORRECT line or bla	de for the job:	
GRASS AND LIGHT VEGETATION	HEAVY DENSE VEGETATION	BUSHES, PATHWAYS & VERGES
ROUND AND TWISTED LINES 2.0mm - 2.4mm		
ROUND AND TWISTED LINES 2.4mm - 3.0mm		
	BRUSH CUTTER BLADES METAL BLADE	
	BRUSH CUTTER BLAD ELASTOBLADE	DES
		ROTOCUT BLADES METAL BLADE

PART	DESCRIPTION		ST1300E	ST1400E-ST	ST1500E-F	ST1510E	ST1530E	ST1610E-T	BC1500E-F	BC3800E	BCX3800	STX3800	BCX4500	STX4500	STA1500	STA1600	BCA1200	RTA2300
ROTOCUT																		
RTX2300	Pro X Rotocut Attachment						0			0	0	0	0	0	0		0	0
ABR2300	Replacement blades (pair) - Rotocut RTX2300						0			0	0	0	0	0	0		0	0
TRIMMER SP	OOLS (WITH LINE)																	
AS1300	Spool with 2.4mm twist line for standard bump feed cutting head - ST1500E, BC1500E		0															
AS1302	Spool with 2.0mm twist line for standard bump		0															
	feed cutting head - ST1300E Spool w/o line for bump feed cutting head -																	
AS3800	BCX3800, STX3800						0			0	O	0	0	0	0			
TRIMMER LIN	IE .																	
AL2415T	15m 2.4mm low-noise twist line (STRATUS)	•			•	•	•	•			•			•	•	•		
AL2015T	15m 2.0mm low-noise twist line (STRATUS)	•	0															
AL2050T	50m 2.0mm twist line - ST1300E (green)	<b>♦</b>	•															
AL2715T	15m 2.7mm twist line [red/green] - STX3800,										0	0	0	0				
	BCX3800 12m 3.0mm twist line [yellow/green] -	_																
AL3012T	STX3800, BCX3800 75m 2.4mm twist line [orange/green] - ALL	<b>V</b>			_	_	_	_			0	0	0	0		_		
AL2475T	35cm & 38cm cutting diameter grass trimmers	-		•	•	•	•		•					•				
AL2760T	60m 2.7mm twist line [red/green] - STX3800, BCX3800	<b>\</b>									0	0	0	0				
AL3050T	50m 3.0mm twist line [yellow/green] - STX3800, BCX3800	<b>\</b>									0	0	0	0				
AL2415R	15m 2.4mm round line [orange] - ALL 35cm &	•		0	0	0	0	0	0		0	0	0	0	0	0		
AL2715R	38cm cutting diameter grass trimmers 15m 2.7mm round line [red] - STX3800,										0	0	0	0				
	BCX3800 12m 3.0mm round line [yellow] - STX3800,										_							
AL3012R	BCX3800										0	0	0	0				
AL2490R	90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers	•		0	0	0	0	0	0		0	0	0	0	0	0		
AL2780R	80m 2.7mm round line [red] - STX3800, BCX3800	•									0	0	0	0				
AL3060R	60m 3.0mm round line [yellow] - STX3800, BCX3800	•									0	0	0	0				
AL2416P	4 x 4.0m 2.4mm Pre-cut twisted line [black/ orange] - ST1400E-ST, ST1510E	<b>\</b>		•	•	•	•	•	•		•	•	•	•	•	•		
CUTTING HE																		
AH1520	Powerload" cutting head - ST1510E					0												
AH1522	Powerload" cutting head - ST1400E-ST			0														
AH1530	ANY INSERT cutting head - CLOCKWISE -				0				0									
AH1531	ST1500E-F, BC1500E-F ANY INSERT cutting head - ANTI-CLOCKWISE-						0			0					0			
	ST1530E, BC3800E, STA1500									0					0			
AH1600	Powerload™ cutting head - STA1600															0		
AH1620 AH3800	Powerload™ cutting head - ST1610E-T							0			0	0	0	0				
АПЗООО	Bump feed cutting head - STX3800, BCX3800  ANY INSERT cutting head - ANTI-CLOCKWISE										0	0		0				
AH3810	- ST1530E, BC3800E, STX3800, STA1500, BCX3800						0			0	0	0	0	0	0			
AH4500	Auto-feed trimmer head - STX4500											0		0				
ABT3800	Bump feed button - AH3800										0	0	0	0				
CUTTING BLA	ADES																	
ABB1203	3 point brush cutter blade - STX3800, BCX3800, ST1530E, BC3800, BCA1200						0			0	0	0	0	0	0		0	
ABB0903P	Elastoblade - STX3800, BCX3800, ST1530E,						0			0	$\cap$	0	0	0	0		0	
	BC3800, BCA1200 HARNESSES																	
	Single-shoulder harness with one hook - multi-																	
AP1500	tool and all grass trimmers.		0	0	0	0	0	0	0	0								0
AP1500D	Double-shoulder harness with guard pad - multi-tool & all grass trimmers except BCX3800 &STX3800 (cannot be used with BH1000 or BHX1000)		0	0	0	0	0		0			0		0	0		0	0
AHP1300	Leg protector / line trimmer harness attachment -		0	0	0	0	0		0	0	0	0	0	0	0		0	
AHP1500	Only to be used with AFH1300, BH1000  Leg protector / line trimmer harness attachment -										0	0	0	0				
	Only to be used with AFH1500, BHX1000  Double shoulder harness for new commercial																	
AP4500	string trimmer (incl. hip pad)										0	0	0	0				
AHP4500	Hip pad for new commercial string trimmer										0	0	0	0				

82 | EGO POWER+ ACCESSORY COMPATIBILITY EGO POWER+ ACCESSORY COMPATIBILITY 83



LIGHT, YET POWERFUL, OUR NEXT GENERATION OF AND CONTROL YOU NEED TO GET THE JOB DONE.





12V LITHIUM-ION BATTERY

COMFORTABLE GRIP Excellent comfortable controls for easy use







They may be compact, but they don't compromise on power. Brought to life by a 12V Lithium-Ion battery, the EGO Power<sup>+</sup> shrub/grass shears are ideal for everyday garden maintenance.

With two attachments included, use the shrub blade to shape and maintain smaller hedges and ornamental trees, or switch to the grass trimmer blade to tackle areas of grass that mowers can't reach.

A lightweight, ergonomic design allows for unparalleled precision in either mode, so you can get the perfect result every time.

Simple to use and easy to store, they are an essential addition to every gardener's arsenal.







#### CHT2001E 12V SHRUB/GRASS SHEARS

Single speed 20cm blade length, 8mm blade gap with single knife edge cutting action. Can be used as either shrub or grass shears.

GRASS TRIMMER ATTACHMENT Quick and easy edge trimming 11.5cm cutting width









SIMPLE ATTACHMENT

For different blade sets

POWERFUL MOTOR 2400 spm 2.0Ah battery

	CHT2001E
GRASS CUTTER BLADE WIDTH	11.5cm
HEDGE TRIMMER BLADE LENGTH	20cm
HEDGE TRIMMER BLADE GAP	8mm
RUNTIME	Up to 70 mins
SPEED CONTROL	Single-speed
NO LOAD SPEEDS	2400 spm
BLADETYPE	Laser cut
CUTTING ACTION	Dual action; single-sided cutting blade
BLADE TIP PROTECTOR	No
STANDARD BATTERY	2.0Ah
CHARGETIME	3.5 hours
WEIGHT WITH BATTERY	1.1kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	_

Model Shown: CHT2001E

86 | EGO POWER+ 12V SHRUB/ GRASS SHEARS | 87








## BALANCED, PRECISE, POWERFUL

Engineered to deliver impressive cutting ability from a single charge, the EGO Power\* Hedge Trimmer's well-balanced design and clever features makes working outdoors easier and more comfortable.

The rotating handle and dual trigger system provide enhanced user comfort and safety. While the smooth and quiet brushless motor and gearbox gives you all the power you need, without the vibration, emissions and noise of a petrol engine.

EGO hedge trimmer blades are diamond ground and double sided for clean, precise cutting. All blades have large cutting capacities for tackling thicker hedges and are available in 51cm to 75cm lengths, to suit every size of hedge. Blade-tip protection stops damage from fences and walls.

For safer working, the safety blade guard helps prevent injuries while the electric brake stops the blades when the trigger is released.





ROTATING REAR HANDLE
Adjustable for comfort
and control in use

SAFETY BLADE GUARD

DUAL ACTION BLADES

For less vibration when cutting





Model Shown: HT2600E

Please note: some features are not available on all models.











#### HT5100E

#### 51CM HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting narrower/long hedges with thicker stem widths.





#### HT6500E

#### 65CM HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting wider/long hedges with thicker stem widths.






#### **EGO** POWER

#### HT2000E 51CM HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting narrower small-to-medium hedges with thick stem widths.







#### 61CM HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting wider medium hedges with thick stem widths.







### 66CM HEDGE TRIMMER

Designed with a durable 66cm diamond ground blade and innovative rotating handle, the HT2600E provides cutting precision with ease.





	HT2000E	HT2410E	HT2600E	HT5100E	HT6500E
BLADE LENGTH	51cm	61cm	66cm	51cm	65cm
BLADE GAP	25mm	26mm	30mm	33mm	33mm
BLADE TOOTH DEPTH	20mm	20mm	20mm	20mm	20mm
RUNTIME*	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 6.0Ah Up to 210 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins 12.0Ah Up to 360 mins	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 6.0Ah Up to 180 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins 12.0Ah Up to 360 mins	2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 6.0Ah Up to 145 mins 7.5Ah Up to 180 mins 10.0Ah Up to 240 mins 12.0Ah Up to 270 mins	2.5Ah Up to 40 mins 4.0Ah Up to 70 mins 5.0Ah Up to 82 mins 6.0Ah Up to 100 mins 7.5Ah Up to 125 mins 10.0Ah Up to 164 mins 12.0Ah Up to 195 mins	2.5Ah Up to 33 mins 4.0Ah Up to 60 mins 5.0Ah Up to 72 mins 6.0Ah Up to 90 mins 7.5Ah Up to 110 mins 10.0Ah Up to 144 mins 12.0Ah Up to 170 mins
SPEED CONTROL	Single speed	Single speed	Single speed	Two-speed	Two-speed
NO LOAD SPEEDS	3,000spm	3,000spm	3,400spm	2,800/3,200spm	2,800/3,200spm
BLADETYPE	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground
CUTTING ACTION	Dual action; single knife edge	Dual action; single knife edge	Dual action; single knife edge	Dual action; double knife edge	Dual action; double knife edge
BLADE TIP PROTECTOR	Yes	Yes	Yes	Yes	Yes
NOISE RATING LpA/LwA	81dB(A) 94dB(A)	83dB(A) 96dB(A)	84dB(A) 94dB(A)	81dB(A) 92dB(A)	81.4dB(A) 93dB(A)
ROTATING HANDLE	No	No	45° and 90° left and right	45° and 90° left and right	45° and 90° left and right
WEIGHT WITHOUT BATTERY	2.8kg	3kg	3.1kg	3.6kg	3.8kg
MOTORTYPE	Brushless	Brushless	Brushless	Brushless	Brushless
VIBRATION (M/S2)	2/1.5	1.8/1.7	2.4/1.7	3.4/1.9	5.3/3.1
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	1 year	2 years	2 years
AVAILABLE AS A KIT	HT2001E: Includes hedge trimmer, 2.5Ah battery and standard charger	HT2411E: Includes hedge trimmer, 2.5Ah battery and standard charger	HT2601E: Includes hedge trimmer, 2.5Ah battery and standard charger	-	-

\*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.

90 | EGO POWER+ HEDGE TRIMMERS | 91

<sup>• -</sup> highlighted cutting area is optimal for battery.











PRO X PERFORMANCE WITH EXTRA REACH

The new Pro X long-reach hedge trimmers allow professional users to cut more with less effort. Tall and deep hedges can be cut in a single sweep and without the need for use of ladders.

Carbon fibre shafts make the tools sturdy and durable, while flex at the end of the tool is reduced. The Long Reach Hedge Trimmer has an articulating head making it simple to change the cutting angle for different tasks.


Both trimmers have 3 speeds, suitable for different hedge cutting jobs, plus double-sided triple-sharpened blades for the toughest hedges.


The power unit is part of the new Pro X platform and compatible with all EGO portable ARC Lithium™ batteries.

ADJUSTABLE HARNESS POINTS For comfortable all day working

Suitable for different trimming and cutting tasks CARBON FIBRE Shaft With Internal Steel Drive Shaft For greater








\*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique





#### HTX5300-P 53CM PRO X SHORT-REACH FIXED POLE HEDGE TRIMMER

Variable speed, carbon fibre shaft with internal steel drive shaft for greater durability, triple sharpened blades, double-knife edge cutting action, makes light work of any job, big or small.








#### HTX5300-PA

#### 53CM PRO X LONG-REACH ARTICULATING POLE HEDGE TRIMMER

Ideal for wider, larger hedges, with longer 2.5m reach and an articulating cutting head - with variable speed, carbon fibre shaft with internal steel drive shaft for greater durability, triple sharpened blades, double-knife edge cutting action makes light work of any job, big or small.







92 | EGO POWER+ PRO X HEDGE TRIMMERS EGO POWER+ PRO X HEDGE TRIMMERS 93











#### HTX6500 65CM PRO X HEDGE TRIMMER

Variable speed, double-knife edge cutting action makes light work of any job, big or small. Dual trigger system provides enhanced user comfort and safety.









A STATE OF THE PROPERTY AND A STATE OF THE PARTY AND A STATE OF THE PAR





comfort and safety.

<u>=</u>G0°

75CM PRO X HEDGE TRIMMER

HTX7500



Ideal for wider, larger hedges, the variable speed, double-knife edge cutting action

makes light work of any garden job. Dual trigger system provides enhanced user











## TACKLE TOUGH HEDGES WITH EASE

Designed for professionals, the Pro X hedge trimmers are precision engineered to tackle the toughest hedges with ease.

A single charge delivers impressive run times, while the smooth and quiet brushless motor and gearbox give you all the power you need, without the vibration, emissions and noise of a petrol engine.

## Blades that cut cleanly.

The high-quality EGO Power<sup>+</sup> blades are made from laser-cut steel with diamond-ground edges to provide the cleanest cut and promote healthier hedges.



UNIQUE HANDLE And trigger design For switching effortlessly between horizontal and

LOW CUTTER GUARD For safe and easy access



	HTX6500	HTX7500
BLADE LENGTH	65cm	75cm
BLADE GAP	33mm	33mm
BLADE TOOTH DEPTH	20mm	20mm
RUN TIME <sup>*</sup> WITH BAX1500 BATTERY	Up to 420 mins	Up to 380 mins
SPEED CONTROL	Variable speed	Variable speed
NO LOAD SPEEDS	3200spm	3200spm
BLADE TYPE	Double-sided cutting	Double-sided cutting
CUTTING ACTION	Dual action; double knife edge	Dual action; double knife edge
BLADE TIP PROTECTOR	Yes	Yes
ROTATING HANDLE	No	No
WEIGHT	3.9kg	4.0kg
MOTORTYPE	Brushless	Brushless
NOISE RATING LpA/LwA	80 dB(A) 90.1dB(A)	83.9 dB(A) 95.4dB(A)
VIBRATION (M/S2)	3.2/3.9	2.9/3.5
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	3 years	3 years

BLADE TIP PROTECTOR Prevents blades becoming damaged by fences and walls

65CM/75CM BLADE Length with 33MM Cutting Capacity

Model Shown: HTX7500



WITH EXCEPTIONAL AIRSPEEDS AND HIGH-EFFICIENCY BRUSHLESS MOTORS, EGO POWER\* BLOWERS DELIVER MAXIMUM AIRFLOW WITH MINIMUM EFFORT.













VARIABLE SPEED CONTROL Adjust between 440m³/h and 675m³/h output

For a 986m³/h petrol-blower beating output

BLOWS PETROL-POWERED BLOWERS OUT OF THE PARK

Powered by a high-efficiency brushless motor, EGO Power\* blowers feature jet turbine technology and a large diameter tube to give maximum airflow.

Significantly quieter and with zero emissions, the EGO range of blowers offer a genuine alternative to petrol power.

Designed to keep you in control - from low speed, low volume airflow for those delicate areas, to high speed, high volume airflow for hard-to-shift wet leaves and objects. With more power than most handheld petrol blowers on the market, that's more than enough to clear up even the biggest windfall.



TURBINE FAN ENGINEERING Utilises advanced





Please note: some features are not available on all models.

Model Shown: LB5800E









Compatible with EGO Power\* backpack batteries

KFY **I** 



PROFESSIONAL



	LB5300E			LB5800E			LB7650E			LBX6000		
	LOW SPEED	HIGH SPEED	BOOST	LOW SPEED	HIGH SPEED	BOOST	LOW SPEED	HIGH SPEED	BOOST			
RUN TIME* WITH 2.5Ah BATTERY	Up to 75 mins	Up to 22 mins	Up to	Up to 100 mins	Up to 15 mins	Up to 9 mins	Up to 30 mins	Up to 13 mins	-	-	-	
RUN TIME* WITH 4.0Ah BATTERY	Up to 120 mins	Up to 35 mins	Up to 16 mins	Up to 160 mins	Up to 24 mins	Up to 14 mins	Up to 120 mins	Up to 20 mins	Up to 14 mins	Up to 3	6 mins	
RUN TIME* WITH 5.0Ah BATTERY	Up to 150 mins	Up to 44 mins	Up to 20 mins	Up to 200 mins	Up to 30 mins	Up to 18 mins	Up to 150 mins	Up to 25 mins	Up to 17 mins	Up to 6	0 mins	
RUN TIME* WITH 6.0Ah BATTERY	Up to 180 mins	Up to 53 mins	Up to 24 mins	Up to 240 mins	Up to 36 mins	Up to 22 mins	Up to 180 mins	Up to 30 mins	Up to 18 mins	Up to 7	5 mins	
RUN TIME* WITH 7.5Ah BATTERY	Up to 225 mins	Up to 66 mins	Up to 30 mins	Up to 300 mins	Up to 45 mins	Up to 27 mins	Up to 225 mins	Up to 37 mins	Up to 26 mins	Up to 9	0 mins	
RUN TIME* WITH 10.0Ah BATTERY	Up to 300 mins	Up to 88 mins	Up to 40 mins	Up to 400 mins	Up to 60 mins	Up to 36 mins	Up to 300 mins	Up to 50 mins	Up to 34 mins	Up to 1	20 mins	
RUN TIME* WITH 12.0Ah BATTERY	Up to 360 mins	Up to 105 mins	Up to 48 mins	Up to 480 mins	Up to 72 mins	Up to 36 mins	Up to 360 mins	Up to 60 mins	Up to 40 mins	Up to 1	45 mins	
RUN TIME* WITH BAX1500 BATTERY	-	-	-	-	-	-	-	-	-	Level 1 Level 2 Level 3 Level 4 Boost	Up to 350 mins Up to 210 mins Up to 140 mins Up to 100 mins Up to 70 mins	
		Max		Max				Max				
AIR VOLUME (M³/H)		900			986		1300			1014m³/h Max		
AIR SPEED (KM/H)		176			270		313			212km/h		
FORCE (N)		16			18		26			19.2 Max		
SPEED SETTING	Varia	able speed with I	oost		nstant variable sp rith lock-on + boo		Variable speed with lock-on + boost			4 level settings and boost		
WEIGHT WITHOUT BATTERY		2.2kg			2.2kg			2.1kg			2.7kg	
MOTOR TYPE		Brushless			Brushless			Brushless			Brushless	
NOISE RATING LpA/LwA		82 dB(A) 100dB(A)			78.4 dB(A) 95 dB(A)			83dB(A) 98dB(A)		80 d 93d		
VIBRATION (M/S2)		1.35			0.18			0.8		1	2	
DOMESTIC WARRANTY		5 years			5 years			5 years			ears	
PROFESSIONAL WARRANTY		1 year			2 years			2 years			3 years	
CONSTANT SPEED		-			-			-		Yes		
AVAILABLE AS A KIT	LB5301E: Incl	ludes blower, 2.5 charger	Ah battery	LB5804E: Inc	ludes blower, 5.0 jer	Ah battery	-			-		

\*Run time may vary and depend on the battery used, charge level of the battery and user's operation technique.



#### LB5300E BLOWER

Variable speed setting, large blower tube, up to 900m³/h output in Boost, for clearing small to medium-sized spaces.







Includes AN5300 Flat Nozzle.





#### LB7650E Blower

Variable speed thumb selector for added airflow control with single handed use, 1,300m³/h output in Boost – by far the industry's most powerful hand-held blower, outperforms even the leading petrol-powered blowers. Perfect for completing the toughest tasks across wider areas and large gardens.





VARIABLE SPEED CONTROL USE WITH EGO POWER\* BACKPACK

Includes ANGOOOR (Round) and ANGOOOF (Flat) Nozzles.





#### LB5800E BLOWER

Variable speed thumb selector for added airflow control with single handed use, 986m<sup>3</sup>/h output in Boost, for completing bigger tasks across wider areas and large gardens.







Includes ANGOOOR (Round) and ANGOOOF (Flat) Nozzles.





#### LBX6000 PRO X BLOWER

Designed to be used with the Pro X Backpack Battery BAX1500, this powerful blower is light and easy to handle. Plus, the smooth brushless motor reduces vibration and noise compared to its petrol-powered equivalents.







Includes AN6000R (Round) and AN6000F (Flat) Nozzles.



100 | EGO POWER+ BLOWER | 101

highlighted run time is optimal for battery.



## THE POWER TO CLEAR MORE GROUND

Tough tasks need powerful tools. And that's exactly what EGO's range of Backpack Blowers deliver. In Boost mode, leaves and debris don't stand a chance.

Not only are our Blowers powerful, they also benefit from intelligent features. The brushless motors reduce vibration and noise while the comfortable backpacks ergonomically distribute the weight of the tool. Boasting four hours run time\*, you can cover plenty of ground too.





#### LBGOODE BACKPACK BLOWER 1020M<sup>3</sup>/H

The hugely powerful, yet ergonomic design is easy to use and packed with all the features you need.



\*Based on model LBPX8000: 240 minutes at  $350 \text{m}^{3}\text{h}$  with 2 x 12.0Ah battery - Low air setting.







**NEW FOR 2024** 



#### LBPX8000 Backpack blower 1360m³/h

Active Peak Power\* Technology combines the power of two EGO batteries to maximise output and runtime, making clearing large areas faster. Designed with a new motor for greater airspeed and volume through the machine, plus new user controls for intuitive and comfortable use. Forms part of the new generation of Pro X tools with IoT BLE connectivity built in.





PRO X

	TB6000E			LBPX8000				
	Low	High	Max	Low	High	Max		
RUN TIME**WITH 5.0Ah BATTERY	120 mins	22 mins	15 mins	50 mins	13 mins	10 mins		
RUNTIME**WITH 6.0Ah BATTERY	150 mins	27 mins	18 mins	60 mins	16 mins	12 mins		
RUNTIME**WITH 7.5Ah BATTERY	180 mins	33 mins	23 mins	75 mins	20 mins	15 mins		
RUNTIME**WITH 10.0Ah BATTERY	240 mins	44 mins	30 mins	100 mins	26 mins	20 mins		
RUNTIME**WITH 12.0Ah BATTERY	290 mins	52 mins	36 mins	120 mins	32 mins	24 mins		
AIR VOLUME (M³/H)	440	850	1020	350	650	1360		
AIR SPEED (KM/H)	80	160	193	80	160	260		
SPEED SETTING	Variable speed	l with boost		Variable speed with boost				
FORCE(N)	19.2 Max			26 Max				
MOTORTYPE	Brushless			Brushless				
NOISERATING LpA/LwA	83dB(A)/97dE	3(A)		86dB(A)/98dB(A)				
VIBRATION (M/S²)	1.5			1.5				
WEIGHT WITHOUT BATTERY	5.7kg			7.4kg				
DOMESTIC WARRANTY	5 years			5 years				
PROFESSIONAL WARRANTY	2 years			3 years				
AVAILABLE AS A KIT		udes backpack and rapid charç		-				

<sup>\*\*</sup>Run time may vary and depend on the battery used, charge level of battery and user's operation technique

102 | EGO POWER\* BACKPACK BLOWER | 103

<sup>• -</sup> highlighted run time is optimal for bat



## ARE 56V

## EXTREME POWER FOR EXTREME WEATHER CONDITIONS

EGO's Power<sup>+</sup> Snow Throwers use Peak Power<sup>™</sup> Technology to deliver petrol-matching performance without noise, fuss or emissions.

Peak Power™ Technology combines the power of any two industry-leading EGO 56V ARC Lithium™ batteries to tackle the toughest snowy conditions efficiently.

Self-propelled control ensures ease of use, while reverse gears and wheel drive systems make getting out of tight spots easier.





#### SNT2120E-AP

#### AUGER PROPELLED SNOW THROWER

The SNT2120E-AP can clear 21cm of snow and throw it up to 14 metres, making it ideal for those early morning clearing jobs along driveways and footpaths. The auger clears the snow and discharges it through the chute in a single motion.







#### SNT2400E

LED LIGHTS

#### 61CM SELF-PROPELLED 2-STAGE Snow thrower with Peak Power™ technology

This powerful 2-stage snow thrower has variable speed, self-propelled control with serrated steel augers, to handle even the deepest snow with ease. Snow is thrown into a high-speed impeller which then discharges the snow up and out of the multi-directional chute. The generous 61cm clearing width and 51cm intake height work with the shoot for a clearing distance of up to 13m, while the on-board controls are easy to operate – even when wearing bulky winter gloves.





61CM CLEARING WIDTH

REVERSE GEAR

	SNT2120-AP	SNT2400E
CLEARING AREA @ 15CM DEPTH	160m²	223m²
NUMBER OF BATTERY PORTS	2 parallel	2 parallel
CLEARING WIDTH	52cm	61cm
NTAKE HEIGHT	30cm	51cm
CHUTEROTATION	180°	200° Joystick control
THROWING DISTANCE (MAX)	Up to 14m	13m
THROWING DISTANCE (HEAVY SNOW)	5m	7.6m
AUGER MATERIAL & DIAMETER	Metal frame/rubber auger 18cm	Steel 28cm
NUMBER OF STAGES	1	2
SELF-PROPELLED SPEED	Single	0.4-1.2m/s
SELF-PROPEL TYPE	Auger propel	-
REVERSE	Yes	Yes
WEIGHT WITHOUT BATTERY	27kg	68kg
MOTORTYPE	Brushless	Brushless
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	1 year	2 years
AVAILABLE AS A KIT	SNT2124E-AP: Includes snow thrower, 2x 6Ah batteries and rapid charger	SNT2400E-K2753: Includes snow thrower, 2x 7.5Ah batteries and 2x rapid chargers

EGO POWER\* SNOW THROWERS 107



WE'VE REDEFINED FLEXIBLE WORKING. CUT, SAW EDGE AND MORE. ALL WITH ONE POWER UNIT ANI ALL WITHOUT THE FUSS AND FUMES OF PETROL.



108 | EGO POWER+ MULTI-TOOL | 109





# ONE TOOL, MULTIPLE OPTIONS

The EGO Power<sup>+</sup> Multi-Tool is the outdoor power tool you can't do without. With a single power unit and a large range of high-tech attachments, you can easily tackle every garden task, from trimming grass, edging lawns, cutting hedges, sawing branches, tilling soil, to sweeping the patio. Switching between different jobs is simple thanks to the secure toolfree coupling system on every attachment. And, with our carbon fibre extension pole, even the hardest-to-reach places are no challenge for the Multi-Tool. Combined with the 56V ARC Lithium™ battery, you have all the power you need, without the noise, fuss, or emissions of petrol-power.

Power up with our new, more intelligent carbon fibre Power Head. Compatible with our latest Line Trimmer attachment and all existing Multi-Tool attachments.



110 | EGO POWER+ MULTI-TOOL | 111









COMPATIBLE WITH ALL Ego batteries



## EP7501

lightweight extension pole. Just click in the attachment you need and off you go.





Nothing is out of reach with this strong yet



TOTAL LENGTH: 78cm

POWERFUL REAR MOUNTED MOTOR Suitable for all attachments

VARIABLE SPEED TRIGGER

With 2 pre-set speeds

DIGITAL SPEED



VARIABLE SPEED

PH1420E



MULTI-TOOL POWER HEAD





With more power, better ergonomics and an upgraded motor the





THE POWER TO TACKLE ANY TASK













#### PH1400E

#### **MULTI-TOOL POWER HEAD**

With a powerful and smooth high-efficiency brushless motor, it's lightweight, perfectly balanced and ready for any job, big or small.



















ADJUSTABLE Loop Handle

For comfortable use



10	46			
		f		
	1 10		Li	

	PH1400E	PH1420E	
MOTORTYPE	Brushless	Brushless	
SPEED CONTROL	Two speed Variable speed	Two speed Variable speed	
DRIVE SHAFT MATERIAL	7mm solid steel	7mm solid steel	
DRIVETUBETYPE	Aluminium	Carbon fibre	
COUPLING MECHANISM	Tool-free quick change	Tool-free quick change	
WEIGHT	2.7kg	2.8kg	
TOTAL LENGTH	97cm	97cm	
DOMESTIC WARRANTY	5 years	5 years	
PROFESSIONAL WARRANTY	2 years	2 years	



## ONE REVOLUTIONARY POWER UNIT. SO MANY WAYS TO USE IT



## **01** HEDGE TRIMMERS

With a choice of standard or short pole lengths available, tackling high or low hedges is made easy. The head angle is adjustable to suit the job at hand and allows for compact storage.



## 06 EDGER

Give lawns a professional finish with the edger attachment. Ideal for neatening edges along paths, driveways or flowerbeds.



## 02 POLE SAW

Slices through tree branches fast and efficiently.
Combines with the carbon fibre extension pole
to reach further and cut more.





## **07** CULTIVATOR

The cultivator prepares soil prior to planting.
Removing weeds and introducing
air, it creates a loose bed, encouraging
the growth of healthy plant life.





## **03** LINE TRIMMERS

Trim grass along fences and walls with precision. Includes our Rapid Reload head making it easy to replace line.



## 08 BRISTLE BRUSH & PADDLE BROOM

The bristle brush makes short work of sweeping away moss, wet leaves and ingrained dirt, whilst the paddle broom makes it easy to clear away standing water.



## **04** BRUSH CUTTER

The brush cutter is built to deal with difficult undergrowth. From thick grass to tough weeds, it cuts through the toughest tasks with ease.



## 09 OLIVE SHAKER

Shake ripe olives off branches at approximately 2000 strokes per minute, with 10 replaceable carbon fibre fingers, a durable and market tested gearbox and integrated lubrication for simple maintenance.







## **05** ROTOCUT

Cuts through grass, weeds and moss on concrete, pathways and verges with ease. Featuring two counter-rotating blades, preventing debris from being thrown.



## 10 SNOW SHOVEL

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.




114 | EGO POWER+ MULTI-TOOL | 115



## PROFESSIONAL

## HEDGE TRIMMER ATTACHMENT

Laser cut, diamond ground blades and simple angle adjustment makes this trimmer as precise as it is powerful.






## LINE TRIMMER ATTACHMENT

This attachment is packed with features to save you time and help you work safely, quickly and efficiently.



## SHORT HEDGE TRIMMER ATTACHMENT

With the same sharp blades and quick cutting action, this attachment makes short work of low, deep hedges.





#### BCA1200 **BRUSH CUTTER ATTACHMENT**

Tough enough to take on anything, the three-sided metal blade makes short work of any overgrown area.





## **POLE SAW ATTACHMENT**

25cm guide bar and chain make cutting branches fast and efficient.





#### EA0800 **EDGER ATTACHMENT**

With quick depth adjustment and handy guide, this attachment makes achieving a perfect edge easy.



#### **CULTIVATOR ATTACHMENT**

The easier way to prepare soil for planting, the cultivator's rotating teeth remove weeds and aerates soil.





#### OSA1000 **OLIVE SHAKER ATTACHMENT**

10 carbon fibre fingers shake and drop olives from their branches in no time at all.



## **BRISTLE BRUSH ATTACHMENT**

Clear moss and wet leaves from hard surfaces easily with the new bristle brush attachment.





#### SSA1200 SNOW SHOVEL ATTACHMENT

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.



#### RTA2300 ROTOCUT ATTACHMENT

Cuts through grass, weeds and moss with ease. Featuring two counter rotating blades, which prevent debris from being thrown, make it ideal for use in delicate areas.









#### STA1600 LINE TRIMMER ATTACHMENT

This attachment is packed with features to save you time and help you work safely, quickly and efficiently. Powerload™ feature only compatible with PH1420E.









116 | EGO POWER+ MULTI-TOOL EGO POWER+ MULTI-TOOL 117





	HTA2000 / HTA2000S	PSA1000	STA1500	STA1600	BCA1200	RTA2300
WEIGHT	2.3kg/2.2kg	1.9kg	1.6kg	1.53kg	1.8kg	2kg
TOTAL LENGTH	160cm (99cm folded) / 120cm	142cm	97cm	185cm	102cm	-
RUN TIME <sup>*</sup>	2.5Ah Up to 37 mins 4.0Ah Up to 65 mins 5.0Ah Up to 82 mins 6.0Ah Up to 98 mins 7.5Ah Up to 122 mins 10.0Ah Up to 157 mins 12.0Ah Up to 188 mins	2.5Ah Up to 70 cuts 4.0Ah Up to 110 cuts 5.0Ah Up to 140 cuts 6.0Ah Up to 170 cuts 7.5Ah Up to 210 cuts 10.0Ah Up to 285 cuts 12.0Ah Up to 340 cuts	2.5Ah Up to 18 mins 4.0Ah Up to 35 mins 5.0Ah Up to 45 mins 6.0Ah Up to 55 mins 7.5Ah Up to 72 mins 10.0Ah Up to 93 mins 12.0Ah Up to 110 mins	2.5Ah Up to 18 min 4.0Ah Up to 35 min 5.0Ah Up to 45 min 6.0Ah Up to 55 min 7.5Ah Up to 70 min 10.0Ah Up to 90 min 12.0Ah Up to 110 min	2.5Ah Up to 27 mins 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 6.0Ah Up to 75 mins 7.5Ah Up to 95 mins 10.0Ah Up to 125 mins 12.0Ah Up to 150 mins	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 6.0Ah Up to 60 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins 12.0Ah Up to 125 mins
BLADE LENGTH	51cm	-	-	-	-	-
CUTTING WIDTH	-	-	38cm	40cm	30cm	23cm
LINE DIAMETER SUPPLIED	-	-	2.4mm dual line	2.4mm	-	-
CUTTING HEAD	-	-	Rapid reload trimmer head	Powerload™	-	-
SHAFTTYPE	-	-	Straight	Carbon Fibre	-	-
ARBOUR SIZE	-	-	-	-	25.4mm	-
CUTTING CAPACITY	26mm	-	-	-	-	-
BLADE MATERIAL AND TYPE	Double-sided laser cut steel blade	-	-	-	Three-sided steel blade	-
FIXED CUTTING ANGLES	12/9 articulating cutting angles	-	-	-	-	-
GUIDE BAR LENGTH	-	25cm	-	-	-	-
CHAIN PITCH / GAUGE	-	9.5mm. 1.1mm	-	-	-	-
MAX. CUTTING DIAMETER	-	200mm	-	-	-	-
OIL TANK CAPACITY	-	220ml	-	-	-	-
ROTATING DIRECTION	-	-	-	-	-	Two blades counter rotation
BLADE TYPE	-	-	-	-	-	High strength alloy steel
VIBRATION (M/S²)	-	-	-	-	-	1.1/1.5
NOISE RATING	-	-	-	-	-	83dB(A) / 96dB(A)
CUTTING SPEED	-	-	-	-	-	450rpm
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years	2 years

	EA0800	CTA9500	BBA2100	OSA1000	SSA1200
WEIGHT	2.3kg	3.9kg	5kg	2.2kg	5.5kg
TOTAL LENGTH	92cm	92cm	102cm	140cm	176cm
RUN TIME*	2.5Ah N/A 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 6.0Ah Up to 75 mins 7.5Ah Up to 100 mins 10.0Ah Up to 132 mins 12.0Ah Up to 158 mins	2.5Ah Up to 40 mins 4.0Ah Up to 60 mins 5.0Ah Up to 80 mins 6.0Ah Up to 100 mins 7.5Ah Up to 120 mins 10.0Ah Up to 160 mins 12.0Ah Up to 190 mins	2.5Ah Up to 50 mins 4.0Ah Up to 120 mins 5.0Ah Up to 120 mins 6.0Ah Up to 140 mins 7.5Ah Up to 150 mins 10.0Ah Up to 200 mins 12.0Ah Up to 280 mins	2.5Ah Up to 50 mins 4.0Ah Up to 80 mins 5.0Ah Up to 100 mins 6.0Ah Up to 120 mins 7.5Ah Up to 160 mins 10.0Ah Up to 210 mins 12.0Ah Up to 250 mins	2.5Ah Up to 45 min 4.0Ah Up to 75 min 5.0Ah Up to 90 min 6.0Ah Up to 110 min 7.5Ah Up to 135 min 10.0Ah Up to 180 min 12.0Ah Up to 216 min
BLADE LENGTH	20cm	24cm	-	-	-
ROD LENGTH / DIAMETER	-	-	-	33cm/0.5cm	-
CUTTING DEPTH	Up to 75mm	-	-	-	-
BLADE THICKNESS	3mm	-	-	-	-
ROD QUANTITY	-	-	-	10 (5+5)	-
DEBRIS GUARD MATERIAL	Aluminium with rubber skirt	Plastic	Plastic	-	-
CUTTING WIDTH	-	21/24cm	-	-	-
CLEANING SWATH	-	-	560mm	-	300mm
TILLING SPEED	-	-	High 240rpm, Low 210rpm	-	2000-1650rpm
WORKING RANGE	-	-	-	58cm-33cm	-
BRISTLE GAUGE	-	-	1.5mm	-	-
ARBOUR SIZE	25.4mm	-	-	-	-
DIMENSION	-	-	102 x 56.5 x 29.5cm	-	-
ROD MATERIAL	-	-	-	Carbon fibre	-
STROKES PER MINUTE	-	-	-	1780/2120spm	-
MAX THROWING DISTANCE	-	-	-	-	7.5m
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, condition of grass or hedge and user's operation technique. Cuts of PSA1000 is based on cuts of 100x100mm.

## BE READY FOR ANYTHING WITH EGO POWER\* MULTI-TOOL KITS

A great value way to enjoy all the benefits of petrol-free power. EGO Power<sup>+</sup> multi-tool kits combine the most popular tools you'll need, with the power and performance to get the job done.









118 | EGO POWER+ MULTI-TOOL KITS



WITH SUPERIOR PORTABILITY, OUR INNOVATIVE LIFESTYLE RANGE BRINGS INTELLIGENT TECHNOLOGY TO THE EVERYDAY.





## INTELLIGENT TECHNOLOGY FOR THE GREAT OUTDOORS

Making the most of EGO's single battery platform, any EGO 56V ARC Lithium™ Battery can connect with any of EGO's latest lifestyle products – all designed to enhance the enjoyment of our outdoor spaces, and beyond.

To help make more of spending time in the garden or away camping, staying cool in hot weather, extending a summer's day into the evening, or efficiently cleaning the patio without the inconvenience of an electric cord, EGO have developed and engineered new innovations in portable outdoor power sources, bright lighting, essential cooling for hot conditions and... EGO's latest development in high-powered pressure washing.



10,000 Lumens of bright, adjustable light for your outdoor space trouble-ought.

Adjustable light for your outdoor space trouble-ought.

122 | EGO POWER+ LIFESTYLE | 123







# THE POWER TO COMPLETE TOUGH CLEANING TASKS

The innovative new EGO Pressure Washer combines heavy duty cleaning power with market-leading battery run times.

Remote power control and a selection of nozzles give you complete control for the most effective, efficient results for a range of different cleaning tasks.

Additional accessories are also available to tailor the machine to a specific job.



DUAL BATTERY PORT

With Peak Power\* Technology
delivering additional energy for
tough cleaning tasks

QUICK-CONNECT Hoses/Accessories For quick, easy attachment

GARDEN HOSE CONNECTOR For standard hose or freshwater connection



## The EGO Power<sup>+</sup> Pressure Washer has a nozzle for every cleaning situation

All nozzles have a bayonet system which makes switching between them easy and simple. Design of each nozzle has been optimised to create a uniform fan of water, for optimal efficiency.



#### TURBO NOZZLE (1/4" connection)

The Turbo nozzle is the most powerful nozzle in the EGO range. Only for use on hard surfaces – not for use on cars and wooden surfaces.



The 15° nozzle is ideal for tough surfaces - brick, concrete walls, flagstones, driveways and metal surfaces.



#### 25° NOZZLE (1/4" connection)

The 25° nozzle provides a powerful clean, perfect for cleaning a boat or tractor, efficiently removing algae, dust and dirt.

#### 40° NOZZLE (1/4" connection)

The 40° nozzle is ideal for cleaning cars and any surface that requires a gentler clean.





PRESSURE WASHER



#### HPW2000E

Heavy duty cleaning power with remote information display and power control, dual battery port with Peak Power™ Technology, premium hose fittings and inclusion of 4 nozzles for different cleaning tasks.

	HPW2000E
MAX PRESSURE	135 bar/2000 psi
MAX FLOW RATE	390 L/H
WEIGHT	15kg
NOZZLES	Turbo, 15°, 25°, 40°, rinse
	Inlet hose
ACCESSORIES INCLUDED	Inlet filter
	Foam cannon
ACCESSORIES SOLD SEPARATELY	Premium brass foam canon
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year

124 | EGO POWER+ LIFESTYLE | 125





CLICK IN AND POWER UP Simply click in battery to use









Compatible with any EGO ARC Lithium™ battery, the Nexus Escape provides power when and wherever you need it.

Built with a powerful 220-240V AC outlet and three USB ports, the Nexus Escape boasts flexible power to charge mobile phones, laptops, cameras, lights, and other electrical devices up to a maximum output of 400 Watts. Ideal for camping trips, beach visits, festivals or for use at home, the Nexus Escape is light weight and small enough to carry in a rucksack or store in a tent.







## **180W NEXUS ESCAPE POWER INVERTER**

The EGO Power\* Nexus Escape's 220-240V 180W AC power outlet and 2 USB ports enable you to charge or power devices wherever you are. The light-weight design and carry handle make the device easy to transport. The pure Sine Wave inverter makes it suitable for use with even the most sensitive electronic devices.



1 USB TYPE A PORT

#### PAD5000E **400W NEXUS ESCAPE POWER INVERTER**

2 USB TYPE C PORTS

With three USB ports of varying type and a 240V AC 400W power outlet, the new EGO Power<sup>+</sup> Nexus Escape is capable of charging or powering devices up to 400 Watts. Use of the USB-C PD port can provide 100W charging of compatible devices, plus charging of EGO portable batteries when used with a USB-C PD compatible charger. The pure Sine Wave inverter makes it suitable for use with even the most sensitive electronic devices.

	PAD1800E	PAD5000E	
AC OUTPUT	180W	400W	
CONNECTION METHOD	Compatible with any EGO portable battery	Compatible with any EGO portable battery	
WEIGHT WITHOUT BATTERY	0.7kg	1.6kg	
DOMESTIC WARRANTY	5 years	5 years	
PROFESSIONAL WARRANTY	-	-	
AVAILABLE AS A KIT	-	PAD5001E: Includes Nexus power inverter and 2.5Ah battery	

#### CAPABLE OF POWERING OR CHARGING\*

\*Based on 7.5Ah battery BA4200T



**10 LAPTOPS** 







400W, 220-240V AC POWER

COMPATIBLE WITH ANY

BATTERY PORT COMPATIBLE TO All Ego Portable Batteries







LOW NOISE AND ZERO EMISSIONS For fuss-free power



126 | EGO POWER+ LIFESTYLE EGO POWER+ LIFESTYLE 127



## **OUR COOLEST** INNOVATION YET

#### With double the airflow of a standard 45cm fan, the EGO Power+ 45cm Misting Fan is an essential tool for warm conditions.

Complete with two misting modes: intermittent and continuous, six speed settings ranging between 350 L/s to 1940 L/s, the EGO Power<sup>+</sup> 45cm Misting Fan has an impressive 50m<sup>2</sup> Cooling Area Capacity. With a minimal noise level of just 68dB and up to 60 hours run time (with 5.0Ah battery) on speed one, this fan is suitable for both indoor and outdoor cooling. Its light-weight and advanced portable features make it ideal for hot working conditions, sporting events, camping trips and BBQs.



the airflow of a standard 45cm fan, the EGO Power<sup>+</sup> 45cm Misting Fan is ideal for cooling both indoor and outdoor environments.

	FN1800E
RUNTIME	2.5Ah Up to 31 hours 4.0Ah Up to 50 hours 5.0Ah Up to 63 hours 6.0Ah Up to 76 hours 7.5Ah Up to 95 hours 10.0Ah Up to 127 hours 12.0Ah Up to 152 hours
WEIGHT WITHOUT BATTERY	10.4kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year





## PORTABLE, FLEXIBLE **BRIGHT LIGHTING**



#### LT1000E PORTABLE AREA LIGHT

With adjustable power of up to 10,000 lumens, the EGO Power<sup>+</sup> Portable Area Light is the world's most powerful cordless outdoor area light. With five brightness settings, turn up the power boost mode for maximum output. The diffused, foldable panels allow for soft 360 degree illumination. Transporting and storing the area light is easy thanks to its compact design and integrated handle. Charge devices on the go with the built-in USB A port.

	LT1000E					
BRIGHTNESS LEVEL	1	2	3	4	5	BOOST
LUMINOUS FLUX/BRIGHTNESS (4 PANELS COMBINED)	600lm	1600lm	3200lm	4800lm	6400lm	10000lm
APPROXIMATE RUN TIME* (4 PANELS WITH EGO 56V 5.0 AH BATTERY)	36h	16h	8h	5h	4h	1h
WEIGHT (WITHOUT BATTERY PACK)	4.3kg					
DOMESTIC WARRANTY		5 years				
PROFESSIONAL WARRANTY	1 year					

EGO's powerful LED lights are compatible with any portable EGO ARC Lithium™ Battery. The light level can be tailored to suit the conditions, so these versatile tools are perfect for bright task lighting, illuminating larger areas and ambient mood lighting.



With adjustable brightness and colour temperature, Bluetooth connection and 3 light modes



#### LT0300E PRISM LIGHT

Adjustable in brightness from 600-3,000 lumens, with 3 lighting modes, the EGO Power<sup>+</sup> Prism Light also has adjustable colour temperature from 2700K - 5000K to suit ambient lighting needs. All of which are controllable from your mobile device via EGO Connect App with Bluetooth connectivity. Compact, with a rafter hook for hanging overhead and a tripod mount to help cast light over an entire area. Includes a USB C Port, allowing powering or charging of essential devices.

	LT0300E
LUMINOUS FLUX/BRIGHTNESS	600lm-3000lm
APPROXIMATE RUN TIME* (ON BRIGHTEST MODE WITH 5.0AH BATTERY)	6.5hrs
WEIGHT (WITHOUT BATTERY PACK)	1.8kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year

\*The light will illuminate at 10,000lm in ambient temperature 25° C for 1 hour and will run for 2 more hours in brightness level 5. Please note that the 1 hour run time is d ambient temperature. In a cooler environment the "Boost" mode will have a shorter run time.

128 | EGO POWER+ LIFESTYLE EGO POWER+ LIFESTYLE | 129

## EVERYTHING YOU NEED TO KEEP YOU CUTTING, MOWING AND BLOWING

#### EGO POWER+ MULTI-TOOL **BLADES, CHAINS, BARS AND** TELESCOPIC POLE SAW

#### **AEB0800**

Multi-tool edger blade for EA0800



#### AC1001

Pole saw chain for PSA1000 and PSX2500



#### AG1000

Pole saw bar for PSA1000 and PSX2500



#### ACB9500

Multi-tool cultivator blade set for CTA9500



#### ARB2100

Paddle broom (pair) for BBA2100



#### ABS2100

Bristle brush (pair) for BBA2100



#### AG1000Q

25cm Chainsaw Bar for PS1000E



**MULCHING KITS** 

for LM1700E, LM1700E-SP

for LM1900E, LM1900E-SP

52cm mulching kit (mulching blade set & mulching plug)

Mulching kit for ZT5200E-L

Mulching kit (blade & mulching plug)

Mulching kit (blade & mulching plug)

ABP1700

ABP1900

ABP2100D-E

for LM2130E-SP

ABP5200

AMP3800T

AM5300

Mulching plug for

98cm tractor TR3800E-B

Mulch plug for LMX5300SP

#### AC10000

25cm Chainsaw Chain for PS1000E



#### AC2005

50cm replacement chain saw chain for CS2000E



#### AG2005

50cm chainsaw bar for CS2000E



#### **EGO POWER**+ **Z6 ZTR RIDE-ON MOWER**

#### AMG1000

Zero turn riding mower on-board storage



#### AMS1000

Zero turn riding mower sun shade



#### AMB1000

Zero turn riding mower rear bumper bar



#### **EGO POWER+ MOWER BLADES AND ROLLERS**

#### AB2001

Bagging blade for LM2010E, LM2010E-SP, LM2020E, LM2020E-SP [fitted as standard]





#### AB2102D-E

52cm dual bagging blade for 🚪 LM2130E-SP (2 blade set) [fitted as standard]



#### AB2000

Mulching blade for LM2000E, LM2010E, LM2010E-SP, LM2020E, LM2020E-SP



52cm mulching blade for LM2100E-SP. LM2120E-SP



#### AB1700

42cm mulching blade for LM1700E, LM1700E-SP



#### AB1900

47cm mulching blade for LM1900E, LM1900E-SP



#### AB5301

ASD5300

LMX5300SP

Single blade for LMX5300SP



#### AB1701

42cm bagging blade for LM1700E LM1700E-SP [fitted as standard]

#### AB1901

47cm bagging blade for LM1900E LM1900E-SP [fitted as standard]

#### AB4200

53cm standard blade (side discharge, mulching & bagging) for ZT4200E-L - single blade

#### AB4201

53cm high-lift blade (improved bagging) for ZT4200E-L - single blade



Mulching plug for ZT4200E-L



#### ABK4200-A

Bagging kit for ZT4200E-L



#### ABK5200-A

Bagging kit for ZT5200E-L



#### AR1700

42cm rear roller kit for LM1700E, LM1700E-SP

#### AR1900

47cm rear roller kit for LM1900E, LM1900E-SP

#### AR2100

52cm rear roller kit for LM2130E-SP



#### AB3801TD

Bagging blades (2 pcs) for 98cm bagging tractor TR3800E-B



#### AB5201

46cm bagging blade





#### **EGO POWER+ TRIMMER LINES**

AL2015T •

15m 2.0mm low-noise twist line (STRATUS)

A12050T ◆

50m 2.0mm twist line - ST1300E and ST1400E-ST

AL2715T ◆

15m 2.7mm low-noise twist line [red/green] - STX3800. BCX3800

AL3012T 🔷

12m 3.0mm low-noise twist line [yellow/green] - STX3800. BCX3800

AL2475T ◆

75m 2.4mm low-noise twist line [orange/green] -ALL 35cm & 38cm cutting diameter grass trimmers

AL2760T 🔷

60m 2.7mm low-noise twist line [red/green] - STX3800, BCX3800

AL3050T 🔷

50m 3.0mm low-noise twist line [yellow/green] - STX3800, BCX3800

AL2415R

15m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers

AL2715R

15m 2.7mm round line [red] - STX3800, BCX3800

AL3012R

12m 3.0mm round line [yellow] - STX3800, BCX3800

A1249NR

90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers

AL278OR

80m 2.7mm round line [red] - STX3800, BCX3800

AL3060R

60m 3.0mm round line [yellow] - STX3800, BCX3800

AL2415T 🔷

75m 2.4mm low-noise twist line [orange/green] -ALL 35cm & 38cm cutting diameter grass trimmers

#### **EGO POWER**<sup>+</sup> **LINE TRIMMER HEADS**

#### AH3810

ANY INSERT cutting head -ANTI-CLOCKWISE - STX3800, BCX3800, ST1530E. BC3800E. STA1500. BCA1200



#### AH1520

Powerload™ cutting head for ST1510E



#### AH1522

Powerload™ cutting head for ST1400E-ST



#### AH1530

ANY INSERT cutting head -CLOCKWISE - ST1500E-F, BC1500E-F



#### AH1600

Powerload™ cutting head for STA1600



#### AH1620

Line IO™ cutting head for ST1610E-T



#### AH1531

ANY INSERT cutting head - ANTI-CLOCKWISE - ST1530E, BC3800E, STA1500



#### **ABT3800**

Bump feed button - AH3800



## ABR2300

Replacement blades (pair) -ROTOCUT RTX2300. RTA2300



#### AD4500

Brush cutter guard



#### **EGO POWER**<sup>+</sup> LINE TRIMMER SPOOLS

#### AS3800

Spool w/o line for bump feed cutting head - BCX3800, STX3800



#### AS1301

Spool with 2.0mm round line for standard bump feed cutting head - ST1210E



#### AS1302

Spool with 2.0mm twist line for standard bump feed cutting head - ST1300E



#### AS1300

Spool with 2.4mm twist line for standard bump feed cutting head - ST1500E, BC1500E



#### **EGO POWER**+ **BRUSH CUTTER BLADE**

#### ABB1203

3 point brush cutter blade -STX3800. BCX3800. ST1530E. BC3800E, BCA1200, STA1500



#### ABB0903P

Elastoblade flexible trimming blade for - STX3800, BCX3800, ST1530E, BC3800E, BCA1200, STA1500



## EGO POWER<sup>+</sup> PRO X Line Trimmer/Brush Cutter

#### AH4500

Auto-feed trimmer head for STX4500



#### **EGO POWER**+ **HEDGE TRIMMER** TIP PROTECTOR

#### ATP2000

Tip protector for HTA2000. PTX5100



#### **EGO POWER**+ **GRASS SHEARS**

#### CCH0450E

12V charger for CHT2001E



#### CRAN24N

2.0Ah 12V battery for CHT2001E



#### **EGO POWER**<sup>+</sup> **CHAINSAW BARS**

#### AG1200

30cm guide bar for CSX3000

#### AG1400

35cm guide bar for CS1410E

#### AG1600

40cm guide bar for CS1610E

#### AG1800

45cm guide bar for CS1800E

#### AG1801

45cm replacement chainsaw bar

#### AC1200

30cm replacement chainsaw chain



#### AC1635

40cm replacement chainsaw chain for CSX5000

#### AC1835

45cm replacement chainsaw chain for CSX5000

#### AC2035

50cm replacement chainsaw chain for CSX5000

#### AK1635

40cm replacement bar and chain kit for CSX5000



#### AK1835

45cm replacement bar and chain kit for CSX5000



#### AK2035

50cm replacement bar and chain kit for CSX5000



#### **EGO POWER**+ CHAINSAW CHAINS

#### AC1401

35cm 90PX chain for CS1410E

#### AC1601

40cm 90PX chain for CS1600F

#### AC1801

45cm 91PX chain for CS1800E



#### **EGO POWER+ BAGS**

#### BCS1000

Durable Chainsaw kit bag



#### BMH1000

Multi-tool wheeled kit bag



#### CM001

Storage cover for lawnmowers



#### CRMOO1

Storage cover for Z6



132 | EGO POWER+ ACCESSORIES

#### **EGO POWER**<sup>+</sup> PRESSURE WASHER

#### AFC2000E

Premium Foam Canon for HPW2000E



#### ANZ2000E-T

Turbo nozzle for HPW2000E



#### ANZ2015E

15° nozzle for HPW2000E



#### ANZ2025E

25° nozzle for HPW2000E



#### ANZ2040E 40° nozzle for HPW2000E



#### ANZ2000E-R

Rinse nozzle for HPW2000E



#### **GUTTER CLEANING PACK**

#### AGC1001

Gutter cleaning pack and glasses for LB5300E and LB5800E



#### **EGO POWER**+ BLOWER



#### **EGO POWER**+ **SNOW THROWER**

#### AKS2400D

Skid shoes (pair) - SNT2400E



#### ACT2400

Chute cleaning tool - SNT2400E



#### **ADC2400**

Drift cutters for SNT2400E



#### ARP2120

52cm snow blower rubber paddle (PAIR) for SN2120E-AP



#### ASS2120

52cm snow blower scraper Bar for SN2120E-AP



#### CB002

Snow blower cover for SNT2120E-AP



#### CB003

Snow blower cover for SN2400E



#### EGO POWER+ ADAPTOR

#### ADB1000

Adaptor for use with BH1000, BHX1000, BAX1300, BAX1500



#### ACA1000

For use with the EGO 550W Rapid Charger



#### **EGO POWER**+ **BATTERY STORAGE**

#### BB0X2550

Transportation box that can carry 5 portable batteries of all EGO sizes. Can be connected to BBOX3000



#### BB0X3000

Transportation box for BAX1500 excluding harness. Can be connected to BBOX2550



#### **EGO POWER**<sup>+</sup> WALL HOOK

#### AWH1500

Wall mounted hanging frame for CHX5500E & BAX batteries



#### **EGO POWER**<sup>+</sup> **HARNESSES**

#### AP4800

loop, two hook - LB4800E only



#### AFH1500

Frame and double-shoulder harness with padded comfort straps for BAX1500 and BHX1000



#### ACH1500

Cable routing clip for harness BH1000, AFH1500



#### AP1500D

Double-shoulder harness with guard pad for multi-tool & all grass trimmers except BCX3800



#### AP1300

Replacement double-shoulder comfort straps for BAX1300



#### AHP1500

Leg protector / line trimmer harness attachment for AFH1500



#### AHP1300

Leg protector / line trimmer harness attachment for AFH1300, BH1000



#### AP4500

Double shoulder harness trimmer (incl. hip pad)



#### AHP4500

Hip pad for new commercial string trimmer

**EGO POWER**<sup>+</sup>

ACE0700

ACE1500

AEK1000

E-track mounting attachment kit

150cm cable for

PGX1400PB/PGX3000D

70cm cable for

PGX1400PB/PGX3000D

**PGX ACCESSORIES** 



#### GS001E

Essential clear safety glasses



#### GS002E

Essential grey safety glasses





#### AST1000

Short tube attachment for Handheld Leaf Blower



Single-shoulder harness without



for new commercial string



## **EGO POWER**+ PROTECTIVE CLOTHING

**EGO POWER**+

Single-shoulder harness

LB5300E, LB5750E and

all grass trimmers

except BCX3800

with one hook - multi-tool,

AP1500

**SHOULDER STRAPS** 

#### GV001E

Multi-purpose synthetic work gloves. Sizes from Small to XX-Large available



≡G0



#### GS003E

Essential yellow safety glasses



Your local dealer:



www.egopowerplus.com







