



PRODUCT CATALOGUE 2026



**ZERO**  
EMISSION



## CONTENTS

4	Introduction	20	PRO X Range	50	Ride-On Mowers	104	Multi-Tool
5	A Greener Future	26	Batteries & Chargers	58	Chainsaws	116	Cleaning
6	EGO Power+ Battery Technology	32	Harnesses & Adapters	66	Telescopic Pole Products	122	Construction & Agriculture
8	EGO Power+ System	35	Multi-Port Charging Case & 1600W Charger	70	Line Trimmers & Brush Cutters	126	Lifestyle
10	EGO Power+ Warranties	36	PRO X Charging System	80	Hedge Trimmers	134	Robotic Mowers
12	New for 2026	38	Battery Compatibility & Run Times	90	Blowers	146	Accessories
18	EGO Tool Categories	42	Mowers	100	Snow Throwers		

# LEADING EUROPE TO A BATTERY POWERED FUTURE

Our unique patented 56V ARC Lithium™ batteries are designed to maximise performance. Delivering unmatched versatility and performance, providing the right power for any task. Each battery is interchangeable across the entire EGO cordless range – delivering optimum power and performance for every tool and every job.

## Batteries designed to be better.

Our battery's unique ARC-shaped design and KeepCool™ Technology work together to lower temperature and prevent overheating and shutdowns. Each battery's intelligent power management system works hand-in-hand with all tools to ensure the very best power, performance and run time. EGO's superior battery technology really does deliver power beyond belief.

## Experts in battery technology.

Our industry-leading innovation stems from a talented team of over 800 highly qualified technicians. Their expertise is the driving force behind our future-focused research and development, and our award-winning range of outdoor cordless products.

## Experts in tool technology.

Our dedication to innovation doesn't stop with our battery. We listen to our users and have developed world-first patented tool technologies that answer some of the biggest user pain points in the industry, such as Line IQ™ Technology, Peak Power™ and Powerload™ Technology.

# ZERO EMISSION

## Smarter. Greener ways to work outdoors.

At EGO, we think beyond performance. Our experts are relentless in their drive to innovate tools for a better world. EGO's 56V ARC Lithium™ batteries not only outperform fuel, they are better for the environment. Petrol-powered outdoor tools produce more nitric oxide, nitrogen dioxide and carbon dioxide than car engines. With zero toxic emissions in use, EGO power tools are cleaner, quieter, and safer. Without the need for fossil fuel, they are also cheaper to run and maintain. Our cordless tools are designed with smart features that pose no risk to users' health and are comfortable to use for prolonged periods.

## Beyond Challenge 2025 – our ongoing commitment to support environmental initiatives.

We believe it's not just about making improvements to help the environment, but actively participating in its repair. Our commitment to environmental stewardship remains steadfast. Our goal is to pledge support for initiatives that promote reforestation, protect ecosystems, and benefit local communities across the globe.



# A BATTERY DESIGNED LIKE NO OTHER

EGO's unique patented 56V ARC Lithium™ battery delivers unmatched versatility and performance, providing the right power for every task.

Our team of experts has revolutionised battery technology to deliver the optimum power and performance for outdoor cordless tools. EGO's unique 56V ARC Lithium™ batteries deliver the power you need to complete any task. The eight portable batteries in our range can be used flexibly with each one of our cordless tools.\*

**Key to its performance is the battery's intelligent design.**

The innovative ARC shape of our 56V battery increases surface area, placing the battery cells close to the surface to maximise cooling and prevent overheating. Each battery cell is surrounded by EGO's unique KeepCool™ Technology, designed to absorb heat energy and keep the cells at their optimum temperature for longer run times. Software and microprocessors monitor and optimise each cell to deliver the best power and performance for every job.

## Super fast recharge.

Our commitment to innovation not only delivers the right power for every task, it also means that when it's time to recharge, the EGO Power+ 56V ARC Lithium™ battery is one of the quickest around.

## New advancements.



The new BA4480X 8Ah battery is EGO's first 56V ARC Lithium MAX™ battery with Tabless Cell Technology. This new addition to the range provides increased power and performance for power hungry tools and faster charging. See page 28 for more details.



For more information on how EGO Power+ batteries work, and what makes them so revolutionary, download the Battery FAQ document on our website.

[egopowerplus.co.uk/faqs](http://egopowerplus.co.uk/faqs)

\*EGO Robotic Mowers are not compatible with the ARC Lithium™ 56V battery system.



# EGO POWER+ ARC LITHIUM™ BATTERY, DESIGNED TO MAXIMISE PERFORMANCE

**The patented 56V ARC Lithium™ battery doesn't just manage heat, it maximises cooling.**

A battery gets hotter the longer it's used. The more power it generates, the more heat is released. Too much heat and the battery will shut down for safety. Heat also degrades cells over time, reducing battery life. That's why batteries must be cooled effectively to increase performance, run time and battery life.

Our batteries have been designed to cool effectively in three innovative ways:

**Mechanically** – EGO's unique ARC shaped arrangement of battery cells.

**Chemically** – EGO's unique KeepCool™ Technology\*\*.

**Electronically** – EGO's industry-leading intelligent power management system.



EGO'S UNIQUE ARC SHAPED DESIGN



## INCREASED SURFACE AREA

The battery ARC shape has been carefully designed to optimise cooling and reduce overheating. Unlike "brick shaped" batteries, the individual battery cells are positioned adjacent to the external housing so heat can be easily transferred away from the cells.



## KEEPCOOL™ TECHNOLOGY

It's not just the innovative ARC design that helps prevent overheating. The battery has another clever way to keep cool. Each and every cell is surrounded by our unique KeepCool™ phase change material that absorbs heat energy and keeps individual cells at their optimum temperature for longer run times.



## INTELLIGENT POWER

Power is nothing without control. It's why the EGO Power+ 56V ARC Lithium™ battery is continuously controlled by software and microprocessors within the battery and by the tools' intelligent power management systems. These constantly monitor and optimise each individual cell, to deliver the very best power, performance and run time.



## EXTERIOR MOUNTED BATTERY

Unlike other manufacturers, EGO batteries fit onto the outside of all EGO hand-held tools and are not encased within the tool, which means they stay cool to deliver longer lasting power. To keep them safe and sound, the electronics are protected from dust and moisture by a resin coating and the cells are packaged in a robust case that absorbs shocks and vibrations.

# ANY BATTERY, MORE THAN 100 TOOLS

Our industry-leading 56V ARC Lithium™ batteries work with all EGO Power+ tools, even our PRO X range. With great performance and long run times, simply select your tool, click in and go.



EGO Power+  
RIDE-ON MOWERS



EGO Power+  
BLOWERS & VAC




EGO Power+  
SNOW THROWERS




EGO Power+  
CLEANING



EGO Power+  
CONSTRUCTION  
& AGRICULTURE



EGO Power+  
LIFESTYLE



EGO Power+  
LINE TRIMMERS  
& BRUSH CUTTERS



EGO Power+  
CHAINSAWS



EGO Power+  
HEDGE  
TRIMMERS



EGO Power+  
TELESCOPIC  
POLE SAW



EGO Power+  
MULTI-TOOL



POWERED BY  
**EGO**  
ALSO POWERS 141 PARTNER TOOLS

**EGO**™  
PRO X



# THE POWER TO OUTPERFORM PETROL



Introducing the innovative EGO Power+ system from the cordless specialists. EGO Power+ delivers petrol-matching power without noise, fuss, or emissions.

Our industry-leading 56V ARC Lithium™ battery technology offers a high level of performance, giving you the power you need to keep working hard until the job's done. With impressive run times and fast recharge, there's no need to purchase or store highly flammable fuel. Instead, you get the freedom to work emission-free. For total flexibility, all of EGO's 56V ARC Lithium™ batteries fit every tool in the EGO Power+ 56V range.\*\* Just click in the battery and you're ready to go. When you try this revolutionary cordless system you'll never look back.

## The support of our service dealer network.

EGO approved service dealers can help you select the most suitable tools for your needs, give you face-to-face advice and provide a diagnostic service to keep your tools running for years to come. With a nationwide network of EGO approved service dealers, you're never too far from the support you need.

## Industry-leading warranties.

### Domestic user

For domestic users we offer a 5-year warranty on all tools and a 3-year warranty on batteries, when registered within 30 days of purchase.\*\*\*

### Professional user

We offer professional users a 3-year warranty on the PRO X range, and a 2-year warranty on the Professional range when tools are registered within 30 days of purchase.\*\*\*

	BATTERIES****		TOOLS*		CHARGERS*	
	DOMESTIC USE	PROFESSIONAL USE	DOMESTIC USE	PROFESSIONAL USE	DOMESTIC USE	PROFESSIONAL USE
ARC 56V						
ARC LITHIUM MAX						

\*Warranties for RM4000E Robotic Mower are 3 years for tool and 3 years for battery. Warranties for RMR2000E, RMR1500E, RMR3000E & RMR6000E Robotic Mowers are 3 years for tool and 2 years for battery (when registered within 30 days).

\*\*EGO Robotic Mowers and 12V Shrub Shears are not compatible with ARC Lithium™ 56V battery system.

\*\*\*For defects caused by material or manufacturing fault. This does not cover wear and tear. Full terms and conditions are available on our website.

\*\*\*\*Warranties for BAX1500 Backpack Battery are 3 years (for both domestic and professional use). Warranty for CBA0240 12V Shrub Shears Battery is 3 years for domestic use only.

## SWITCH TODAY

The EGO Power+ system outperforms petrol without any of the downsides. It's simpler, cleaner, quieter – and with less vibrations, more comfortable to use. Lower running and maintenance costs means switching to EGO Power+ leads to long term savings too. Its cutting-edge battery technology delivers optimum power and performance for every tool and for every job. Plus, with zero emissions during use, it reduces your impact on the environment.



## WHY CHANGE FROM PETROL TO EGO POWER+?



### SUPERIOR BATTERY TECHNOLOGY

Our industry-leading 56V ARC Lithium™ batteries deliver intelligent, balanced, petrol matching power for all EGO tools\*.



### BETTER FOR THE ENVIRONMENT

With zero emissions during use, our 56V ARC Lithium™ battery gives petrol-matching power but without the fuss and fumes.



### BETTER FOR YOUR HEALTH

EGO Power+ tools always operate at lower noise and vibration levels than traditional petrol-powered tools.



### EASY SET-UP AND STARTING

No filling up with fuel; with EGO Power+ just click in the battery and get to work.



### NO PETROL TO STORE

No more dangerous fuel in storage, no more fumes, make more space available for other things.



### POWERS 100+ TOOLS

EGO 56V ARC Lithium™ batteries work with all EGO Power+ tools\*, offering ultimate flexibility and efficiency to complete any job of any size.



### LOWER RUNNING COSTS

The cost of running an EGO Power+ product for a month is around the same as using a 2 stroke product for a day\*\*.



### FOLD FLAT, EASY STORE DESIGN

Unlike large, heavy petrol mowers, the EGO Power+ fold-flat design makes storage, cleaning and transportation simple.



### SAVE TIME

No more trips to the petrol station. EGO's rapid charger refuels our intelligent batteries in as little as 30 minutes.

\*EGO Robotic Mowers are not compatible with ARC Lithium™ 56V battery system.  
\*\*Based on average daily use of 3 litres of post mix fuel per day.

NEW FOR 2026

# OUR LATEST INNOVATIONS

The 2026 collection continues to push the boundaries of innovation, with an expanding PRO X category, new advancements in mower, chainsaw, line trimmer, hedge trimmer, lifestyle and robotic mower ranges, together with EGO's new powerful 8AH battery option.

EGO continue to develop new technologies and advancements in products, to give you the power to tackle even bigger and tougher tasks, with impressive run times and rapid recharge.

EGO™  
POWER+

## POWER+ MOWERS

### Upgraded with new features

- Interactive LED dashboard
- Improved power and grass collection performance
- Available in Self-propelled and Push options
- Available in two cutting widths: 42cm and 47cm



LM1910E  
47CM MOWER  
P46



LM1710E  
42CM MOWER  
P46



LM1710E-SP  
42CM SELF-PROPELLED  
MOWER  
P46



NEW LED DASHBOARD  
To monitor machine status and control  
3 blade speeds



LM1910E-SP  
47CM SELF-PROPELLED  
MOWER  
P46

## POWER+ 3-IN-1 INFILATOR

### Powerful, fast, multi-functional

- High pressure/high volume modes
- Accurate, fast inflation for anything from car tyres to air mattresses
- Removable floodlight for visibility at night or in low light levels



IF1600E  
COMPACT 3-IN-1  
INFILATOR  
P131



## POWER+ CLEANING

### Portable power & performance

- The convenience of powerful cleaning in a portable package
- Equipped with innovative features and accessories
- Now you can just 'grab and go' to complete any demanding cleaning task



WDV0300E  
COMPACT WET/DRY  
VACUUM  
P121



HPW1800E  
COMPACT PRESSURE  
WASHER  
P119

NEW FOR 2026

# OUR LATEST INNOVATIONS



CS1810E 45cm Chainsaw



RMR6000E AURA-R2 Robotic Mower

## PROFESSIONAL CHAINSAW

**More power, higher cutting speed**

- Upgraded more powerful motor
- Higher chain speed of 22m/s
- Redesigned battery slot position for improved balance
- LED display with speed setting, light setting and chain brake status

CS1810E  
45CM  
CHAINSAW  
P61



## PROFESSIONAL HEDGE TRIMMERS

**A step-up in run time and cutting speed**

The EGO 56V professional hedge trimmer range has been upgraded to improve run time and cutting speed, while further reducing vibration.

- 33% more run time\*

- 43% less vibration for comfortable use\*\*

- 12% faster max cutting speed\*\*

Available in 51cm and 65cm cutting blade lengths, both models continue to feature an adjustable rotating rear handle to comfortably adapt to different trimming tasks.

HT5110E

51CM HEDGE TRIMMER

P83



HT6510E

65CM HEDGE TRIMMER

P83



\*Example; up to 80 minutes run time with 2.5Ah 56V ARC Lithium™ battery, depending on cutting conditions.

\*\*Compared to previous HT5100E and HT6500E EGO Hedge Trimmer

## AURA-R2

### NEW ROBOTIC MOWER RANGE

**Meet AURA-R2**

AURA-R2 uses cutting-edge technology to adapt in real-time to changing conditions, navigating every part of your lawn. PATH IQ™ is EGO's unique combination of three intelligent technologies that work together to deliver unmatched mowing accuracy in complex environments – always working quietly in the background, so the only thing you notice is the flawless finish.

- IP66 Weatherproof – Built to withstand the elements, easy to clean, even with a pressure washer
- Adjustable cutting height – Use the app to tailor your lawn, with a height range of 20-90mm
- Slope handling – Tackles tough terrain up to a 50% gradient with ease
- Safe and secure – AURA-R2 knows where it belongs and alerts you if it's moved – with built-in GPS, remote locking and theft tracking
- Fill light – In night mode, AURA-R2 can work in the dark so your lawn's ready by morning

RMR6000E  
AURA-R2 ROBOTIC  
MOWER  
P134



RMR3000E  
AURA-R2 ROBOTIC  
MOWER  
P134



RMR1500E  
AURA-R2 ROBOTIC  
MOWER  
P134

**PATH IQ™**

NEW FOR 2026

# OUR LATEST INNOVATIONS

**EGO**  
PRO X



BA4480X 8Ah 56V ARC Lithium MAX™ Tableless Battery

HTX7500S Single Sided Hedge Trimmer

## 8AH 56V ARC LITHIUM MAX™ BATTERY

Engineered for power-hungry tools

- Tabless Cell Technology
- 40% higher output power\*
- Fast 20 minutes charging\*\*
- Longer cycle life\*

**ARC**  
LITHIUM  
MAX

BA4480X  
8AH 56V ARC LITHIUM MAX™ BATTERY

P28

\*When compared to the standard EGO 7.5Ah 56V battery

\*\*Compared to charge time of 45 minutes for standard EGO 7.5Ah 56V battery, when paired with the PGX2500PB Power Bank

## PRO X MOWER

A new benchmark in efficiency and manoeuvrability

- High performance cutting and grass collection
- 76cm cutting deck – finish the job faster
- 47kg – lightweight and highly manoeuvrable
- Super composite deck increases durability and stability
- Peak Power™ Technology combines the power of x2 EGO batteries

LMX7600SP  
76CM MOWER  
P49BA4480X  
8AH 56V ARC LITHIUM MAX™ BATTERY

P28

## PRO X FRONT MOTOR 42CM LINE TRIMMER

Best in class power-to-weight ratio

- Front mounted direct-drive motor, provides efficient power delivery without the need for a drive shaft along the length of the product
- Lightweight, best in class balance and ergonomics
- 50% more power\*
- Reduced vibration
- Extended tool life

STX4200  
42CM LINE  
TRIMMER  
P74

\*Example; 130 minutes runtime with EGO 56V ARC Lithium™ 5Ah battery, depending on trimming conditions.

## PRO X BACKPACK HARNESS with Peak Power™ Technology

Get an extra performance boost

- Two battery ports for extended run time
- Peak Power™ Technology for demanding tasks
- Commercial grade harness for all-day comfort

BXH2001  
PRO X BACKPACK HARNESS  
P33

## PRO X 75CM SINGLE SIDED HEDGE TRIMMER

Fast, precision cutting

- Single sided blade reduces weight and increases manoeuvrability
- Large debris scoop allows user to divert cuttings away from the hedge, saving clean-up time
- Digital 3 speed selector and triple-sharpened blades result in precise, fast cutting

HTX7500S  
75CM SINGLE SIDED HEDGE TRIMMER  
P86

## PRO X 2500W POWER BANK

Faster on-site charging

- High-powered remote job site charging
- 2500W shared across 2 charging ports for any EGO ARC Lithium™ Battery
- Charge x2 8Ah 56V ARC Lithium MAX™ Batteries in just 25 minutes, or x1 8Ah 56V ARC Lithium MAX™ Battery in 20 minutes

PGX2500PB  
2500W PGX POWER BANK  
P37

# CHOOSE THE RIGHT TOOL FOR ANY TASK

EGO's range of outdoor power equipment is designed to deliver an outstanding level of performance for every outdoor job, providing the right balance of power and usability for domestic, professional and specialist users.

EGO's unique ARC Lithium™ cordless technology combines with best-in-class ergonomic design to deliver maximum power and efficiency for working outdoors.

## Work smarter. Work healthier.

Any EGO battery will fit any EGO tool\*\* (see pages 8-9), so you can choose the right combination to suit your challenge:

- Range of 8 portable batteries and 1 backpack battery available, so you can choose the optimum power-to-weight ratio for any task.
- Belt and back harness-mounted options for lighter working.
- Backpack battery options for the most demanding jobs in all weathers.

EGO outdoor power equipment allows you to work in a cleaner, quieter and safer way. EGO delivers the power of petrol, without the emissions, noise and vibration associated with petrol-powered products – better for you and better for the environment.

The best battery power, from the cordless specialists.

Our results speak for themselves.

Our average product rating\* is 4.8



\*Independent data collected from EGO website reviews H1 2024

\*\*EGO Robotic Mowers are not compatible with ARC Lithium™ 56V battery system.  
The CS1200E Chainsaw is designed to work with only the 2.5Ah ARC Lithium™ battery.



## SUPER-TOUGH, SUPER-POWERFUL RANGE FOR PROFESSIONAL AND SPECIALIST USE



### A super-tough, super-powerful range of tools designed for garden maintenance professionals, facilities management and specialists.

The EGO Power+ PRO X range is engineered to work harder, all day, every day, in the most challenging conditions. Ergonomic design meets unrivalled power and performance in the PRO X range. These tools push the boundaries of battery technology, with the power and performance to surpass petrol-powered equivalents. Built to last, the PRO X range delivers clean, quiet, safe and productive working.



## HARD-WEARING TOOLS FOR LARGE GARDENS AND PROFESSIONAL USE



### A range designed for heavy-duty use, perfect for large garden maintenance and landscaping professionals.

Ideal for everyday use, the EGO Power+ Professional range gives you the edge when facing tougher tasks for longer periods. This range includes additional features, designed to make light work of larger garden maintenance tasks. Whether working in a large garden or tackling commercial jobs, you can rely on EGO Power+ Professional tools to be powerful, hard-wearing and robust.



## PETROL-MATCHING PERFORMANCE FOR DOMESTIC GARDENS



### A complete range of cordless outdoor power tools, ideal for regular domestic use.

EGO Power+ tools are designed for regular use in domestic gardens. EGO Power+ tools gives domestic users, cordless, petrol-matching power without the noise, fuss or emissions. With EGO's outstanding level of performance built-in as standard – tackle every garden maintenance task with ease.

# POWER YOUR BUSINESS ALL DAY LONG

In a world that's constantly evolving, so too are our demands for outdoor power equipment.

Over recent years battery powered OPE has increased in popularity. However, there still remain concerns around robustness and performance when comparing battery power to more traditional petrol powered equipment. These concerns have been well and truly answered with the launch of EGO's groundbreaking range of battery-powered professional outdoor power equipment and charging solutions. With a focus on incredible performance, flexible fast charging, and seamless connectivity through IoT and fleet management, EGO are revolutionising the way professionals tackle outdoor tasks.

## The toughest tools for the toughest tasks.

EGO's new PRO X tools have been developed for demanding professional use in the toughest of environments. Special design features such as carbon fibre components, steel drive shafts, robust gear boxes and cast aluminium/super-composite mower decks, ensure strength, stability, and durability in extreme conditions. Plus, with EGO's industry-leading battery power and performance, each tool exceeds their petrol-powered equivalent.

New product introductions for 2026 include the new PRO X Power Bank, PRO X Backpack Harness, PRO X 76cm Mower, PRO X Front-motor Line Trimmer, and PRO X Single Sided Hedge Trimmer.

## A breakthrough in all day power.

At the centre of the new extended EGO PRO X range is the PGX Power hub which provides flexible charging solutions to meet the individual needs of the user. Whether it's charging at the depot, into a vehicle, or even in the middle of a forest, EGO have the solution. Capable of charging up to 70 batteries overnight (14 hours), the EGO PGX Power Hub ensures run time anxiety is a thing of the past. Plus, EGO's new 8AH 56V ARC Lithium MAX™ Battery utilises Tableless Cell Technology to deliver improved power and performance, taking all day professional working to the next level. For further information see page 37.

## Stay connected.



With the EGO Connect and Fleet apps, plus wireless/Bluetooth® connectivity, it's easy to remotely manage large fleets of tools, including control of tool charging, tool usage over time, tool maintenance periods and firmware upgrades.



PGX Charging System is capable of charging more than 250Ah of energy overnight

PGX1600E-H 1600W HUB





## MINIMAL VIBRATION, NOISE AND COST

EGO tools deliver all the power of petrol tools without the physical stresses, noise and vibration.

Choosing EGO's low-vibration cordless tools helps to avoid the risk of Hand-Arm Vibration Syndrome (HAVS). Also known as 'Vibration White Finger', it can cause painful and disabling disorders of the blood vessels, nerves and joints.

### Comfortable for all day use.

With a smooth brushless motor and fewer moving parts, all EGO tools have been designed to operate with low levels of vibration, often under the 2.5m/s<sup>2</sup> Exposure Action Value limit (EAV) and well below the Exposure Limit Value (ELV). This allows users to work comfortably all day.

### Quieter working conditions.

Daily exposure to noisy petrol tools can lead to increased work-related stress, hearing loss and Tinnitus – a permanent ringing sensation in the ears. EGO tools are much quieter than petrol-powered alternatives and reduce the risk of increased stress levels and potential hearing loss over long term use.



## COST COMPARISON PETROL VS. EGO POWER+

Cost Estimates are based on purchasing STX4500 String Trimmer, LMX5300SP Self-Propelled Mower, HTX5300-P Hedge Trimmer, and LBPX8000 Backpack Blower plus the 4x 10Ah batteries, 1x 5Ah, 1x 7.5Ah and PGX Charging system to run all four tools, and petrol-powered equivalent tools and fuel.



PETROL	PRO X RANGE
<b>INITIAL OUTLAY YEAR 1</b>	
TOOLS £4,005.00	TOOLS £2,616.00
<b>SERVICING £360.00</b>	BATTERIES & CHARGERS £3,323.00
<b>FUEL £1,279.54</b>	ELECTRICITY £109.96
<b>COST YEAR 1</b>	£6,048.96
	Inc purchase of tools
<b>COST YEAR 2</b>	£1,560.19
	Fuel and servicing
<b>COST YEAR 3</b>	£1,591.38
	Fuel and servicing
<b>COST YEAR 4</b>	£1,623.21
	Fuel and servicing
<b>COST YEAR 5</b>	£1,655.67
	Fuel and servicing
<b>TOTAL COST OF OWNERSHIP</b>	£6,026.03
£12,537.26	£6,511.23
	SAVING AT YEAR 5 BY INVESTING IN CORDLESS

• Cost Estimates are based on purchasing STX4500 String Trimmer, LMX5300SP Self-Propelled Mower, HTX5300-P Pole Hedge Trimmer, and LBPX8000 Backpack Blower plus the 4x 10Ah batteries, 1x 5Ah, 1x 7.5Ah and PGX Charging system to run all four tools, and petrol-powered equivalent tools and fuel.  
• Fuel consumption assumed running these machines for 6 hours a day for 170 days a year.

# THE ULTIMATE IN FLEXIBILITY

The EGO PRO X range redefines professional battery powered tools, delivering maximum flexibility and choice. So that professionals can choose to work in the best way to suit the job – every PRO X tool is compatible with all EGO battery options\*, offering ultimate efficiency to complete any job of any size. The EGO PRO X Backpack Harness can be used to redistribute the weight of the battery when required, and the EGO PRO X Backpack battery can be used for tasks that require a longer run time.

Plus, the flexible EGO PRO X charging system can charge up to 70 batteries overnight (14 hours), supported by fast remote job site charging from the system's PRO X Power Bank.



▲  
PRO X Overnight Charging System and Fast Remote Job Site Charging provide all day long power

▲  
Choose any EGO 56V ARC Lithium™ Portable Battery

▲  
Optional Backpack & Belt Harnesses, plus alternative Backpack Battery

▲  
PRO X Tools for any task

\*For best working efficiency, the EGO PRO X Lawnmower and EGO PRO X BackPack Blower are not compatible with the EGO Backpack Battery, EGO Backpack Harness or EGO Battery Holster.

# EGO

POWER+ BATTERY & CHARGER

WITH THE CAPABILITY TO OUTPERFORM PETROL,  
OUR INNOVATIVE RANGE OF BATTERIES AND  
CHARGERS DELIVER ALL THE POWER YOU NEED.




## THE RIGHT POWER FOR EVERY JOB

### EGO Power+ 56V ARC Lithium™ batteries.

From the lightest 2.5Ah to the largest 12Ah in the range, as the batteries go up in size, so does the power capacity and run time.

Whichever model you choose, all 8 batteries have been engineered for optimal performance and designed to fit all EGO tools\*.



### NEW ARC LITHIUM MAX

Developed for demanding applications

See page 28 for details

\*EGO Robotic Mowers are not compatible with ARC Lithium™ 56V battery system. The CS1200E Chainsaw is designed to work with only the 2.5Ah ARC Lithium™ battery.

# ARC LITHIUM MAX™

## ENGINEERED FOR POWER-HUNGRY TOOLS

### The New 8Ah 56V ARC Lithium MAX™ Battery

EGO's first 56V ARC Lithium MAX™ battery with Tableless Cell Technology, for demanding applications. Take advantage of 40% higher output power\*, 20 minutes fast charging\*\* for reduced on-site downtime, and longer cycle life\*. The battery also includes built-in Bluetooth connectivity for inventory management and charge status monitoring.



BA440X  
8Ah 56V ARC LITHIUM MAX™ BATTERY 448WH

NEW FOR 2026



### FOR DEMANDING APPLICATIONS

40% HIGHER OUTPUT POWER\*

FAST 20 MINUTES CHARGING\*\*

LONGER CYCLE LIFE\*

### DESIGNED WITH TABLESS CELL TECHNOLOGY

The tabless cell design uses a different internal construction of the individual cells. Each cell contains a huge number of parallel pathways which create less internal electrical resistance and therefore less heat. Delivers more power, longer battery lifespan and faster charging times.

**EGO**  
PRO X



\*When compared to an equivalent capacity battery using standard cells.  
\*\*When charged with new EGO PGX2500PB Power Bank. Compared to charge time of 50 minutes for standard EGO 7.5Ah 56V battery.



### VERSATILE, FLEXIBLE POWER



BA2242T  
4AH BATTERY 224WH



BA2800T  
5AH BATTERY 280WH



BA4200T  
7.5AH BATTERY 420WH



BA5600T  
10AH BATTERY 560WH



For more information on how EGO Power+ batteries work, and what makes them so revolutionary, download the Battery FAQ document on our website.

[egopowerplus.co.uk/faqs](http://egopowerplus.co.uk/faqs)



BA1400T  
2.5AH BATTERY 140WH



BA3360T  
6AH BATTERY 336WH



BA6720T  
12AH BATTERY 672WH

# FAST CHARGING TIMES

When it comes to recharging our range of batteries, the EGO Power+ charger keeps you working for longer. Charging 5Ah batteries in 30 minutes, the CH7000E-T reduces charging times so that you can get back to the task in hand.

The innovative fan-cooled system allows charging to start sooner and finish faster; while the intelligent battery control system constantly monitors each cell's power and temperature to deliver the most efficient and quickest charge.



## CH7000E-T 700W RAPID+ CHARGER

Boasting an impressive charge time of under 30 minutes for the 5.0Ah battery, this charger features an integrated LED charging indicator and an intelligent battery control system. This fan-cooled charger provides the most efficient charge possible.



## CH3200E 320W QUICK CHARGER

Charging the 2.5Ah battery in just 35 minutes, our lightweight charger is among the fastest on the market. This fan-cooled charger, equipped with an intelligent battery control system is complete with an integrated LED charging indicator for clear battery diagnostics.



## CH5500E 550W RAPID CHARGER



## CH2100E 210W STANDARD CHARGER

### PERFORMANCE STATISTICS

BATTERY MODEL	BA1400T	BA2242T	BA2800T	BA3360T	BA4200T	BA4480X*	BA5600T	BA6720T	BAX1500
BATTERY (Ah)	2.5Ah	4.0Ah	5.0Ah	6.0Ah	7.5Ah	8.0Ah	10.0Ah	12.0Ah	28.0Ah
CAPACITY (Wh)	140	224	280	336	420	448	560	672	1568Wh at 56V rated
CHARGE TIMES	210W STANDARD CHARGER: CH2100E	50 mins	80 mins	100 mins	120 mins	145 mins	160 mins	190 mins	230 mins
	320W QUICK CHARGER: CH3200E	35 mins	55 mins	70 mins	80 mins	100 mins	105 mins	130 mins	160 mins
	550W RAPID CHARGER: CH5500E	30 mins	30 mins	40 mins	45 mins	60 mins	65 mins	70 mins	90 mins
	700W RAPID+ CHARGER: CH7000E-T	<30 mins	<30 mins	30 mins	35 mins	45 mins	50 mins	60 mins	75 mins
WEIGHT	1.2kg	1.9kg/2.2kg	2.2kg	2.6kg	2.8kg	3.2kg	3.4kg	3.6kg	9.0kg
DOMESTIC WARRANTY	3 years	3 years	3 years	3 years	3 years	5 years	3 years	3 years	3 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years	3 years	2 years	2 years	3 years

\*20 minute charge time refers to BA4480X charging with PGX2500PB.



## CHX5500E 550W PRO X CHARGER

For use with BAX1500 PRO X Backpack Battery



## COMFORTABLE ALL DAY USE

The ergonomic EGO backpack harnesses and battery holster are the most comfortable way to enjoy EGO's industry-leading power. They evenly distribute weight for an easier, more comfortable way to work.



### EGO PRO X

#### BHX1000 PRO X BACKPACK HARNESS

The BHX1000 has been designed with the professional user in mind and when used together with the AFH1500 Harness (supplied separately or as part of a kit) provides exceptional comfort for all day use. The BHX1000 is compatible with the PRO X series and with the ADB1000 adapter can be used with other EGO tools. The AFH1500 Harness (supplied separately) is compatible with the BHX1000 and the BAX1500 PRO X backpack battery.

### EGO PRO X

#### ABH3000 PRO X BATTERY HOLSTER, CABLE AND ARBORIST'S STROP

The holster is designed to house the EGO battery, which is perfectly matched for use with the EGO PRO X Top Handle Chainsaw to deliver optimal torque and power for professional arborists. The safety-strop attachment integrates with the battery cable and belt or harness to keep you and your team safe in the trees.

	BHX1000	ABH3000
CONNECTION METHOD	Quick plug-in and out for EGO PRO X tools. Adapter ADB1000 for all other EGO Power+ tools.	Quick plug-in and out for EGO PRO X tools. Adapter ADB1000 for all other EGO Power+ tools.
CARRYING HANDLE	Yes	No – fixed to belt or harness
HIP PAD FOR BRUSH CUTTER	AHP1500 (optional)	No
UPRIGHT STAND STORAGE	Yes	No
WEIGHT WITHOUT BATTERY	2.9kg	1.1kg
DOMESTIC WARRANTY	3 years	3 years
PROFESSIONAL WARRANTY	3 years	3 years
AVAILABLE AS A KIT	BHX1000-K002: Includes backpack harness, harness/hip belt and adapter	–

## GET AN EXTRA PERFORMANCE BOOST FOR THE TOUGHEST JOBS

The PRO X Backpack Harness features two EGO battery ports for extended run time and improved power. Peak Power™ Technology ensures that high power is delivered when required for demanding tasks.

This commercial-grade harness is ergonomically designed for all-day comfort and reduced fatigue.

Combining with the EGO PGX Power Bank system allows both batteries to be charged quickly on the job site.



**PEAK™  
POWER+  
TECHNOLOGY**  
DUAL BATTERY PORTS  
Combines two EGO ARC Lithium™ Batteries to provide extra Peak Power™ and extended runtime



ERGONOMIC LIGHTWEIGHT DESIGN  
Commercial quality harness with balanced layout and premium cushioning



COMPATIBILITY  
Charging and discharging through ADB1000 adaptor, compatible with all EGO ARC Lithium™ battery chargers and handheld tools



### EGO PRO X

**NEW FOR 2026**

#### BHX2001

#### PRO X BACKPACK HARNESS WITH PEAK POWER™ TECHNOLOGY

The BHX2001 has been designed with the professional user in mind and provides exceptional comfort for all day use. Provides an extra performance boost plus more runtime with two battery ports and Peak Power™ Technology. The BHX2001 is compatible with the PRO X series and with the ADB1000 adapter can be used with other EGO hand held tools.

	BHX2001
CONNECTION METHOD	Quick plug-in and out for EGO PRO X tools. Adapter ADB1000 for all other EGO Power+ tools.
CARRYING HANDLE	Yes
UPRIGHT STAND STORAGE	Yes
WEIGHT WITHOUT BATTERY	4kg
DOMESTIC WARRANTY	3 years
PROFESSIONAL WARRANTY	3 years

# ADVANCED COMFORT FOR ULTIMATE PRODUCTIVITY

Team up your EGO Power+ tools with our backpack battery.

Balancing exceptional run time with user comfort, the ergonomic design of EGO's BAX1500 backpack battery keeps you working comfortably all day long. The battery pack can be removed from the harness and is compatible with most EGO tools\*.



Designed to perform, built to last.

The EGO PRO X Backpack Battery can last throughout a full day's work\* from a single charge. The high-quality cells, with high power rating and high energy density, can handle over 1,000 charge cycles. Plus, rapid recharging means they can go from empty to full in just 3.5 hours.

	BAX1500
CAPACITY	1568Wh at 56V rated
CONNECTION METHOD	Adapter / Plug-in
BATTERY WEIGHT	9.0kg w/o harness
HARNESS	Supplied separately or as part of a kit
WEATHERPROOF PROTECTION	IP56
CHARGER	CHX5500E
CYCLE LIFE	In excess of 1000 cycles
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	BAX1501: Includes backpack battery, harness and adapter

## BAX1500 PRO X BACKPACK BATTERY

The EGO PRO X backpack battery delivers the power output and run times needed for demanding jobs. All minus the noise, emissions and vibration. The BAX1500 can work through the most extreme weathers and its tough casing is designed to withstand drops or knocks.

# BIG POWER BIG BENEFITS

COMPATIBLE WITH EVERY  
EGO POWER+ TOOL\*

## HIGH-EFFICIENCY BATTERY LIFE

## DETACHABLE BATTERY AND HARNESS

## WORK HEALTHIER

Without strains, musculoskeletal problems, or emissions.

## COST EFFECTIVE

Purchasing and running the PRO X Hedge Trimmer, Line Trimmer and Leaf Blower could save you as much as £4500 in 5 years\*\*, compared with their petrol-powered equivalents. Costs estimated on run times of 6 hours a day, 170 days a year.

**EGO**  
PRO X

\*For best working efficiency, EGO Lawnmowers, EGO Chainsaws and EGO Backpack Blowers are not compatible with the EGO Backpack Battery, EGO Backpack Harness or EGO Battery Holster.  
\*\*Dependent on the tool and based on an 8 hour working day.

# CHARGE 6 PORTABLE EGO BATTERIES AT THE SAME TIME

EGO's Professional Multi-Port Charging Case will charge any combination of up to six EGO portable batteries at the same time – ideal for professional users.

EGO's intelligent power management system charges batteries with the lowest level of charge first, then brings all the batteries up to full charge at the same rate. Charging 6x 10Ah batteries in as little as 3 hours in combination with the 1600W charger.



## CHV1600E 1600W CHARGER

The EGO Professional 1600W Charger can charge six 10Ah EGO ARC Lithium™ Batteries in as little as 3 hours. It is designed to work with the EGO Multi-Port Charging Case, EGO Z6 Ride-on Mowers and EGO Ride-on Tractor Mowers.



## ACA1000 CHARGING ADAPTOR

Use with the CH5500E EGO 550W Rapid Charger or the CH7000E-T 700W Rapid+ Charger in order to work with the Multi-Port Charging Case or Z6 ride-on mowers, EGO ride-on tractor mowers.



## CH6000 MULTI-PORT CHARGING CASE

The Multi-Port Charging Case can be used directly with the EGO CHV1600E 1600W Charger or with the EGO 550W Rapid Charger (see page 31) when combined with the ACA1000 EGO Charging Adapter.



## CH6000-K004 MULTI-PORT CHARGING CASE & CHARGER

Includes CHV1600E 1600W charger.



## COMPARATIVE CHARGE TIMES

1600W CHARGER with case	6x 10Ah Portable Batteries	~ 3 Hours
550W RAPID CHARGER & CHARGING ADAPTER with case	6x 10Ah Portable Batteries	~ 8 Hours




## A BREAKTHROUGH IN ALL DAY LONG POWER

At the centre of the EGO PRO X battery charging system is a portable super-fast Power Bank charger that keeps PRO X tools working on-site all day long.

Combined with the new EGO PGX Power Hub, more than 250Ah of energy can be charged in sequence overnight from a single socket – ready for the next day's work.

The EGO PRO X Power Hub has Bluetooth and WiFi connectivity to provide all the information needed to manage a fleet of PRO X tools – supplying data from all enabled EGO PRO X products and physically connected charging peripherals to EGO's connected platforms.

The EGO 1600W PGX Power Hub has been designed to connect with existing standard mains power supplies, so there's no need to update the power supply for installation.



### PGX2500PB PGX POWER BANK

NEW FOR 2026

The new EGO PGX Power Bank uses the energy from the EGO Professional 40Ah High Capacity Battery to charge any of EGO's portable ARC Lithium™ Batteries. This provides professional users with super-fast, efficient charging for all day working, and reduces the need to carry more batteries. Capable of charging two EGO 8Ah 56V ARC Lithium MAX™ batteries in just 30 minutes.

- 2500W charging power shared across 2 charging ports, compatible with any EGO 56V ARC Lithium™ or 56V ARC Lithium MAX™ batteries.
- LED indicator shows charging status.
- Includes handles for ease of transport.
- Stackable to save space.
- Connects to PGX1600E-H 1600W Power Hub for on grid fast charging.
- IoT Bluetooth enabled to relay data, monitor status, and control. Wired data connection also relays charging information via PGX Hub.
- Connects with the next charging peripheral to expand charging with PGX sequential system.
- Wall anchor point for storage and safe transport.
- Physical anti-theft device.



Remote charging  
on site



### HC2240T 40AH HIGH CAPACITY BATTERY

Powers the EGO PGX Power Bank for on-site rapid charging of all EGO ARC Lithium™ portable batteries.

- Fuel Gauge shows remaining battery charge.
- Side interface locking for secure attachment to the charger.
- IoT Bluetooth enabled to relay data, monitor status and control.
- Integrated folding handle.



### PGX3000D 3-PORT DOCK

Designed to connect to the EGO PRO X 1600W Power Hub.

- Accommodates up to 3 EGO 56V ARC Lithium™ Batteries.
- Optimised for faster charging of the 8Ah 56V ARC Lithium MAX™ battery.
- Led Indicator clearly shows charging status.
- Connects with the next charging peripheral, can expand charging system by up to 30 peripherals.
- IoT wired data connection. Relays charging information via PGX Hub.
- Wall mounting, E-Track compatible with separate accessory kit.
- Side Handles and Battery Retention Clip allows portability.
- Physical anti-theft device.



### PGX1600E-H PGX 1600W HUB

Charges more than 250Ah of energy in sequence overnight.

- Led Indicator clearly shows Power Hub status while charging.
- Prioritise charging.
- Charging completion reminder.
- IoT Bluetooth and WiFi enabled to relay data from new compatible PRO X products and physically connected charging peripherals.
- Wall mountable, E-Track mounting accessories available.

**IoT FUNCTIONS**

- Monitor/view charging time and status
- Prioritise charging
- Charging completion reminder
- Battery optimisation
- Tool usage statistics: operational status, assignment and location, utilisation rates
- Firmware upgrades

# A BATTERY FOR EVERY TOOL AND EVERY JOB

With a choice of 8 batteries and 1 battery backpack, choose the one that gives you the power and run time\* you need.



## KEY

<span style="background-color: #008000; border: 1px solid black; padding: 2px 5px;"></span> PRO X	<span style="background-color: #A9F5D0; border: 1px solid black; padding: 2px 5px;"></span> RECOMMENDED / OPTIMAL
<span style="border: 1px solid black; padding: 2px 5px;"></span> NOT RECOMMENDED	<span style="background-color: #F0F0F0; border: 1px solid black; padding: 2px 5px;"></span> COMPATIBLE / NOT OPTIMAL

\* Run time may vary and depend on battery used, charge level of battery, condition of grass/hedge and user's operation technique.

\*\* Run time based on a 10cm x 10cm timber.

\*\*\* Portable batteries must be used with either BH1000, BHX1000 or BHX2001 harnesses

\*\*\*\* The light will illuminate at 10,000lm in ambient temperature 25°C for 1 hour and will run for 2 more hours in brightness level 5. Please note that run times are dependant on ambient temperature and may vary.

^ Run times shown are for clearing up to 10cm of dry snow with 2x the battery listed. Run times vary based on snow depth, snow type and battery combinations.

^^ Run times shown are for x2 of the batteries listed.

^^^ Run times shown are based on inflating 235/65 R17 tyres from 2-2.5 Bar.



CODE	PRODUCT NAME	BATTERY								BACKPACK BATTERY BAX1500 28Ah / 1568Wh (Up to)
		BA1400T 2.5Ah / 140Wh (Up to)	BA2242T 4.0Ah / 224Wh (Up to)	BA2800T 5.0Ah / 280Wh (Up to)	BA3360T 6.0Ah / 336Wh (Up to)	BA4200T 7.5Ah / 420Wh (Up to)	BA4480X 8.0Ah / 448Wh (Up to)	BA5600T 10.0Ah / 560Wh (Up to)	BA6720T 12.0Ah / 672Wh (Up to)	
EGO Power+ Mowers		EGO Power+ Mowers								
LM1710E	42cm Mower	Cuts up to 500sqm	Cuts up to 800sqm	Cuts up to 1000sqm	Cuts up to 1200sqm	Cuts up to 1500sqm	Cuts up to 1600sqm	Cuts up to 2000sqm	Cuts up to 2400sqm	-
LM1710E-SP	42cm Self-Propelled Mower	Cuts up to 400sqm	Cuts up to 600sqm	Cuts up to 700sqm	Cuts up to 1000sqm	Cuts up to 1100sqm	Cuts up to 1200sqm	Cuts up to 1400sqm	Cuts up to 1800sqm	-
LM1910E	47cm Mower	-	Cuts up to 750sqm	Cuts up to 1000sqm	Cuts up to 1125sqm	Cuts up to 1375sqm	Cuts up to 1500sqm	Cuts up to 1875sqm	Cuts up to 2250sqm	-
LM1910E-SP	47cm Self-Propelled Mower	-	Cuts up to 625sqm	Cuts up to 750sqm	Cuts up to 1000sqm	Cuts up to 1125sqm	Cuts up to 1250sqm	Cuts up to 1500sqm	Cuts up to 1875sqm	-
LM2130E-SP	52cm Self-Propelled Mower with Select Cut Technology	-	Cuts up to 600sqm	Cuts up to 750sqm	Cuts up to 1000sqm	Cuts up to 1200sqm	Cuts up to 1300sqm	Cuts up to 1750sqm	Cuts up to 2000sqm	-
LM2230E-SP	55cm Self-Propelled Mower with Select Cut Technology	-	-	Cuts up to 900sqm	Cuts up to 1000sqm	Cuts up to 1250sqm	Cuts up to 1300sqm	Cuts up to 1650sqm	Cuts up to 2000sqm	-
LMX5300SP <sup>**</sup>	53cm Self-Propelled Mower with Dual Battery Ports	-	-	Cuts up to 1650sqm	Cuts up to 2150sqm	Cuts up to 2600sqm	Cuts up to 2800sqm	Cuts up to 3500sqm	Cuts up to 4200sqm	-
LMX7600SP <sup>**</sup>	76cm Self-Propelled Mower with Dual Battery Ports	-	-	Cuts up to 2200sqm	Cuts up to 2500sqm	Cuts up to 3050sqm	Cuts up to 3300sqm	Cuts up to 4400sqm	Cuts up to 4950sqm	-
EGO Power+ Line Trimmers, Brush Cutter and Rotocut		EGO Power+ Line Trimmers, Brush Cutter and Rotocut								
ST1300E-S	33cm Line Trimmer	70 mins	110 mins	140 mins	170 mins	210 mins	220 mins	280 mins	340 mins	-
ST1400E-ST	35cm Telescopic Line Trimmer with Powerload™ Technology	60 mins	90 mins	120 mins	135 mins	165 mins	180 mins	240 mins	270 mins	660 mins
ST1510E-T	38cm Line Trimmer with Powerload™ Technology	45 mins	72 mins	90 mins	108 mins	135 mins	144 mins	180 mins	216 mins	-
ST1530E	38cm Loop Handled Line Trimmer	18 mins	35 mins	45 mins	55 mins	72 mins	79 mins	90 mins	110 mins	240 mins
ST1610E-T	40cm Line Trimmer with Line IQ™ and Powerload™ Technology	42 mins	67 mins	84 mins	101 mins	126 mins	134 mins	168 mins	202 mins	475 mins
BC3800E	38cm Bike Handled Brush Cutter	-	30 mins	40 mins	50 mins	65 mins	70 mins	80 mins	100 mins	270 mins
BCX3800	Bike Handled Line Trimmer/Brush Cutter <sup>***</sup>	-	40 mins	50 mins	60 mins	75 mins	80 mins	97 mins	120 mins	420 mins
RTX2300	Rotocut (Assembled on BCX3800) <sup>***</sup>	25 mins	40 mins	52 mins	65 mins	80 mins	85 mins	105 mins	125 mins	325 mins
BCX4500	Bike Handled Line Trimmer/Brush Cutter	-	-	140 mins	175 mins	220 mins	225 mins	300 mins	355 mins	840 mins
STX4500	Loop Handled Line Trimmer/Brush Cutter	-	-	75 mins	90 mins	115 mins	125 mins	155 mins	190 mins	450 mins
STX4200	Front Motor 42cm Line Trimmer	68 mins	105 mins	130 mins	160 mins	175 mins	190 mins	235 mins	280 mins	655 mins
EGO Power+ Hedge Trimmers		EGO Power+ Hedge Trimmers								
HT2000E	51cm Hedge Trimmer	75 mins	120 mins	150 mins	210 mins	225 mins	240 mins	300 mins	360 mins	-
HT2410E	61cm Hedge Trimmer	75 mins	120 mins	150 mins	180 mins	225 mins	240 mins	300 mins	360 mins	-
HT2600E	66cm Hedge Trimmer	60 mins	90 mins	120 mins	145 mins	180 mins	192 mins	240 mins	270 mins	-
HT5110E	51cm Hedge Trimmer	80 mins	140 mins	180 mins	220 mins	270 mins	290 mins	360 mins	440 mins	-
HT6510E	65cm Hedge Trimmer	80 mins	130 mins	165 mins	200 mins	250 mins	265 mins	330 mins	400 mins	-
HTX6500	65cm Hedge Trimmer <sup>***</sup>	-	55 mins	70 mins	85 mins	110 mins	120 mins	150 mins	180 mins	420 mins
HTX7500	75cm Hedge Trimmer <sup>***</sup>	-	45 mins	60 mins	75 mins	95 mins	100 mins	128 mins	166 mins	380 mins
HTX5300-P	53cm Short-reach Fixed Pole Hedge Trimmer	70 mins	112 mins	140 mins	168 mins	210 mins	224 mins	280 mins	336 mins	784 mins
HTX5300-PA	53cm Long-reach Articulating Pole Hedge Trimmer	54 mins	86 mins	108 mins	128 mins	162 mins	172 mins	216 mins	253 mins	599 mins
HTX7500S	75cm Single Sided Hedge Trimmer	125 mins	205 mins	245 mins	300 mins	370 mins	395 mins	495 mins	595 mins	950 mins
EGO Power+ Chainsaws		EGO Power+ Chainsaws								
CS1410E	35cm Chainsaw	130 cuts	220 cuts	300 cuts	330 cuts	450 cuts	480 cuts	600 cuts	720 cuts	-
CS1610E	40cm Chainsaw	130 cuts	220 cuts	300 cuts	330 cuts	450 cuts	480 cuts	600 cuts	720 cuts	-
CS1810E	45cm Chainsaw	110 cuts	200 cuts	270 cuts	300 cuts	400 cuts	430 cuts	540 cuts	590 cuts	-
CS2000E	50cm Chainsaw	55 cuts	90 cuts	110 cuts	135 cuts	165 cuts	180 cuts	225 cuts	270 cuts	-
CS1200E	30cm Top Handle Chainsaw	130 cuts	-	-	-	-	-	-	-	-
CSX3000	30cm Top Handle Chainsaw	140 cuts	225 cuts	265 cuts	330 cuts	420 cuts	450 cuts	560 cuts	700 cuts	-
CSX5000	50cm Rear Handle Chainsaw	55 cuts	90 cuts	110 cuts	130 cuts	165 cuts	175 cuts	220 cuts	265 cuts	-
EGO Power+ Telescopic Pole Products		EGO Power+ Telescopic Pole Products								
PS1000E	Telescopic Pole Saw	100 cuts	160 cuts	200 cuts	240 cuts	300 cuts	320 cuts	400 cuts	480 cuts	780 cuts
PSX2500	Pole Saw Attachment	110 cuts	182 cuts	231 cuts	330 cuts	350 cuts	400 cuts	455 cuts	565 cuts	1280 cuts
PTX5100	Hedge Trimmer Attachment	65 mins	95 mins	120 mins	140 mins	210 mins	225 mins	260 mins	310 mins	720 mins

# A BATTERY FOR EVERY TOOL AND EVERY JOB

With a choice of 8 batteries and 1 battery backpack, choose the one that gives you the power and run time\* you need.



## KEY

 PRO X  RECOMMENDED / OPTIMAL

 NOT RECOMMENDED  COMPATIBLE / NOT OPTIMAL



CODE	PRODUCT NAME	BATTERY																				BACKPACK BATTERY						
		BA1400T 2.5Ah / 140Wh (Up to)			BA2242T 4.0Ah / 224Wh (Up to)			BA2800T 5.0Ah / 280Wh (Up to)			BA3360T 6.0Ah / 336Wh (Up to)			BA4200T 7.5Ah / 420Wh (Up to)			BA4480X 8.0Ah / 448Wh (Up to)			BA5600T 10.0Ah / 560Wh (Up to)								
EGO Power+ Blowers																												
Run time in Mins		Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Max*					
LV5000E	Leaf Vacuum 15N	38	6	-	60	10	-	75	12	-	90	15	-	110	18	-	120	20	-	150	24	-	180	30	-	-		
LB6150E	Blower 18.5N	100	15	10	160	24	14	200	30	18	240	36	22	300	45	30	320	48	32	400	60	40	480	72	48	1120 mins		
LB6700E	Blower 21N				-	140	25	13	200	30	15	240	36	18	300	45	23	320	48	24	400	60	30	480	72	36	1120 mins	
LB7650E	Blower 26N				-	120	20	14	150	25	17	180	30	18	225	37	26	240	40	28	300	50	34	360	60	40	-	
LB6000E	Backpack Blower 19.2N	75	13	9	96	17	12	120	22	15	150	27	18	180	33	23	192	35	24	240	44	30	290	52	36	-		
LBPX8000 **	Backpack Blower 26N		-		80	20	16	100	26	20	120	32	24	150	40	30	160	42	32	200	52	40	240	64	48	-		
LBPX1100 **	Backpack Blower 36N		-		-	100	18	15	120	20	18	150	28	22	160	30	24	200	36	30	240	42	36	-	-	-	-	
LBX1000	Blower 32N		-		-	50	17	10	60	20	12	75	25	15	80	27	16	100	33	20	120	40	24	-	280 mins			
EGO Power+ Multi-Tool																												
STA1600	Multi-Tool Line Trimmer Attachment with Powerload™ Technology		18 mins		35 mins		45 mins		55 mins		70 mins		75 mins		90 mins		110 mins		240 mins									
BCA1200	Multi-Tool Brush Cutter Attachment		27 mins		47 mins		60 mins		75 mins		95 mins		100 mins		125 mins		150 mins		372 mins									
STA1700	Multi-Tool Line Trimmer Attachment with Line IQ™ and Powerload™ Technology		30 mins		48 mins		60 mins		72 mins		90 mins		96 mins		120 mins		144 mins		240 mins									
HTA2000	Multi-Tool Hedge Trimmer Attachment		37 mins		65 mins		82 mins		98 mins		122 mins		130 mins		157 mins		188 mins		480 mins									
HTA2000S	Multi-Tool Short Hedge Trimmer Attachment		37 mins		65 mins		82 mins		98 mins		122 mins		130 mins		157 mins		188 mins		480 mins									
PSA1000**	Multi-Tool Pole Saw Attachment		70 cuts		110 cuts		140 cuts		170 cuts		210 cuts		224 cuts		285 cuts		340 cuts		720 cuts									
EA0800	Multi-Tool Edger Attachment		-		50 mins		60 mins		76 mins		100 mins		105 mins		132 mins		152 mins		420 mins									
CTA9500	Multi-Tool Cultivator Attachment		40 mins		60 mins		80 mins		100 mins		120 mins		130 mins		160 mins		200 mins		480 mins									
BBA2100	Multi-Tool Bristle Brush Attachment		50 mins		90 mins		120 mins		140 mins		150 mins		160 mins		200 mins		280 mins		660 mins									
OSA1000	Multi-Tool Olive Shaker Attachment		50 mins		70 mins		100 mins		120 mins		160 mins		170 mins		210 mins		240 mins		600 mins									
SSA1200	Multi-Tool Snow Shovel Attachment		45 mins		75 mins		90 mins		110 mins		135 mins		145 mins		180 mins		216 mins		504 mins									
RTA2300	Multi-Tool Rotocut Attachment		25 mins		40 mins		52 mins		60 mins		80 mins		85 mins		105 mins		125 mins		325 mins									
DA1400	Multi-Tool Dethatcher Attachment		17 mins		27 mins		34 mins		41 mins		52 mins		55 mins		68 mins		82 mins		190 mins									
EGO Power+ Cleaning																												
Run time in Mins		Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Max*					
HPW2000E	Pressure Washer	25	12.5	6.25	40	20	10	50	25	12.5	60	30	15	75	37.5	18.75	80	40	20	100	50	25	120	60	30	-		
HPW1800E	Compact Pressure Washer	12.5	-	6.25	20	-	10	12.5	-	25	30	-	15	37.5	-	18.75	40	-	20	50	-	25	60	-	30	-	-	
WDV0900E	Wet/Dry Vacuum	30	16	9	48	26	14	60	33	18	72	39	21	90	49	27	96	52	29	120	66	36	144	79	43	-		
WDV0300E	Compact Wet/Dry Vacuum	45	-	18	72	-	28	90	-	35	108	-	42	75	-	53	144	-	56	180	-	70	216	-	84	-		
EGO Power+ Construction & Agriculture																												
Run time in Mins		Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Low	High	Max	Max*					
BSP3500E	Chemical Sprayer	90	-	35	144	-	56	180	-	70	216	-	84	270	-	105	288	-	112	360	-	140	432	-	168	-	-</td	

WITH A RANGE OF CUTTING CAPACITIES,  
SELF-PROPELLED MODELS, AND PUSH BUTTON  
START, TACKLE ANY SIZE LAWN WITH EASE.



## THE POWER OF PETROL WITHOUT THE EMISSIONS

With lower running costs, zero emissions and significantly quieter than a petrol mower, the EGO Power+ mower range offers a variety of key features and cutting capacities to suit any lawn.

The self-propelled motor keeps you in control and makes light work of slopes and undulations. Automatic Variable Speed on selected models, delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance for different conditions.

The 3-in-1 functionality lets you drop, bag or mulch clippings\*, while the LED headlights let you work further into the day. The efficient grass collection system, uses all available space in the collection bag, meaning less-frequent emptying. When you're done, the easy-fold design makes cleaning and storage simple.



\*Mulching Kits and Side Discharge Chutes are sold separately for all models.

Model shown: LM2230E-SP  
Please note: some features are not available on all models.

# A MOWER FOR EVERY LAWN THE RIGHT TOOL FOR THE JOB

The EGO Power+ mower range showcases a variety of specifications designed to make lawn care quicker, easier and more efficient. With model sizes ranging from 42cm to 76cm deck width, there's an option for every task and size of lawn.

Technologically advanced in every way, each mower packs incredible petrol-matching power as standard. Thanks to our revolutionary ARC Lithium™ 56V battery system, they make minimal noise, emit zero emissions, and start up at the touch of a button.

While these benefits apply to all EGO Power+ mowers, key differences make some models better suited to specific kinds of gardens.

Check out our handy diagram to the right to identify the size of lawn you can cut on a single charge, and therefore the mowers that are suitable for you.



## Choosing the **RIGHT** mower:



### Small, tight spaces, or close to trees.

For smaller spaces and improved precision around obstacles, mowers with a smaller cutting capacity are ideal.

Our compact 42cm models LM1710E or LM1710E-SP are perfect for smaller spaces.



### Bigger, open spaces.

A mower with a wider cutting capacity will help you cover more ground in fewer passes. Opting for a bigger battery will increase run time, as will variable automatic cutting speed control. For a faster cut, a larger capacity bag can collect more grass and needs emptying less often.

Try our 52cm model LM2130E-SP or our 55cm model LM2230E-SP or even our new LMX7600SP, which makes even the biggest jobs feel small.



### Sloping ground.

Using a self-propelled mower takes the strain out of pushing the mower uphill.

Our self-propelled mowers, LM1710E-SP, LM1910E-SP, LM2130E-SP, LM2230E-SP, LMX5300SP and LMX7600SP are available in different cutting capacities to suit the size of your lawn, choose a wider cutting capacity for less passes.

### Additional comfort.

If comfort is a priority, self-propelled mowers require less effort, and with an adjustable handle, you can decide on the most suitable height.

Choose the cutting capacity to suit the size of your lawn - a wider cutting capacity will mean less passes required to cut the lawn.



### Finishes.

The EGO Rear Roller Kit is a simple and effective way of enabling your EGO mower to stripe your lawn, giving you a manicured look whilst keeping the versatility of being able to mulch and rear discharge clippings.

#### REAR ROLLER KITS

Just add an EGO Rear Roller Kit to enable your EGO mower to stripe your lawn (please check that a Rear Roller Kit is available for your model - see below).



**AR1700** available for LM1710E, LM1710E-SP, LM1910E, LM1910E-SP  
**AR1900** available for LM1910E, LM1910E-SP  
**AR2100** available for LM2130E-SP

### Grass cutting options.

There are 4 different ways that EGO Power+ mowers deal with cut grass. Great for lawns that aren't too thick, mulching redistributes grass particles and fertilising nutrients. Drop cuttings, rear discharge or side discharge allows for quicker mowing through thick and long grass. Bag collection keeps lawns clear of any cuttings.

#### MULCHING KITS

The EGO Power+ Mulching Kit will allow the mower to cut and distribute fine grass cuttings back into the lawn to help retain moisture and nutrients for a healthier lawn.



#### SIDE DISCHARGE CHUTES

EGO Power+ Side Discharge Chutes discharge the grass cuttings to the side of the mower, to give longer battery run times.



#### SELECT CUT™

Interchangeable multi-blade cutting system that allows you to choose between specialist mulching blade and bagging blade, to either distribute fine cuttings into your lawn or to collect cuttings into the large collection bag.

For more details on accessory compatibility, please see our accessory pages (146-147).

**LM1710E**  
42CM MOWER



Perfect for precision mowing in smaller spaces and medium sized gardens with level ground. Includes a 55L collection bag and interactive LED Display to monitor machine status and control 3 blade speeds.



ACCESSORIES ALSO AVAILABLE

NEW FOR 2026



**LM1910E**  
47CM MOWER



The wider cutting width is perfect for precision mowing of medium sized gardens with level ground. Includes a 55L collection bag and interactive LED Display to monitor machine status and control 3 blade speeds.



ACCESSORIES ALSO AVAILABLE

NEW FOR 2026



**LM1710E-SP**  
42CM SELF-PROPELLED MOWER



Perfect for mowing in smaller spaces and medium sized gardens. Self-propelled for tackling sloping and undulating lawns with ease. Includes a 55L collection bag and interactive LED Display to monitor machine status and control 3 blade speeds.



ACCESSORIES ALSO AVAILABLE

NEW FOR 2026



**LM2130E-SP**  
52CM SELF-PROPELLED MOWER



The wide cutting width is perfect for precision mowing of larger gardens and wider spaces. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. The Select Cut interchangeable multi-blade cutting system that allows you to choose between specialist mulching blade and bagging blade. Includes an extra-large 70L collection bag.




ACCESSORIES ALSO AVAILABLE

**LM2230E-SP**  
55CM SELF-PROPELLED MOWER



The wider cutting width is perfect for mowing of larger gardens and wider spaces. Self-propelled with automatic variable cutting speed, ideal for larger and sloping lawns. The new super-composite cutting deck is robust, lightweight and stable for prolonged use. Includes extra-large 85L collection bag.



ACCESSORIES ALSO AVAILABLE

ONLY AVAILABLE AS KIT LM236E-SP



**LM1910E-SP**  
47CM SELF-PROPELLED MOWER



The wide cutting width is perfect for precision mowing of medium and larger-sized gardens. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. Includes a larger 55L collection bag and interactive LED Display to monitor machine status and control 3 blade speeds.



ACCESSORIES ALSO AVAILABLE

NEW FOR 2026



	LM1710E	LM1710E-SP	LM1910E	LM1910E-SP	LM2130E-SP	LM2230E-SP
<b>CUTTING CAPACITY</b>	42cm	42cm	47cm	47cm	52cm	55cm
<b>SELF-PROPELLED SPEED</b>	-	0.5 - 1.4m/s (1.8-5.0km/h)	-	0.6-1.4m/s (2.2-5.0km/h)	0.4-1.4m/s (1.4-5km/h)	0.4-1.4m/s (1.4-5km/h)
<b>CUTTING DECK MATERIAL</b>	Poly	Poly	Poly	Poly	Poly	PC PBT
<b>CUTTING AREA*</b>	2.5Ah 4.0Ah 5.0Ah 6.0Ah 7.5Ah 8.0Ah 10.0Ah 12.0Ah	Cuts up to 500sqm Cuts up to 800sqm Cuts up to 1000sqm Cuts up to 1200sqm Cuts up to 1500sqm Cuts up to 1600 sqm Cuts up to 2000sqm Cuts up to 2400sqm	Cuts up to 400sqm Cuts up to 600sqm Cuts up to 700sqm Cuts up to 1000sqm Cuts up to 1100sqm Cuts up to 1200 sqm Cuts up to 1400sqm Cuts up to 1800sqm	Cuts up to 750sqm Cuts up to 1000sqm Cuts up to 1125sqm Cuts up to 1375sqm Cuts up to 1400sqm Cuts up to 1875sqm Cuts up to 2250sqm Cuts up to 2500sqm	Cuts up to 625sqm Cuts up to 750sqm Cuts up to 750sqm Cuts up to 1000sqm Cuts up to 1125sqm Cuts up to 1250sqm Cuts up to 1500sqm Cuts up to 1875sqm	Cuts up to 600sqm Cuts up to 750sqm Cuts up to 900sqm Cuts up to 1000sqm Cuts up to 1250sqm Cuts up to 1300sqm Cuts up to 1650sqm Cuts up to 2000sqm
<b>CUTTING SPEED CONTROL</b>	Automatic variable speed**	Automatic variable speed**	Automatic variable speed**	Automatic variable speed**	Automatic variable speed**	Automatic variable speed**
<b>NO LOAD SPEED</b>	2,700-3,200rpm	2,700-3,200rpm	2,700-3,100rpm	2,700-3,100rpm	2,700 - 3,000rpm	2,600 - 3,200rpm
<b>CUT HEIGHT SETTINGS</b>	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	25/32/40/51/64/77/90/105mm	25/33/43/54/66/79/92/105mm
<b>HANDLE HEIGHTS</b>	Three - user adjustable	Three - user adjustable	Three - user adjustable	Three - user adjustable	Three - user adjustable	Three - user adjustable
<b>BAG CAPACITY</b>	55L	55L	55L	55L	70L	85L
<b>FUNCTIONS</b>	Mulch, collect, rear discharge, side discharge	Mulch, collect, rear discharge, side discharge	Mulch, collect, rear discharge, side discharge	Mulch, collect, rear discharge, side discharge	Mulch† and collect	Mulch, collect, side discharge†
<b>NOISE RATING LpA/LwA</b>	77dB(A)/91dB(A)	77dB(A)/91dB(A)	80dB(A)/94dB(A)	80dB(A)/94dB(A)	80dB(A) / 90dB(A)	83dB(A) / 96dB(A)
<b>VIBRATION (M/S<sup>2</sup>)</b>	2.5	2.5	2.5	2.5	0.6	1.35
<b>VERTICAL STORAGE</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>WEIGHT WITHOUT BATTERY</b>	22kg	24kg	23kg	25kg	26kg	31.2kg
<b>MOTOR TYPE</b>	Brushless	Brushless	Brushless	Brushless	Brushless	Brushless
<b>DOMESTIC WARRANTY</b>	5 years	5 years	5 years	5 years	5 years	5 years
<b>PROFESSIONAL WARRANTY</b>	1 year	1 year	1 year	1 year	2 years	2 years
<b>AVAILABLE AS A KIT</b>	LM1711E: Includes mower, 2.5Ah battery and standard charger	LM1712E: Includes mower, 4Ah battery and standard charger	LM1912E: Includes mower, 4Ah battery and rapid charger	LM1914E-SP: Includes mower, 6Ah battery and rapid charger	LM2135E-SP: Includes mower, 7.5Ah battery and rapid charger	LM2236E-SP: Includes self-propelled mower, 10Ah battery and rapid charger

\*Cutting area may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

\*\*Automatic Variable Speed delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance.

†Please note, mulching kits for models LM1710E, LM1710E-SP, LM1910E, LM1910E-SP and LM2130E-SP are available separate to purchase (ABP1700, ABP1900 and ABP2100D-E).

LM2230E-SP includes integrated mulching kit.

● - highlighted run time is optimal for battery.

# ALL DAY POWER TO GET THE TOUGHEST JOBS FINISHED FASTER



## LMX530SP 53CM PRO X SELF-PROPELLED MOWER WITH DUAL BATTERY PORTS

The wider cutting width is designed for mowing of large and wide spaces. Self-propelled with automatic variable cutting speed, two battery ports, and Peak Power™ Technology, ideal for all day working. The cast aluminium deck gives a robust stable performance. Includes an extra-large 85L collection bag.



PRO X mowers have been designed with the professional user in mind. The backbone of the mowers is the robust cutting deck, which ensures that the mowers perform to a high level.


The dual battery ports provide Peak Power™ to the mower when more energy is needed, while the 1600W motor has ample torque, providing high power for tough cutting conditions.

Part of the PRO X range, ideal for users who demand tough and durable tools, the mowers are also comfortable for all day use with self-propelled variable-speed adjustment, and adjustable handle height.



CUTS UP TO  
3500SQM  
WITH 2x 4.0AH BATTERIES

**EGO**  
PRO X



**EGO**  
PRO X

NEW FOR 2026

## LMX7600SP 76CM PRO X SELF-PROPELLED MOWER WITH DUAL BATTERY PORTS

Boasting EGO's widest cutting width but engineered to be highly manoeuvrable and efficient. A lightweight design with a robust, stable super composite deck, self-propelled with automatic variable cutting speed, two battery ports and Peak Power™ Technology, ideal for all day working. Includes an extra-large 90L collection bag.



	LMX530SP	LMX7600SP
<b>CUTTING CAPACITY</b>	53cm	76cm
<b>SELF-PROPELLED SPEED</b>	0-6.4km/h	0-6.5 km/h
<b>CUTTING DECK MATERIAL</b>	Cast aluminium	PC-PBT super composite
<b>CUTTING AREA*</b>	2x 5.0Ah 2x 6.0Ah 2x 7.5Ah 2x 8.0Ah 2x 10.0Ah 2x 12.0Ah	Cuts up to 1650sqm Cuts up to 2150sqm Cuts up to 2600sqm Cuts up to 2800sqm Cuts up to 3500sqm Cuts up to 4200sqm
<b>CUTTING SPEED CONTROL</b>	Variable speed	Variable speed
<b>NO LOAD SPEED</b>	1: 2600rpm 2: 2750-2950rpm 3: 3100rpm	1: 3000rpm 2: 3400rpm 3: 3800rpm
<b>CUT HEIGHT SETTINGS</b>	20/31/40/51/64/78/92/105 mm	20mm-125mm
<b>HANDLE HEIGHTS</b>	Three – user adjustable	Three – user adjustable
<b>BAG CAPACITY</b>	85L	90L
<b>FUNCTIONS</b>	Collect, mulch, side discharge**	Collect, mulch, side discharge
<b>NOISE RATING LpA/LwA</b>	83dB(A) / 95dB(A)	83dB(A) / 95dB(A)
<b>VIBRATION (M/S<sup>2</sup>)</b>	0.39/0.33	0.45/0.52
<b>VERTICAL STORAGE</b>	Yes	Yes
<b>WEIGHT WITHOUT BATTERY</b>	46kg	53kg
<b>MOTOR TYPE</b>	Brushless	Brushless
<b>DOMESTIC WARRANTY</b>	5 years	5 years
<b>PROFESSIONAL WARRANTY</b>	3 years	3 years

\*Cutting area may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique. Cutting areas are based on using x2 Batteries of the same capacity.

\*\* Mulch plug and side discharge chute available as accessory.

EGO'S RIDE-ON RANGE DELIVERS POWER THAT GOES BEYOND THE COMPETITION. PEAK POWER™ TECHNOLOGY COMBINES THE OPTIMAL POWER OF UP TO 6X 56V EGO ARC LITHIUM™ BATTERIES FOR TRULY EXCEPTIONAL PERFORMANCE.



## OUTSTANDING BATTERY-POWERED RIDE-ON PERFORMANCE

EGO's Z6 Ride-on Mower, the world's first battery-platform compatible zero-turn ride-on mower, proved that the combined power of EGO's revolutionary ARC Lithium™ batteries could more than match petrol-powered equivalents.

Also utilising up to six EGO ARC Lithium™ portable batteries, EGO's T6 Ride-on Tractor Mowers allow you to not only match the amount of energy you need for your mowing needs but also to use the same batteries with other EGO tools.

EGO ride-on mowers deliver the equivalent power of a 22-horsepower petrol engine, with less noise and none of the emissions. You can tailor the combination of batteries to suit the size of your lawn and grass-cutting preferences, while fully customisable digital controls give you the flexibility to match set-up and performance to the job in hand.



**PEAK  
POWER+  
TECHNOLOGY**

Peak Power™ Technology combines the power from your choice of two to six EGO 56V ARC Lithium™ batteries to deliver the performance of a petrol mower, automatically increasing the power for tougher cutting tasks.



Unmatched performance, effortless control, ultimate efficiency



Fully customisable to suit your ride



22hp equivalent



Choose from a range of models and accessories for Side / Rear Discharge, Mulch or Collect functions



# T6

## UNMATCHED PERFORMANCE, EFFORTLESS CONTROL, ULTIMATE EFFICIENCY



The EGO ride-on tractors set the standard in battery powered collection and side-discharge mowers.

The powerful twin blades and pressed steel decks ensure that the mowers perform robustly with either efficient grass collection into the grass box at the rear of the mower, or rapid side-discharge. The central LCD control display is located on the dash making it easy to make adjustments to travel and blade speeds. Bluetooth connectivity allows the user to monitor machine performance as well as to ensure batteries are charged and ready for cutting.



### TR3800E-B 98CM RIDE-ON COLLECTION TRACTOR MOWER


The EGO Collection Tractor benefits from efficient grass collection into a large rear 300 litre collection box to maximise cutting times.



### TR4200E 107CM RIDE-ON SIDE DISCHARGE TRACTOR MOWER

The EGO Side Discharge Tractor allows cutting of higher levels of grass faster, as grass collection is not required.

Large areas of grass can be covered on a single charge, throwing grass out to the right side of the mower, making it suitable for paddocks.



Combines the power of up to 6 56V ARC Lithium™ batteries



FAST 1600W CHARGER  
Fully charges 6x 10Ah EGO 56V ARC Lithium™ batteries in as little as just 3 hours  
See page 35 for details

	TR3800E-B	TR4200E
NUMBER OF BLADES	2	2
CUTTING WIDTH	98cm	107cm
STEERING	Steering wheel	Steering wheel
SPEED	Up to 10 km/h	Up to 10 km/h
DECK LIFTING	Manual	Manual
CUTTING HEIGHT	25mm-100mm, 12 settings	25mm-100mm, 12 settings
FUNCTIONS	Bagging, mulch	Side discharge, mulch
REAR COLLECTION	300L	-
SEAT	15" high back padded seat	15" high back padded seat
PEAK POWER+ TECHNOLOGY	Up to 6 x 56V ARC Lithium™ batteries	Up to 6 x 56V ARC Lithium™ batteries
NOISE RATING LpA/LwA	84dB(A) / 98dB(A)	84dB(A) / 100dB(A)
WEIGHT	220kg	182kg
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year
SUPPLIED COMPLETE AS:	TR3801E-B: Includes ride-on mower and 1600W charger	TR4201E: Includes ride-on mower, mulching plug and 1600W charger

\*Run time may vary based on the batteries used, charge level of batteries, condition of grass and user's operation technique.  
The T6 needs a minimum of 15Ah to function.



# Z6

## TRULY GROUND-BREAKING TECHNOLOGY



EGO's revolutionary e-STEER™ Technology provides the ultimate in control and precision meaning the latest Z6 model drives like a car and steers like a zero-turn ride-on mower.



EGO's unique Z6 steering wheel model, features e-STEER™ Technology for advanced steering control and confidence.

Our most innovative Z6 model drives like a car and turns like a zero-turn simultaneously, with a precision steering wheel and the latest in digital steering technology – as well as offering the same world-first battery platform-compatibility as all EGO ride-on models.


With zero-turn capability, all EGO Z6 mowers can turn a full 360 degrees, on the spot, for perfect about-turns and for cutting around the tightest corners right up to the edge. While customisable driving modes and variable cutting speeds, give maximum flexibility for different cutting conditions.





**ZT5200E-L**  
132CM Z6 ZERO TURN RIDING MOWER

The larger, 3 bladed Z6 has a robust fabricated deck and larger wheels to support the additional weight. It also handles tight corners easily with on-the-spot turning. With the latest in digital technology and cruise control, the Z6 has 3 customisable driving modes: Control, Standard and Sport.




ACCESSORIES ALSO AVAILABLE



**ZT4200E-L**  
107CM Z6 ZERO TURN RIDING MOWER

The Z6 handles tight corners easily with on-the-spot turning. Equipped with the latest in digital technology, the Z6 takes manoeuvrability to the next level with 3 customisable driving modes: Control, Standard and Sport.



ACCESSORIES ALSO AVAILABLE



FAST 1600W CHARGER  
Fully charges 6x 10Ah EGO 56V ARC Lithium™ batteries in as little as just 3 hours  
See page 35 for details

Scan here to explore our battery combinations for your Z6.

	ZT4200E-S	ZT4200E-L	ZT5200E-L
NUMBER OF BLADES	2	2	3
CUTTING WIDTH	107cm	107cm	132cm
STEERING	Steering wheel	Lap Bar	Lap Bar
SPEED	5-13 km/h	5-13 km/h	5-13 km/h
DECK LIFTING	Manual	Manual	Manual
CUTTING HEIGHT	25mm-100mm, 10 settings	25mm-100mm, 10 settings	25mm-100mm, 10 settings
FUNCTIONS	Mulch, collect, side discharge	Mulch, collect, side discharge	Mulch, collect, side discharge
REAR COLLECTION	230L	230L	230L
SEAT SUSPENSION	Hydraulic	Hydraulic	Hydraulic
PEAK POWER™ TECHNOLOGY	Up to 6 56V ARC Lithium™ batteries	Up to 6 56V ARC Lithium™ batteries	Up to 6 56V ARC Lithium™ batteries
NOISE RATING LpA/LwA	84dB(A) 96dB(A)	84dB(A) 96dB(A)	84dB(A) 96dB(A)
WEIGHT	185kg	195kg	217kg
DOMESTIC WARRANTY	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	1 year
SUPPLIED COMPLETE AS:	ZT4201E-S: Includes ride-on mower, mulching plug and 1600W charger	ZT4201E-L: Includes ride-on mower, mulching plug and 1600W charger	ZT5201E-L: Includes ride-on mower and 1600W charger

\*Run time may vary based on the batteries used, charge level of batteries, condition of grass and user's operation technique. The Z6 needs a minimum of 15Ah to function.



BUILT FOR THE TOUGHEST JOBS. POWERED BY OUR 56V ARC LITHIUM™ BATTERY TECHNOLOGY. NOTHING GETS IN THEIR WAY.



## BUILT FOR THE TOUGHEST TASKS

The EGO Power+ chainsaws are built to tackle even the hardest jobs. Trunks, logs, branches, nothing gets in their way.

Choose the EGO Power+ CS2000E for the latest in information displays to monitor battery charge level and speed setting, with an impressive 25m/s

adjustable chain speed. Just check the lubrication level through the oil inspection window and you're ready to go.

The electronic chain brake protects against kickback while you work. The auto-lubrication system keeps the chain moving freely at all times.

Plus with EGO's 56V ARC Lithium™ battery delivering such an impressive run time and incredible power on a single charge, it'll keep you working cut after cut after cut.



Please note: some features are not available on all models.  
Model shown: CS2000E

\*Available on selected models.



### REAL TIME LCD DISPLAY

The innovative LCD display of the EGO Power+ CS2000E chainsaw allows you to monitor battery charge level, speed setting and chain brake status in real time. Built-in to the ergonomically designed handle to keep you informed and in control.





### BCS1000 CHAINSAW BAG

Durable bag with oil tray and folding scabbard cover for safely transporting chainsaws. Separate pockets for storing accessories.



See page 65.

	CS1410E	CS1610E	CS1810E	CS2000E
<b>BAR LENGTH</b>	35cm	40cm	45cm	50cm
<b>CHAIN SPEED</b>	20m/s	20m/s	22m/s	25m/s
<b>CUTS UP TO*</b>	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 8.0Ah Up to 480 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 8.0Ah Up to 480 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts	2.5Ah Up to 110 cuts 4.0Ah Up to 200 cuts 5.0Ah Up to 270 cuts 6.0Ah Up to 300 cuts 7.5Ah Up to 400 cuts 8.0Ah Up to 430 cuts 10.0Ah Up to 540 cuts 12.0Ah Up to 590 cuts	2.5Ah Up to 55 cuts 4.0Ah Up to 90 cuts 5.0Ah Up to 110 cuts 6.0Ah Up to 135 cuts 7.5Ah Up to 165 cuts 8.0Ah Up to 180 cuts 10.0Ah Up to 225 cuts 12.0Ah Up to 270 cuts
<b>CHAIN BAR</b>	AG1400	AG1600	AG1801	AG2000
<b>CHAIN TYPE</b>	AC1400 (14", 1.1mm, 3/8")	AC1600 (16", 1.1mm, 3/8")	AC1801 (18", 1.3mm, 3/8")	AC2000 (20", 1.3mm, 3/8")
<b>OIL RESERVOIR</b>	150ml	150ml	200ml	250ml
<b>CHAIN OIL</b>	Automatic	Automatic	Automatic	Automatic
<b>CHAIN BRAKE</b>	Yes	Yes	Yes	Yes
<b>NOISE RATING LpA / LwA</b>	91dB(A)/102dB(A)	91dB(A)/102dB(A)	92dB(A)/102dB(A)	89dB(A)/105dB(A)
<b>VIBRATION (M/S<sup>2</sup>)</b>	3.4/2.8	3.4/2.8	4.4/4.3	4.7/4.2
<b>CHAIN TENSIONING</b>	Toolless	Toolless	Toolless	Manual
<b>WEIGHT WITHOUT BATTERY</b>	4.1kg	4.1kg	4.6kg	5.9kg
<b>MOTOR TYPE</b>	Brushless	Brushless	Brushless	Brushless
<b>DOMESTIC WARRANTY</b>	5 years	5 years	5 years	5 years
<b>PROFESSIONAL WARRANTY</b>	1 year	1 year	2 years	2 years
<b>AVAILABLE AS A KIT</b>	CS1411E: Includes chainsaw, 2.5Ah battery and standard charger	CS1614E: Includes chainsaw, 5Ah battery and rapid charger	CS1814E: Includes chainsaw, 5Ah battery and rapid charger.	CS2005E: Includes chainsaw, 6Ah battery and rapid charger

\*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.

● - highlighted cutting area is optimal for battery.



### CS1410E 35CM CHAINSAW

Perfect for easily cutting through branches and medium-sized logs up to 35cm (approx. 14 inches) in width.




AVAILABLE  
AS A KIT



### CS1610E 40CM CHAINSAW

An outstanding combination of high torque and chain speed - perfect for easily cutting through branches and medium-sized logs up to 40cm (approx. 16 inches) in width.



AVAILABLE  
AS A KIT



NEW FOR 2026

### CS1810E 45CM CHAINSAW

A chain speed of 22m/s, provides all the power and torque needed to quickly cut through thick branches and larger logs up to 45cm (18 inches) in width.

Features a new LED display showing speed setting and chain brake status.




AVAILABLE  
AS A KIT



### CS2000E 50CM CHAINSAW

The CS2000E is EGO's highest specification chainsaw for domestic use, boasting 25m/s chain speed and a new configuration for improved balance and handling, ideal for cutting thick branches and larger logs up to 50cm (20 inches) in width. Features a new innovative display showing battery charge level and speed setting.



AVAILABLE  
AS A KIT



# THE POWER AND SPEED TO PERFORM




The first in a new generation of EGO rear handle chainsaws. Meeting the needs of professional users who need a ground saw to complete the toughest jobs. Balance is a key focus of the design, ensuring the saw can be used for longer periods.

At a chain speed of 30m/s the saw provides the power and speed comparable to established petrol saws.



## CSX5000 PRO X 50CM REAR HANDLE CHAINSAW

Designed to deliver a best-in-class combination of power, torque and chain speed for the professional user.



## PRO X CHARGING SYSTEM

### For the ultimate in powerful all day working

Portable and super-fast - the PRO X DC:DC multi-battery charging system keeps PRO X tools working on-site all day long.

See pages 36-37 for more details.

CSX5000	
BAR LENGTH	50cm
CHAIN SPEED	20/25/30m/s
CUTS UP TO*	2.5Ah Up to 55 cuts 4.0Ah Up to 90 cuts 5.0Ah Up to 110 cuts 6.0Ah Up to 130 cuts 7.5Ah Up to 165 cuts 8.0Ah Up to 175 cuts 10.0Ah Up to 220 cuts 12.0Ah Up to 265 cuts
CHAIN BAR	AK2035
CHAIN TYPE	AC2035 (20", 1.3mm, 0.325")
OIL RESERVOIR	250ml
CHAIN OIL	Automatic - Worm drive adjustable
CHAIN BRAKE	Yes - Mechanical and Electronic
NOISE RATING LpA / LwA	92dB(A) 104dB(A)
VIBRATION (M/S <sup>2</sup> )	3.3/1.7
CHAIN TENSIONING	Manual
WEIGHT WITHOUT BATTERY	6.2kg
MOTOR TYPE	Brushless
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years

# EASIER, SAFER, TREE SURGERY




## CSX3000 PRO X PLUG-IN TOP HANDLE CHAINSAW

For professional arborists who need a lightweight saw to complete climbing work - designed for use with the EGO Battery Holster which carries the weight of the battery off the tool. Features include Battery Level and Oil Level indicator lights to alert you when you're running low. Range of chain bars available from 30cm to 40cm.



## CS1200E PROFESSIONAL TOP HANDLE CHAINSAW

The CS1200E is for professional arborists who need a compact, lightweight saw to complete climbing work. Designed with an on-board battery and perfect balance to enable use for longer periods. Translucent Oil Tank for easy checking of oil level.



## ABH300 BATTERY HOLSTER 4AH BATTERY

Battery holster cable integrates with the safety strap to securely attach to the belt and harness. The 4Ah battery has been designed with the optimal power-to-weight ratio for use by professional arborists.

Available separately, see pages 29 and 32.

	CSX3000	CS1200E
BLADE LENGTH	30cm	30cm
CHAIN SPEED	20m/s	20m/s
CUTS UP TO*	2.5Ah Up to 140 cuts 4.0Ah Up to 225 cuts 5.0Ah Up to 265 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 420 cuts 8.0Ah Up to 450 cuts 10.0Ah Up to 560 cuts 12.0Ah Up to 700 cuts	2.5Ah Up to 130 cuts -
CHAIN BAR	AG1200	AK1204Q
CHAIN TYPE	AC1200 (12", 1.1mm, 3/8")	AC1204Q (12", 1.1mm, 1/4")
OIL RESERVOIR	200ml	150ml
CHAIN OIL	Automatic - Worm drive adjustable	Automatic
CHAIN BRAKE	Yes - Mechanical and Electronic	Yes - Mechanical and Electronic
NOISE RATING LpA / LwA	88dB(A) / 98dB(A)	89dB(A) / 97dB(A)
VIBRATION (M/S <sup>2</sup> )	1.7/2.2	2.1/2.6
CHAIN TENSIONING	Manual	Manual
WEIGHT WITHOUT BATTERY	3.5kg	2.4kg
MOTOR TYPE	Brushless	Brushless
DOMESTIC WARRANTY	Not suitable	Not suitable
PROFESSIONAL WARRANTY	3 years	2 years
AVAILABLE AS A KIT	CSX3002: Includes top handle chainsaw, 4Ah battery and rapid charger	-

\*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.  
● - highlighted cutting area is optimal for battery.

# CHAIN BARS, CHAINS AND ACCESSORIES

EGO's range of chainsaw bars and chains are carefully matched to the power and performance of each machine, to ensure maximum run time, and optimum cutting effectiveness for the task in hand.

EGO's bars and chains are engineered to deliver durability, and safety across a wide variety of applications.

Designed exclusively for use with EGO Power+ chainsaws, to provide clean cuts, reduced maintenance and long-lasting performance.



MODEL	BAR LENGTH	PITCH	GAUGE	DRIVE LINKS	CHAIN	CHAIN TYPE	BAR	BAR & CHAIN KIT
<b>CHAINSAW CS1410E</b>								
CS1410E	14", 35cm	3/8"	1.1mm	52	AC1401	Semi-chisel	AG1401	
CS1410E	16", 40cm	3/8"	1.1mm	57	AC1601	Semi-chisel	AG1601	
<b>CHAINSAW CS1610E</b>								
CS1610E	14", 35cm	3/8"	1.1mm	52	AC1401	Semi-chisel	AG1401	
CS1610E	16", 40cm	3/8"	1.1mm	57	AC1601	Semi-chisel	AG1601	
<b>CHAINSAW CS1810E</b>								
CS1810E	14", 35cm	3/8"	1.1mm	52	AC1401	Semi-chisel	AG1401	
CS1810E	16", 40cm	3/8"	1.1mm	57	AC1601	Semi-chisel	AG1601	
CS1810E	18", 45cm	3/8"	1.3mm	62	AC1801	Semi-chisel	AG1801	
<b>CHAINSAW CS2000E</b>								
CS2000E	16", 40cm	3/8"	1.1mm	57	AC1601	Semi-chisel	AG1601	
CS2000E	18", 45cm	3/8"	1.3mm	62	AC1801	Semi-chisel	AG1801	
CS2000E	20", 50cm	3/8"	1.3mm	81	AC2005	Semi-chisel	AG2005	
<b>CHAINSAW CSX5000</b>								
CSX5000	16", 40cm	0.325"	1.3mm	66	AC1635	Full-chisel		AK1635
CSX5000	18", 45cm	0.325"	1.3mm	68	AC1835	Full-chisel		AK1835
CSX5000	20", 50cm	0.325"	1.3mm	80	AC2035	Full-chisel		AK2035
<b>CHAINSAW CS1200E</b>								
CS1200E	12", 30cm	1/4"	1.1mm	44	AC1204Q	Semi-chisel		AK1204Q
CS1200E	10", 25cm	1/4"	1.1mm	40	AC1000Q	Semi-chisel	AG1000Q	
<b>CHAINSAW CSX3000</b>								
CSX3000	12", 30cm	3/8"	1.1mm	44	AC1200	Semi-chisel	AG1200	
CSX3000	14", 35cm	3/8"	1.1mm	50	AC1401	Semi-chisel	AG1401	
CSX3000	16", 40cm	3/8"	1.1mm	56	AC1601	Semi-chisel	AG1601	
<b>TELESCOPIC POLE PSA1000</b>								
PSA1000	10", 25cm	3/8"	1.1mm	39	AC1001	Semi-chisel	AG1001	
<b>TELESCOPIC POLE PS1000</b>								
PS1000	10", 25cm	1/4"	1.1mm	56	AC1000Q	Semi-chisel	AG1000Q	
<b>TELESCOPIC POLE PPX2500</b>								
PPX2500	10", 25cm	3/8"	1.1mm	46	AC1001	Semi-chisel	AG1001	

## Chains



**AC1401**  
35cm replacement chainsaw chain for CS1410E [TRILINK]



**AC1635**  
40cm replacement chainsaw chain for CSX5000



**AC1601**  
40cm replacement chainsaw chain for CS1610E [TRILINK]



**AC1835**  
45cm replacement chainsaw chain for CSX5000



**AC1801**  
45cm replacement chainsaw chain for CS1810E



**AC2035**  
50cm replacement chainsaw chain for CSX5000



**AC2005**  
50cm replacement chainsaw chain for CS2000E




**AC1204Q**  
30cm chainsaw chain for CS1200E

## Bars



**AG1401**  
35cm replacement chainsaw bar for CS1410E



**AG2005**  
50cm chainsaw bar for CS2000E



**AG1601**  
40cm replacement chainsaw bar for CS1610E



**AG1000Q**  
25cm chainsaw bar for PS1000E



**AG1801**  
45cm replacement chainsaw bar for CS1810E

## Bar & Chain Kits



**AK1635**  
40cm replacement bar and chain kit for CSX5000



**AK2035**  
50cm replacement bar and chain kit for CSX5000



**AK1835**  
45cm replacement bar and chain kit for CSX5000



**AK1204Q**  
30cm replacement bar and chain kit for CS1200E



**AC1000Q**  
25cm chainsaw chain for PS1000E



**AC1200**  
30cm replacement chainsaw chain for CSX3000



**AG1001**  
Pole saw bar for PSA1000, PSX2500



**AG1200**  
30cm replacement chainsaw bar for CSX3000



**BCS1000**  
Chainsaw bag



**BCS1000**  
Chainsaw bag



**BCS1000**  
Chainsaw bag

**EGO**  
POWER+ TELESCOPIC POLE PRODUCTS

MAXIMUM REACH, MANOEUVRABILITY AND CUTTING  
POWER FOR HIGH BRANCHES AND HEDGES.



## REACH NEW HEIGHTS


The EGO Pole Saw makes ladders and tricky tree maintenance a thing of the past.

With a 25cm bar and chain speeds of up to 20m/s, the EGO Pole Saw cuts through high branches with ease. The cutting head and shaft attach to the tool via a connector, allowing the Pole Saw to be stored compactly. Switch up the length of the tool up to 4m to reach any branch, however near or far, with the telescopic feature. The lightweight, sturdy, carbon fibre shaft and LED cutting guides aid manoeuvrability and keep cuts accurate.



### PS1000E TELESCOPIC POLE SAW

Work on those hard-to-reach areas with ease. Our lightweight EGO Telescopic Pole Saw reaches lengths of 4m when fully extended and, thanks to its motor located at the head of the tool, maintains great balance and ergonomics.



TOOL FREE  
HANDLE ADJUSTER

PS1000E	
BAR LENGTH	25cm
CHAIN TYPE	Gauge 0.043", pitch 1/4"
CUTS UP TO*	2.5Ah Up to 100 cuts 4.0Ah Up to 160 cuts 5.0Ah Up to 200 cuts 6.0Ah Up to 240 cuts 7.5Ah Up to 300 cuts 8.0Ah Up to 320 cuts 10.0Ah Up to 400 cuts 12.0Ah Up to 480 cuts
CHAIN SPEED	20m/s
TOTAL EXTENDED LENGTH	296cm (tool) 396cm (with one extension pole)
OIL RESERVOIR	80ml
CHAIN OIL	Automatic
NOISE RATING L <sub>A</sub> /L <sub>WA</sub>	82dB(A) 100dB(A)
VIBRATION (M/S <sup>2</sup> )	1.01/1.51
CHAIN TENSIONING	Automatic
WEIGHT WITHOUT BATTERY	4.25kg
MOTOR TYPE	Brushless
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	2 years
AVAILABLE AS A KIT	PS1003E: Includes telescopic pole saw, extension pole, 4Ah battery and standard charger

\*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.

• - highlighted cutting area is optimal for battery.



### EP1000 EXTENSION POLE

Nothing is out of reach with this strong yet lightweight extension pole.



# REACH HIGH BRANCHES WITHOUT ADDITIONAL EQUIPMENT



**EGO**  
PRO X

## PPX1000 PRO X TELESCOPIC POLE

Use with the EGO Power+ PRO X Pruning Saw and Hedge Trimmer attachments\*, and with any of EGO's 56V ARC Lithium™ batteries. Extends up to 4m\*\* in length to easily reach high branches and hedges, and ideal for low hedges when set to a shorter extension.



INCLUDES AP1500  
SINGLE SHOULDER  
HARNESS.



\*The Telescopic Pruning Saw attachment and the Telescopic Hedge Trimmer can be purchased separately.

\*\*Depending on which attachment.

**EGO**  
PRO X

PTX5100

## PRO X TELESCOPIC HEDGE TRIMMER ATTACHMENT

For use with the EGO Power+ PRO X Telescopic Pole (sold separately).

Cut branches up to 26mm with ease. Tackle hard-to-reach areas with 6-position articulation and twist rotation.



## PTX5100

BLADE LENGTH	51cm
BLADE GAP	26mm
BLADE TOOTH DEPTH	1.8mm
RUN TIME*	2.5Ah Up to 65 mins 4.0Ah Up to 95 mins 5.0Ah Up to 120 mins 6.0Ah Up to 140 mins 7.5Ah Up to 210 mins 8.0Ah Up to 225 mins 10.0Ah Up to 260 mins 12.0Ah Up to 310 mins
SPEED CONTROL	Variable Speed
NO LOAD SPEEDS	3,000spm
BLADE TYPE	Laser cut; diamond ground
CUTTING ACTION	Dual action double sided
BLADE TIP PROTECTOR	No
NOISE RATING LpA/LwA	83 dB(A) / 94 dB(A)
ROTATING GEARHEAD	Up 45° to down 70° Left and right +90° to -90°
WEIGHT WITHOUT BATTERY	2.3kg
MOTOR TYPE	Brushless
VIBRATION (M/S <sup>2</sup> )	1.3 - 1.5
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years

## PPX1000

## PPX1000

	PPX1000
LENGTH	172 - 265cm
IP CLASS	IPX4
SPEED CONTROL	Variable speed 2 triggers
SHAFT MATERIAL	Oval, rubber sleeve
WEIGHT WITHOUT BATTERY	3.5kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT***	PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment

## AVAILABLE AS A KIT\*\*\*

PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment


**EGO**  
PRO X

PSX2500

## PRO X TELESCOPIC PRUNING SAW ATTACHMENT

For use with the EGO Power+ PRO X Telescopic Pole (sold separately).

Cut through branches up to 200mm in diameter with ease.



## PSX2500

BAR LENGTH	25cm
CHAIN TYPE	90PX040X (Pitch 3/8", Gauge 1.1mm)
CHAIN SPEED	22m/s
RUN TIME**	2.5Ah Up to 110 cuts 4.0Ah Up to 182 cuts 5.0Ah Up to 231 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 350 cuts 8.0Ah Up to 400 cuts 10.0Ah Up to 455 cuts 12.0Ah Up to 565 cuts 28.0Ah Up to 1280 cuts
SPEED CONTROL	Variable Speed
TOTAL LENGTH	140cm
TOTAL EXTENDED LENGTH	400cm
OIL TANK CAPACITY	180ml with worm gear
NOISE RATING LpA/LwA	85 dB(A) / 99 dB(A)
WEIGHT WITHOUT BATTERY	2.2kg
MOTOR TYPE	Brushless
VIBRATION (M/S <sup>2</sup> )	1.2
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT***	PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment

\*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.

\*\*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.

\*\*\*Without battery and charger.

# EGO

POWER+ BRUSH CUTTER/LINE TRIMMER

THE PERFECT COMBINATION OF POWER, BALANCE AND COMFORT, OUR LINE TRIMMERS AND BRUSH CUTTERS CUT EVERY JOB DOWN TO SIZE.



## ULTIMATE TRIMMING CONTROL

EGO revolutionised its range of Power+ Line Trimmers with the introduction of world-first Line IQ™ Technology for non-stop performance.

Now, EGO's latest addition to the PRO X Line Trimmer range sees a new innovative front mounted motor (positioned at the cutting head)

to create improved balance and best in class power-to-weight ratio.  
(see page 74 for details)


With a range of cutting swathes and speeds, there's an EGO Line Trimmer suitable for every use, from smaller gardens to more demanding professional jobs. Backed by powerful brushless motors and created with ease-of-use in mind, EGO Power+ Line Trimmers deliver optimum efficiency and run time, as well as low vibration levels and adjustable shaft length for comfortable working conditions.






**ST1300E-S**  
33CM LINE TRIMMER

Two-speed, 33cm cutting swathe with bump head line feed and easy line replacement. Ideal for the smaller garden.




**ST1530E**  
38CM LINE TRIMMER

Variable speed, large 38cm cutting swathe with bump head line feed and rapid reload line replacement.



**ST1400E-ST**  
35CM LINE TRIMMER

35cm cutting swathe with Powerload™ Technology for automatic line replacement. Features a telescopic shaft for adjustment to fit any user and adjustable handle for edge-trimming of lawns.



**ST1610E-T**  
40CM LINE TRIMMER


The industry's most innovative Line Trimmer. EGO Powerload™ and Line IQ™ Technologies for fast line replacement and automatic line feeding, combine with a 40cm cutting swathe and 2 pre-set speed options.



**ST1510E-T**  
38CM LINE TRIMMER


Featuring Powerload™ Technology and 2-speed selection. A telescopic shaft offers adjustment to fit any user with adjustable handle for edge-trimming of lawns.

AVAILABLE AS A KIT  
ST1511E-T



**BC3800E**  
30/38CM BRUSH CUTTER / LINE TRIMMER

The three-sided blade and brushless motor has the power to clear virtually any ground. Can be used as either a brush cutter or line trimmer. Features include speed selection switch, adjustable handles and harness.



**LINE-IQ™  
TECHNOLOGY**

**Automatic Line Feeding**

Forget frustrating line feeding issues with EGO's automatic Line IQ™ Technology, there's no need to bump the head, so you can keep trimming for non-stop performance.



Solving one of the biggest frustrations of line replacement, EGO's groundbreaking Powerload™ Technology automatically loads the line into the trimmer head. Just thread the line, press the Powerload™ button and let the tool do the rest. Available on ST1510E-T, ST1400E-ST and ST1610E-T.

	ST1300E-S	ST1400E-ST	ST1510E-T	ST1530E	ST1610E-T	BC3800E
<b>CUTTING WIDTH</b>						
- Three-sided blade	-	-	-	-	-	
- Line trimmer head	33cm	35cm	38cm	38cm	40cm	30cm 38cm
<b>TOTAL LENGTH</b>	173cm	165-183cm	179cm	167cm	184cm	186cm
<b>RUN TIME*</b>	2.5Ah Up to 70 mins 4.0Ah Up to 110 mins 5.0Ah Up to 140 mins 6.0Ah Up to 170 mins 7.5Ah Up to 210 mins 8.0Ah Up to 220 mins 10.0Ah Up to 280 mins 12.0Ah Up to 340 mins	2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 6.0Ah Up to 135 mins 7.5Ah Up to 165 mins 8.0Ah Up to 180 mins 10.0Ah Up to 240 mins 12.0Ah Up to 270 mins	2.5Ah Up to 45 mins 4.0Ah Up to 72 mins 5.0Ah Up to 90 mins 6.0Ah Up to 108 mins 7.5Ah Up to 135 mins 8.0Ah Up to 144 mins 10.0Ah Up to 180 mins 12.0Ah Up to 216 mins	2.5Ah Up to 18 mins 4.0Ah Up to 35 mins 5.0Ah Up to 45 mins 6.0Ah Up to 55 mins 7.5Ah Up to 72 mins 8.0Ah Up to 79 mins 10.0Ah Up to 90 mins 12.0Ah Up to 110 mins	2.5Ah Up to 42 mins 4.0Ah Up to 67 mins 5.0Ah Up to 84 mins 6.0Ah Up to 101 mins 7.5Ah Up to 126 mins 8.0Ah Up to 134 mins 10.0Ah Up to 168 mins 12.0Ah Up to 202 mins	4.0Ah Up to 30 mins 5.0Ah Up to 40 mins 6.0Ah Up to 50 mins 7.5Ah Up to 65 mins 8.0Ah Up to 70 mins 10.0Ah Up to 80 mins 12.0Ah Up to 100 mins
<b>BLADE MATERIAL</b>	-	-	-	-	-	Three-sided steel blade
<b>SPEED CONTROL</b>	Constant speed	Variable speed	Variable speed	Variable speed	Variable speed	Constant variable speed
<b>NO LOAD SPEEDS</b>	5,200-6,500rpm	3,000-5,800rpm	4,800-6,000rpm	6,000-7,000rpm	3,500-5,500rpm	6,000-7,000 rpm
<b>LINE DIAMETER SUPPLIED**</b>	2.0mm	2.4mm	2.4mm	2.4mm	2.4mm	2.4mm
<b>LINE FEED</b>	Bump feed head	Powerload™ head	Powerload™ head	Rapid reload bump feed head	Line-IQ feed / Powerload™ head	Rapid reload bump feed head
<b>DUAL LINE</b>	Yes	Yes	Yes	Yes	Yes	Yes
<b>ROTATING DIRECTION</b>	Clockwise	Clockwise	Clockwise	Anti clockwise	Clockwise	Anti clockwise
<b>AUXILIARY HANDLE</b>	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust	Quick-adjust	Quick-adjust
<b>HARNESS</b>	N/A	N/A	Single shoulder	Single shoulder	Single shoulder	Double shoulder
<b>WEIGHT WITHOUT BATTERY</b>						
- Three-sided blade	-	-	-	-	-	
- Line trimmer head	2.7kg	3.4kg	3.5kg	4.2kg	3.4kg	4.6kg 4.4kg
<b>VIBRATION (M/S²)</b>						
- Three-sided blade	-	-	-	-	-	
- Line trimmer head	2.1/1.2	3.2/2.3	3.8/2.4	3.9/2.7	4.6/2.7	1.5/1.9 2.3/2.4
<b>MOTOR TYPE</b>	Brushless	Brushless	Brushless	Brushless	Brushless	Brushless
<b>NOISE RATING</b>	75dB(A) 93dB(A)	69dB(A) 89dB(A)	90dB(A) 78dB(A)	82.6dB(A) 96dB(A)	77dB(A) 90dB(A)	80dB(A) 96dB(A)
<b>DOMESTIC WARRANTY</b>	5 years	5 years	5 years	5 years	5 years	5 years
<b>PROFESSIONAL WARRANTY</b>	1 year	1 year	1 year	2 years	1 year	2 years
<b>AVAILABLE AS A KIT</b>	ST1301E-S: Includes line trimmer, 2.5Ah battery and standard charger	ST1401E-ST: Includes line trimmer, 2.5Ah battery and standard charger	ST1511E-T: Includes line trimmer, 2.5Ah battery and standard charger	-	ST1613E-T: Includes line trimmer, 4.0Ah battery and standard charger	-

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique. \*\*Please refer to pages 78-79 for more information.

• highlighted cutting area is optimal for battery.



# THE TOUGH ANSWER TO ROUGH GROUND

The PRO X line trimmers range offers great versatility and choice for a wide range of professional users. Available in both loop and bike handle versions they are suitable for landscapers, facilities operations and municipal users.

All EGO portable batteries are compatible with the tools making these extremely well balanced for all day use. The new STX4200 model features a front mounted direct-drive motor (positioned at the cutting head) to offer a lighter weight tool with excellent power-to-weight ratio. Tool speed can be controlled via the handle, which means the tool run time can be increased when working on light loads. The speed can also be increased for heavier working loads, at the touch of a button. Equipped with a Rapid Reload head and 2.7mm twist line the tools are simple to load with line when empty. This reduces downtime and the need for additional maintenance in the field.


**EGO**  
PRO X

NEW FOR 2026

STX4200

## PRO X LOOP HANDLED LINE TRIMMER WITH FRONT MOUNTED MOTOR

The new front mounted direct-drive motor (positioned at the cutting head) creates improved run time and balance, plus best in class power-to-weight ratio. With a quick adjustable loop handle, pair up with any EGO 56V ARC Lithium™ portable battery for all day power and comfort.



**EGO**  
PRO X

**EGO**  
PRO X

STX4500

## PRO X BIKE HANDLED LINE TRIMMER/BRUSH CUTTER

The brush cutter provides comparable power and performance as petrol-powered brush cutter. With easy to use controls mounted on the ergonomic bike handle, pair up with any EGO 56V ARC Lithium™ portable battery for all day power and comfort.





**EGO**  
PRO X

STX4500

## PRO X LOOP HANDLED LINE TRIMMER/BRUSH CUTTER

Leave the fuss and fumes of petrol behind with this powerful, professional tool. With a quick adjustable loop handle, pair up with any EGO 56V ARC Lithium™ portable battery for all day power and comfort.



	STX4200	BCX4500	STX4500
<b>CUTTING WIDTH</b>			
- Line trimmer head	42cm	45cm	45cm
- Three-sided blade	-	30cm	30cm (not supplied as standard)
<b>TOTAL LENGTH</b>	183cm	183cm	183cm
<b>RUN TIME*</b>			
5.0Ah Up to 130 mins	5.0Ah Up to 75 mins	5.0Ah Up to 140 mins	5.0Ah Up to 75 mins
6.0Ah Up to 160 mins	6.0Ah Up to 90 mins	6.0Ah Up to 175 mins	6.0Ah Up to 90 mins
7.5Ah Up to 175 mins	7.5Ah Up to 115 mins	7.5Ah Up to 220 mins	7.5Ah Up to 115 mins
8.0Ah Up to 190 mins	8.0Ah Up to 120 mins	8.0Ah Up to 225 mins	8.0Ah Up to 125 mins
10.0Ah Up to 235 mins	10.0Ah Up to 155 mins	10.0Ah Up to 300 mins	10.0Ah Up to 155 mins
12.0Ah Up to 280 mins	12.0Ah Up to 190 mins	12.0Ah Up to 355 mins	12.0Ah Up to 190 mins
<b>BLADE MATERIAL</b>	-	Three-sided steel blade, available as accessory	Three-sided steel blade, available as accessory
<b>SPEED CONTROL</b>	Variable speed	Variable speed	Variable speed
<b>NO LOAD SPEEDS</b>	4000/5000/6000rpm stepless adjusting	3500/4500/5200rpm stepless adjusting	3500/4500/5200rpm stepless adjusting
<b>SOFT-START</b>	Yes	Yes	Yes
<b>LINE DIAMETER SUPPLIED**</b>	2.4mm	2.4mm	2.4mm
<b>LINE FEED</b>	Manual wind bump feed head	Manual wind bump feed head	Manual wind bump feed head
<b>DUAL LINE</b>	Yes	Yes	Yes
<b>ROTATING DIRECTION</b>	Anti-clockwise	Anti-clockwise	Anti-clockwise
<b>AUXILIARY HANDLE</b>	Tool free	Tool free	Tool free
<b>HARNESS</b>	Strap	Double shoulder harness	Strap
<b>WEIGHT</b>	3kg	5.1kg	4.1kg
<b>MOTOR TYPE</b>	Brushless	Brushless	Brushless
<b>NOISE RATING</b> LpA/LwA	95dB(A)/82dB(A)	95dB(A) / 82dB(A)	96dB(A) / 83dB(A)
<b>VIBRATION (M/S<sup>2</sup>)</b>	1.7/1.2	1.2	1.7/1.2
<b>DOMESTIC WARRANTY</b>	5 years	5 years	5 years
<b>PROFESSIONAL WARRANTY</b>	3 years	3 years	3 years

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique.  
\*\*Please refer to pages 78-79 for more information.



Perfectly balanced for comfortable use, these EGO PRO X line trimmers / brush cutters are designed to work with the EGO backpack battery or harness for all day power.


They make short work of even the roughest ground, are light yet strong, with a robust solid steel drive shaft housed in a carbon fibre drive tube.



BCX3800

**PRO X LINE TRIMMER /  
BRUSH CUTTER (BIKE HANDLE)**

Leave the fuss and fumes of petrol behind with this powerful, pro-standard tool. Pair up with our PRO X backpack battery BAX1500 for all day power and comfort.




RTX2300

**PRO X ROTOCUT**

The EGO PRO X Rotocut attachment cuts through grass, weeds and moss on concrete, pathways, and verges with ease.

Featuring two counter-rotating blades instead of line, Rotocut prevents debris from being thrown, making it ideal for use in built-up areas where risk of damage or injury can be acute. Rotocut's flat design and simple attachment process means it can fit to most rear motor brush cutters and line trimmers on the market.



	<b>BCX3800</b>	
<b>CUTTING WIDTH</b>	Line trimmer head	Three-sided blade
	38cm	30cm
<b>TOTAL LENGTH</b>	186cm	
<b>RUN TIME* WITH BAX1500 BATTERY</b>	With trimmer head	With brush cutter head
	Up to 240 mins	Up to 420 mins
<b>BLADE MATERIAL</b>	Three-sided steel blade	
<b>SPEED CONTROL</b>	Variable speed	
<b>NO LOAD SPEEDS</b>	5800rpm	
<b>SOFT-START</b>	Yes	
<b>LINE DIAMETER SUPPLIED**</b>	2.4mm	
<b>LINE FEED</b>	Manual wind bump feed head	
<b>DUAL LINE</b>	Yes	
<b>ROTATING DIRECTION</b>	Anti clockwise	
<b>AUXILIARY HANDLE</b>	Bike handle	
<b>HARNESS</b>	Hip pad (AHP1500)	
<b>WEIGHT</b>	6.8kg	6.5kg
<b>MOTOR TYPE</b>	Brushless	
<b>NOISE RATING LpA / LwA</b>	With trimmer head	With brush cutter head
	74dB(A) / 96dB(A)	83dB(A) / 98dB(A)
<b>VIBRATION (M/S<sup>2</sup>)</b>	1.9/1.5	1.9/1.3
<b>DOMESTIC WARRANTY</b>	5 years	
<b>PROFESSIONAL WARRANTY</b>	3 years	

	<b>RTX2300</b>
<b>CUTTING WIDTH</b>	23cm
<b>RUN TIME*</b>	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 6.0Ah Up to 65 mins 7.5Ah Up to 80 mins 8.0Ah Up to 85 mins 10.0Ah Up to 105 mins 12.0Ah Up to 125 mins BAX1500 Up to 325 mins
<b>ROTATING DIRECTION</b>	Two blades counter rotation
<b>BLADE TYPE</b>	High strength alloy steel
<b>WEIGHT</b>	1.9kg
<b>VIBRATION (M/S<sup>2</sup>)</b>	1.1/1.5
<b>NOISE RATING LpA / LwA</b>	79.3dB(A) 93dB(A)
<b>CUTTING SPEED</b>	450rpm
<b>COMPATIBLE EGO TOOLS</b>	BCX3800 / ST1530E / BC3800E / BCA1200 / STX4500 / BCX4500
<b>DOMESTIC WARRANTY</b>	5 years
<b>PROFESSIONAL WARRANTY</b>	3 years

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique.

\*\*Please refer to pages 78-79 for more information.

# LINES, BLADES AND ACCESSORIES TO SUIT EVERY JOB

EGO have a range of lines, blades and harnesses to suit any trimming or cutting job, plus a range of replacement cutting heads for all EGO Line Trimmer products.

## Lines for Line Trimmers



Choose a smaller line thickness for clearing long grass and lighter vegetation, or a larger, more durable line thickness for cutting down heavier, dense vegetation. Commercial, more powerful Line Trimmers are more suitable for the heavier lines, while twisted lines are quieter during use. For simple line replacement - choose a pre-wound spool for compatible tools. See our simple guide to choosing the right line below.

## Brush Cutting Blades



For cutting down heavier vegetation, bushes and verges, choose a Brush Cutting blade – available in metal and flexible plastic options, depending on how heavy the task is. The flexible Elastoblade will make lighter work of dense vegetation.

## Rotocut Blades



Replacement Rotocut blades will fit the EGO Power+ Rotocut attachments, which are ideal for working through tough-to-shift growth in paths and drives, and along the base of walls and curbs. Reduces the throwing-up of stones, for safer use in areas near vehicles, windows and other materials prone to damage.

## Cutting Heads



Replacement cutting heads are available for EGO Line Trimmer machines with standard, bump-feed, Powerload™ and Line IQ™ heads.

## Straps and Harnesses



A full range of replacement straps and harnesses are available for EGO Line Trimmer machines, to make tackling the job easier.

## Choosing the CORRECT line or blade for the job:

GRASS AND LIGHT VEGETATION	HEAVY DENSE VEGETATION	BUSHES, PATHWAYS & VERGES
<b>ROUND AND TWISTED LINES</b> 2.0MM - 2.4MM		
<b>ROUND AND TWISTED LINES</b> 2.4MM - 3.0MM		
	<b>BRUSH CUTTER BLADES</b> METAL BLADE	
	<b>BRUSH CUTTER BLADES</b> ELASTOBLADE	
		<b>ROTOCUT BLADES</b> METAL BLADE

PART	DESCRIPTION	ST1300E-S	ST1400E-ST	ST1500E-F	ST1510E-T	ST1530E	ST1610E-T	BC1500E-F	BC3800E	BCX3800	STX4200	BCX4500	STX4500	STA1600	STA1700	BCA1200	RTA2300
<b>ROTOCUT</b>																	
RTX2300	PRO X Rotocut Attachment							○		○	○		○	○		○	○
ABR2300	Replacement blades (pair) - Rotocut RTX2300							○		○	○		○	○		○	○
<b>TRIMMER SPOOLS (WITH LINE)</b>																	
AS1300	Spool with 2.4mm twist line for standard bump feed cutting head - ST1500E, BC1500E																
AS1302	Spool with 2.0mm twist line for standard bump feed cutting head - ST1300E-S				●												
AS3800	Spool w/o line for bump feed cutting head - BCX3800							○		○	○		○	○			
<b>TRIMMER LINE</b>																	
AL2415T	15m 2.4mm low-noise twist line (STRATUS)	△			●	●	●	●	●	●	●	●	●	●	●	●	●
AL2015T	15m 2.0mm low-noise twist line (STRATUS)	△	○														
AL2050T	50m 2.0mm twist line - ST1300E-S (green)	△	●														
AL2715T	15m 2.7mm twist line [red/green] - BCX3800	△														○	○
AL3012T	12m 3.0mm twist line [yellow/green] - BCX3800	△														○	○
AL2475T	75m 2.4mm twist line [orange/green] - ALL 35cm & 38cm cutting diameter grass trimmers	△			○	○	○	○	○	○	○	○	○	○	○	○	○
AL2760T	60m 2.7mm twist line [red/green] - BCX3800	△														○	○
AL3050T	50m 3.0mm twist line [yellow/green] - BCX3800	△														○	○
AL2415R	15m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers	○			○	○	○	○	○	○	○	○	○	○	○	○	○
AL2715R	15m 2.7mm round line [red] - BCX3800	○														○	○
AL3012R	12m 3.0mm round line [yellow] - BCX3800	○														○	○
AL2490R	90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers	○			○	○	○	○	○	○	○	○	○	○	○	○	○
AL2780R	80m 2.7mm round line [red] - BCX3800	○														○	○
AL3060R	60m 3.0mm round line [yellow] - BCX3800	○														○	○
<b>CUTTING HEADS</b>																	
AH1520	Powerload™ cutting head - ST1510E-T						●										
AH1522	Powerload™ cutting head - ST1400E-ST							●									
AH1530	ANY INSERT cutting head - CLOCKWISE - ST1500E-F, BC1500E-F																
AH1531	ANY INSERT cutting head - ANTI-CLOCKWISE - ST1530E, BC3800E, BCX3800, STX4200																
AH1600	Powerload™ cutting head - STA1600																
AH1620	Powerload™ cutting head - ST1610E-T																
AH3800	Bump feed cutting head - BCX3800															○	
AH3810	ANY INSERT cutting head - ANTI-CLOCKWISE - ST1530E, BC3800E, BCX3800, STX4200, BCX4500, STX4500															○	○
AH4500	Auto-feed trimmer head - STX4500, BCX4500															○	○
ABT3800	Bump feed button - AH3800															○	
<b>CUTTING BLADES</b>																	
ABB1203	3 point brush cutter blade - BCX3800, ST1530E, BC3800E, BCA1200							○		●	●		○	○		○	
ABB0903P	Elastoblade - BCX3800, ST1530E, BC3800E, BCA1200							○		○	○		○	○		○	
<b>STRAPS AND HARNESSSES</b>																	
AP1500	Single-shoulder harness with one hook - multi-tool & all grass trimmers.									●	●		●	●		●	●
AP1500D	Double-shoulder harness with guard pad - multi-tool & all grass trimmers except BCX3800 (cannot be used with BHX1000)															●	●
AHP1300	Leg protector / line trimmer harness attachment - Only to be used with AH1300, BH1000															○	○
AHP1500	Leg protector / line trimmer harness attachment - Only to be used with AH1500, BHX1000, BHX2001															○	○
AP4500	Double shoulder harness for new commercial string trimmer (incl. hip pad)															○	
AHP4500	Hip pad for new commercial string trimmer															○	

● = Line supplied ○ = Compatible with

# EGO

POWER+ HEDGE TRIMMER


**LIGHT, YET POWERFUL. OUR NEXT GENERATION OF CORDLESS HEDGE TRIMMERS GIVE YOU ALL THE COMFORT AND CONTROL YOU NEED TO GET THE JOB DONE.**



## BALANCED, PRECISE, POWERFUL

Engineered to deliver impressive cutting ability from a single charge, the EGO Power+ Hedge Trimmers well-balanced design and clever features makes working outdoors easier and more comfortable.

For 2026, EGO's professional hedge trimmers have been upgraded to improve run time and cutting speed, while further reducing vibration (see page 83 for further details).



Model Shown: HT2600E







NEW FOR 2026



NEW FOR 2026


### HT5110E 51CM HEDGE TRIMMER

Upgraded with 33% more run time\*\*, increased cutting speeds for faster, sharper cutting and 43% less vibration for comfortable use\*\*\*. Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting narrower/long hedges with thicker stem widths.




### HT6510E 65CM HEDGE TRIMMER

Upgraded with 33% more run time\*\*, increased cutting speeds for faster, sharper cutting and 40% less vibration for comfortable use\*\*\*. Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting wider/long hedges with thicker stem widths.



### HT2000E 51CM HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting narrower small-to-medium hedges with thick stem widths.




AVAILABLE  
AS A KIT



### HT2410E 61CM HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting wider medium hedges with thick stem widths.



AVAILABLE  
AS A KIT



### HT2600E 66CM HEDGE TRIMMER

Designed with a durable 66cm diamond ground blade and innovative rotating handle, the HT2600E provides cutting precision with ease.



AVAILABLE  
AS A KIT



	HT2000E	HT2410E	HT2600E	HT5110E	HT6510E
BLADE LENGTH	51cm	61cm	66cm	51cm	65cm
BLADE GAP	25mm	26mm	30mm	33mm	33cm
BLADE TOOTH DEPTH	20mm	20mm	20mm	30mm	30mm
RUN TIME*	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 6.0Ah Up to 210 mins 7.5Ah Up to 225 mins 8.0Ah Up to 240 mins 10.0Ah Up to 300 mins 12.0Ah Up to 360 mins	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 6.0Ah Up to 180 mins 7.5Ah Up to 225 mins 8.0Ah Up to 240 mins 10.0Ah Up to 300 mins 12.0Ah Up to 360 mins	2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 6.0Ah Up to 145 mins 7.5Ah Up to 180 mins 8.0Ah Up to 192 mins 10.0Ah Up to 240 mins 12.0Ah Up to 270 mins	2.5 Ah Up to 80 mins 4.0 Ah Up to 140 mins 5.0 Ah Up to 180 mins 6.0 Ah Up to 220 mins 7.5 Ah Up to 270 mins 8.0 Ah Up to 290 mins 10.0 Ah Up to 360 mins 12.0 Ah Up to 440 mins	2.5 Ah Up to 80 mins 4.0 Ah Up to 130 mins 5.0 Ah Up to 165 mins 6.0 Ah Up to 200 mins 7.5 Ah Up to 250 mins 8.0 Ah Up to 265 mins 10.0 Ah Up to 330 mins 12.0 Ah Up to 400 mins
SPEED CONTROL	Single speed	Single speed	Single speed	Double speed	Double speed
NO LOAD SPEEDS	3,000rpm	3,000rpm	3,400rpm	3,000 / 3,600rpm	3,000 / 3,600rpm
BLADE TYPE	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground
CUTTING ACTION	Dual action; single knife edge	Dual action; single knife edge	Dual action; single knife edge	Dual action; double knife edge	Dual action; double knife edge
BLADE TIP PROTECTOR	Yes	Yes	Yes	Yes	Yes
NOISE RATING LpA/LwA	81dB(A) 94dB(A)	83dB(A) 96dB(A)	84dB(A) 94dB(A)	81dB(A) 90dB(A)	81dB(A) 91dB(A)
ROTATING HANDLE	No	No	45° and 90° left and right	Yes	Yes
WEIGHT WITHOUT BATTERY	2.8kg	3kg	3.1kg	3.4kg	3.5kg
MOTOR TYPE	Brushless	Brushless	Brushless	Brushless	Brushless
VIBRATION (M/S <sup>2</sup> )	2/1.5	1.8/1.7	2.4/1.7	3.1/2.4	3/2.8
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	1 year	2 years	2 years
AVAILABLE AS A KIT	HT2001E: Includes hedge trimmer, 2.5Ah battery and standard charger	HT2411E: Includes hedge trimmer, 2.5Ah battery and standard charger	HT2601E: Includes hedge trimmer, 2.5Ah battery and standard charger	-	-

\*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.

\*\*Example: up to 100 minutes run time with 2.5Ah 56V ARC Lithium™ EGO battery, depending on cutting conditions.

\*\*\*Compared to previous HT5100E and HT6500E EGO Hedge Trimmers

● - highlighted cutting area is optimal for battery.



## PRO X PERFORMANCE WITH EXTRA REACH

The PRO X long-reach hedge trimmers allow professional users to cut more with less effort. Tall and deep hedges can be cut in a single sweep and without the need for use of ladders.

Carbon fibre shafts make the tools sturdy and durable, while flex at the end of the tool is reduced. The Long-Reach Hedge Trimmer has an articulating head making it simple to change the cutting angle for different tasks.

Both trimmers have 3 speeds, suitable for different hedge cutting jobs, plus double-sided triple-sharpened blades for the toughest hedges.

The power unit is part of the PRO X platform and compatible with all EGO portable ARC Lithium™ batteries.

REAR GEARED MOTOR  
Compatible with all  
portable EGO ARC Lithium™  
batteries

ADJUSTABLE HARNESS POINTS  
For comfortable all day working

CARBON FIBRE  
SHAFT WITH  
INTERNAL STEEL  
DRIVE SHAFT  
For greater  
durability


3 SPEEDS  
Suitable for different  
trimming and cutting tasks



HTX5300-P

### 53CM PRO X SHORT-REACH FIXED POLE HEDGE TRIMMER

Variable speed, carbon fibre shaft with internal steel drive shaft for greater durability, triple sharpened blades, dual edge cutting action, makes light work of any job, big or small.



	HTX5300-P	HTX5300-PA
BLADE LENGTH	53cm	53cm
BLADE GAP	28mm	28mm
BLADE TOOTH DEPTH	21mm	21mm
RUN TIME*	2.5Ah Up to 70 mins 4.0Ah Up to 112 mins 5.0Ah Up to 140 mins 6.0Ah Up to 168 mins 7.5Ah Up to 210 mins 8.0Ah Up to 224 mins 10.0Ah Up to 280 mins 12.0Ah Up to 336 mins 28.0Ah Up to 784 mins	2.5Ah Up to 54 mins 4.0Ah Up to 86 mins 5.0Ah Up to 108 mins 6.0Ah Up to 128 mins 7.5Ah Up to 162 mins 8.0Ah Up to 172 mins 10.0Ah Up to 216 mins 12.0Ah Up to 253 mins 28.0Ah Up to 599 mins
SPEED CONTROL	Variable	Variable
NO LOAD SPEEDS	3200   3600   4000 rpm	3200   3600   4000 rpm
BLADE TYPE	Triple-sided	Triple-sided
CUTTING ACTION	Dual action; triple knife edge	Dual action; triple knife edge
BLADE TIP PROTECTOR	Yes	Yes
ROTATING HANDLE	No	No
WEIGHT	4.2kg	5.6kg
MOTOR TYPE	Brushless	Brushless
NOISE RATING LpA/LwA	81dB(A) 101dB(A)	81dB(A) 101dB(A)
VIBRATION (M/S <sup>2</sup> )	3.7/2.8	3.9/3.5
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	3 years	3 years


\*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.



HTX5300-PA

### 53CM PRO X LONG-REACH ARTICULATING POLE HEDGE TRIMMER

Ideal for wider, larger hedges, with longer 2.5m reach and an articulating cutting head – with variable speed, carbon fibre shaft with internal steel drive shaft for greater durability, triple sharpened blades, dual edge cutting action – makes light work of any job, big or small.





## TACKLE TOUGH HEDGES WITH EASE

Designed for use with EGO's PRO X Backpack Battery and Harnesses, these PRO X hedge trimmers are precision engineered to tackle the toughest hedges with ease.

A single charge delivers impressive run times, while the smooth and quiet brushless motor and gearbox give you all the power you need, without the vibration, emissions and noise of a petrol engine. Clever features include a handle and trigger design that allows effortless switching between horizontal and vertical cutting, dual trigger system for safe operation and a blade tip protector to prevent damage from fences and walls.

### Blades that cut cleanly.

The high-quality EGO Power+ blades are made from laser-cut steel with diamond-ground edges to provide the cleanest cut and promote healthier hedges. While the 33mm cutting capacity, allows the blades to cut through even the thickest growth.




#### HTX6500 65CM PRO X HEDGE TRIMMER

Variable speed, double-knife edge cutting action makes light work of any job, big or small. Dual trigger system provides enhanced user comfort and safety.



#### HTX7500 75CM PRO X HEDGE TRIMMER

Ideal for wider, larger hedges, the variable speed, double-knife edge cutting action makes light work of any garden job. Dual trigger system provides enhanced user comfort and safety.




#### HTX7500S 75CM PRO X SINGLE SIDED HEDGE TRIMMER

Ideal for wider, larger hedges, the new EGO PRO X Single Sided Hedge Trimmer has 3 speed digital control, LED display, large debris scoop, variable speed, triple-knife edge cutting action, makes light work of any hedge cutting job. Dual trigger system provides enhanced user comfort and safety.



## FAST PRECISION CUTTING

The new PRO X Single Sided Hedge Trimmer is lighter than a comparable double-sided hedge trimmer, making it easier to work with a longer blade. The large clippings collector ensures unimpeded cutting, leaves a tidier finish and saves time on the job. Ergonomically designed for safer, comfortable use, with a powerful brushless motor to maximise run time for fast precision cutting.



3-SPEED DIGITAL CONTROL  
WITH LED DISPLAY  
Includes: Speed Level,  
Battery Status and Bluetooth  
Connected indicators



	HTX6500	HTX7500	HTX7500S
BLADE LENGTH	65cm	75cm	75cm
BLADE GAP	33mm	33mm	30mm
BLADE TOOTH DEPTH	20mm	20mm	24mm
RUN TIME* WITH BAX1500 BATTERY	Up to 420 mins	Up to 380 mins	Up to 950 mins
SPEED CONTROL	Variable speed	Variable speed	Variable speed
NO LOAD SPEEDS	3200rpm	3200rpm	3000 / 3500 / 4600rpm
BLADE TYPE	Double-sided cutting	Double-sided cutting	Single-sided cutting
CUTTING ACTION	Dual action; double knife edge	Dual action; double knife edge	Dual action; triple knife edge
BLADE TIP PROTECTOR	Yes	Yes	Yes
ROTATING HANDLE	No	No	No
WEIGHT	3.9kg	4.0kg	3.5kg
MOTOR TYPE	Brushless	Brushless	Brushless
NOISE RATING LpA/LwA	80 dB(A) / 90.1 dB(A)	83.9 dB(A) / 95.4 dB(A)	84 dB(A) / 92 dB(A)
VIBRATION (M/S <sup>2</sup> )	3.2/3.9	2.9/3.5	3.7/2.8
DOMESTIC WARRANTY	5 years	5 years	5 years
PROFESSIONAL WARRANTY	3 years	3 years	3 years

\*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.



## COMPACT WITHOUT COMPROMISE

They may be compact, but they don't compromise on power. Brought to life by a 12V Lithium-Ion battery, the EGO Power+ shrub/grass shears are ideal for everyday garden maintenance.

With two attachments included, use the shrub blade to shape and maintain smaller hedges and ornamental trees, or switch to the grass trimmer blade to tackle areas of grass that mowers can't reach.

A lightweight, ergonomic design allows for unparalleled precision in either mode, so you can get the perfect result every time.

Simple to use and easy to store, they are an essential addition to every gardener's arsenal.



Model Shown: CHT2001E



### CHT2001E 12V SHRUB/GRASS SHEARS

Single speed 20cm blade length, 8mm blade gap with single knife edge cutting action. Can be used as either shrub or grass shears.



CHT2001E	
GRASS CUTTER BLADE WIDTH	11.5cm
HEDGE TRIMMER BLADE LENGTH	20cm
HEDGE TRIMMER BLADE GAP	8mm
RUN TIME	Up to 70 mins
SPEED CONTROL	Single-speed
NO LOAD SPEEDS	2400spm
BLADE TYPE	Laser cut
CUTTING ACTION	Dual action; single-sided cutting blade
BLADE TIP PROTECTOR	No
STANDARD BATTERY	2.0Ah
CHARGE TIME	3.5 hours
WEIGHT WITH BATTERY	1.1kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	-



WITH EXCEPTIONAL AIRSPEEDS AND HIGH-EFFICIENCY  
BRUSHLESS MOTORS, EGO POWER+ BLOWERS DELIVER  
MAXIMUM AIRFLOW WITH MINIMUM EFFORT.



## BLOWS PETROL-POWERED BLOWERS OUT OF THE PARK

EGO's comprehensive range of leaf blowers have all been designed to deliver power and performance. See page 93 for domestic garden blowers, pages 94-95 for professional blowers and pages 97-99 for the super powerful PRO X models.





Compatible with EGO Power+ backpack batteries.

**KEY** ■ EGO POWER+ ■ PROFESSIONAL ■ PRO X

	LV5000E			LB6150E			LB6700E			LB7650E			LBX1000		
	LOW SPEED	HIGH SPEED	BOOST	LOW SPEED	HIGH SPEED	BOOST	LOW SPEED	HIGH SPEED	BOOST	LOW SPEED	HIGH SPEED	BOOST	LOW SPEED	HIGH SPEED	BOOST
RUN TIME* WITH 2.5Ah BATTERY	Up to 38 mins	Up to 6 mins	-	Up to 100 mins	Up to 15 mins	Up to 10 mins	-	-	-	-	-	-	-	-	-
RUN TIME* WITH 4.0Ah BATTERY	Up to 60 mins	Up to 10 mins	-	Up to 160 mins	Up to 24 mins	Up to 14 mins	Up to 140 mins	Up to 25 mins	Up to 13 mins	Up to 120 mins	Up to 20 mins	Up to 14 mins	-	-	-
RUN TIME* WITH 5.0Ah BATTERY	Up to 75 mins	Up to 12 mins	-	Up to 200 mins	Up to 30 mins	Up to 18 mins	Up to 200 mins	Up to 30 mins	Up to 15 mins	Up to 150 mins	Up to 25 mins	Up to 17 mins	Up to 50 mins	-	-
RUN TIME* WITH 6.0Ah BATTERY	Up to 90 mins	Up to 15 mins	-	Up to 240 mins	Up to 36 mins	Up to 22 mins	Up to 240 mins	Up to 36 mins	Up to 18 mins	Up to 180 mins	Up to 30 mins	Up to 18 mins	Up to 60 mins	-	-
RUN TIME* WITH 7.5Ah BATTERY	Up to 110 mins	Up to 18 mins	-	Up to 300 mins	Up to 45 mins	Up to 30 mins	Up to 300 mins	Up to 45 mins	Up to 23 mins	Up to 225 mins	Up to 37 mins	Up to 26 mins	Up to 75 mins	-	-
RUN TIME* WITH 8.0Ah BATTERY	Up to 120 mins	Up to 20 mins	-	Up to 320 mins	Up to 48 mins	Up to 32 mins	Up to 320 mins	Up to 48 mins	Up to 24 mins	Up to 240 mins	Up to 40 mins	Up to 28 mins	Up to 80 mins	-	-
RUN TIME* WITH 10.0Ah BATTERY	Up to 150 mins	Up to 24 mins	-	Up to 400 mins	Up to 60 mins	Up to 40 mins	Up to 400 mins	Up to 60 mins	Up to 30 mins	Up to 300 mins	Up to 50 mins	Up to 34 mins	Up to 100 mins	-	-
RUN TIME* WITH 12.0Ah BATTERY	Up to 180 mins	Up to 30 mins	-	Up to 480 mins	Up to 72 mins	Up to 36 mins	Up to 480 mins	Up to 72 mins	Up to 36 mins	Up to 360 mins	Up to 60 mins	Up to 40 mins	Up to 120 mins	-	-
RUN TIME* WITH BAX1500 BATTERY	-	-	-	Up to 1120 mins			Up to 1120 mins			-	-	-	Up to 280 mins		
	Max			Max			Max			Max			Max		
AIR VOLUME (M <sup>3</sup> /H)	850m <sup>3</sup> /h Max			1045m <sup>3</sup> /h Max			1138m <sup>3</sup> /h Max			1300m <sup>3</sup> /h Max			1700m <sup>3</sup> /h Max		
AIR SPEED (KM/H)	335km/h			274km/h			290km/h			313km/h			299km/h		
FORCE (N)	15			18.5			21			26			32		
SPEED SETTING	Variable speed with lock-on			Variable speed with lock-on + boost			Variable speed with lock-on + boost			Variable speed with lock-on + boost			Variable speed with lock-on + boost		
WEIGHT WITHOUT BATTERY	5.8kg (vacuum) 4.2kg (blower)			2.15kg			2.2kg			2.1kg			3.3kg		
MOTOR TYPE	Brushless			Brushless			Brushless			Brushless			Brushless		
NOISE RATING LpA/LwA	88dB(A) 102dB(A)			88dB(A) 99dB(A)			91dB(A) 101dB(A)			83dB(A) 98dB(A)			86dB(A) 98dB(A)		
VIBRATION (M/S <sup>2</sup> )	1.8			0.68			1.3			0.8			0.53/0.93		
DOMESTIC WARRANTY	5 years			5 years			5 years			5 years			5 years		
PROFESSIONAL WARRANTY	1 Year			1 Year			1 Year			2 years			3 years		
VARIABLE SPEED	No			Yes			Yes			-			Yes		
AVAILABLE AS A KIT	LV5004E: includes Leaf Vacuum, 5Ah Battery and standard charger			LB6151E: includes Leaf Blower, 2.5Ah Battery and standard charger			LB6704E: includes Leaf Blower, 5Ah Battery and rapid charger			-			-		

\*Run time may vary and depend on the battery used, charge level of the battery and user's operation technique.

● highlighted run time is optimal for battery.



### LV5000E 3 IN 1 LEAF VACUUM

After blowing fallen leaves into a pile, they can be quickly cleared up using the new EGO Power+ 3 in 1 Leaf Vacuum. Collection bag space is maximised as leaves are efficiently mulched as they are collected up. With variable speed dial control, the tool has the power to tackle small to medium household leaf clean-ups. Easily converts from blower to vacuum by simply replacing the blower tube with a vacuum bag and a suction tube.



AVAILABLE AS A KIT



### LB6150E BLOWER

Variable speed thumb selector for added air flow control with single handed use. With 1,045m<sup>3</sup>/h output in Boost, and 18.5N of air force, can clear large areas with ease.



Includes ANG000R (Round) Nozzle.

AVAILABLE AS A KIT



### LB6700E BLOWER

Variable speed thumb selector for added air flow control with single handed use. With 1,138m<sup>3</sup>/h output in Boost and 21N of air force, can tackle bigger tasks across wider areas and large gardens.



Includes Round and Flat Nozzles.

AVAILABLE AS A KIT





## THE POWER TO CLEAR MORE GROUND

Tough tasks need powerful tools. And that's exactly what EGO's range of Professional Blowers deliver. In Boost mode, leaves and debris don't stand a chance.

Not only are our Blowers powerful, they also benefit from intelligent features. The brushless motors reduce vibration and noise while the comfortable backpacks ergonomically distribute the weight of the tool. Boasting four hours run time\*, you can cover plenty of ground too.



### LB7650E BLOWER

Variable speed thumb selector for added airflow control with single handed use, 1,300m<sup>3</sup>/h output in Boost – one of the industry's most powerful hand-held blowers, outperforms even the leading petrol-powered blowers. Perfect for completing the toughest tasks across wider areas and large gardens.



Includes one tapered nozzle and spread nozzle.




\*Based on model LB6000E: 240 minutes at 1300m<sup>3</sup>/h with 1 x 10Ah battery - Low air setting.



### LB6000E BACKPACK BLOWER 1020M<sup>3</sup>/H

The hugely powerful, yet ergonomic design is easy to use and packed with all the features you need.



VARIABLE SPEED BOOST



KEY PROFESSIONAL PRO X

	LB6000E			LBPX8000**			LBPX1100**		
	Low	High	Max	Low	High	Max	Low	High	Max
RUNTIME* WITH 5.0Ah BATTERY	120 mins	22 mins	15 mins	100 mins	26 mins	20 mins	100 mins	18 mins	15 mins
RUNTIME* WITH 6.0Ah BATTERY	150 mins	27 mins	18 mins	120 mins	32 mins	24 mins	120 mins	20 mins	18 mins
RUNTIME* WITH 7.5Ah BATTERY	180 mins	33 mins	23 mins	150 mins	40 mins	30 mins	150 mins	28 mins	22 mins
RUNTIME* WITH 8.0Ah BATTERY	192 mins	35 mins	24 mins	160 mins	42 mins	32 mins	160 mins	30 mins	24 mins
RUNTIME* WITH 10.0Ah BATTERY	240 mins	44 mins	30 mins	200 mins	52 mins	40 mins	200 mins	36 mins	30 mins
RUNTIME* WITH 12.0Ah BATTERY	290 mins	52 mins	36 mins	240 mins	64 mins	48 mins	240 mins	42 mins	36 mins
AIR VOLUME(M <sup>3</sup> /H)	440	850	1020	590	1105	1360	760	1550	1870
AIR SPEED(KM/H)	80	160	193	123	212	305	108	216	306
SPEED SETTING	Variable speed with boost			Variable speed with boost			Variable speed with boost		
FORCE(N)	19.2 Max			26 Max			36 Max		
MOTOR TYPE	Brushless			Brushless			Brushless		
PEAK POWER™ TECHNOLOGY	-			Up to 256V ARC Lithium™ batteries			Up to 256V ARC Lithium™ batteries		
NOISE RATING LpA/LwA	83dB(A) / 97dB(A)			86dB(A) / 98dB(A)			83dB(A) / 96dB(A)		
VIBRATION (M/S <sup>2</sup> )	1.5			1.5			0.25		
WEIGHT WITHOUT BATTERY	5.7kg			7.4kg			9.4kg		
DOMESTIC WARRANTY	5 years			5 years			5 years		
PROFESSIONAL WARRANTY	2 years			3 years			3 years		

\*Run time may vary and depend on the battery used, charge level of battery and user's operation technique.

\*\*Run times shown are for x2 of the batteries listed.



# THE FIRST OF ITS KIND

Part of EGO's next generation of PRO X tools, LBX1000 puts the full power of a backpack blower into the hands of the user.

The most powerful hand-held battery blower on the market, with brushless motor and high-efficiency axial fan for impressive air flow and higher air-speed. Tackles the most demanding clear-ups, ensuring performance, comfort and durability - built to work in the toughest environments.



## LBX1000 PRO X BLOWER

With the power of a backpack blower in a handheld unit, this is the most powerful handheld battery blower on the market with 32N of blowing force. Equipped with a secondary front handle for easy pick-up-and-go without the fuss of a Backpack. Features include variable speed trigger with Boost, LCD display screen showing operating status and battery fuel gauge, plus powerful LED light for working in low light levels. Bluetooth is built-in - communicates with EGO Connect and EGO Fleet Apps.





# THE ULTIMATE IN CLEARING POWER

Part of EGO's next generation of PRO X tools, LBPX1100 is the most powerful backpack blower on the market.

With new brushless motor and high-efficiency axial fan for impressive air flow and higher air-speed, it will tackle the most demanding clear-ups, ensuring performance, comfort and durability – built to work in the toughest environments.



## LBPX1100 PRO X BACKPACK BLOWER

Active Peak Power™ harnesses the power of two EGO batteries, making this the most powerful backpack blower on the market with 36N of blowing force, maximising output and run time. Designed with a new motor for greater airspeed and volume through the machine, plus new user controls for intuitive and comfortable use. With BLE connectivity built-in – allowing monitoring of firmware status, battery capacity and run times.



## LBPX8000 PRO X BACKPACK BLOWER

Active Peak Power™ Technology combines the power of two EGO batteries to maximise output and runtime, making clearing large areas faster. Designed with a new motor for greater airspeed and volume through the machine, plus new user controls for intuitive and comfortable use. With BLE connectivity built-in – allowing monitoring of firmware status, battery capacity and runtimes.



# EGO

POWER<sup>+</sup> SNOW THROWER

WITH PEAK POWER™ TECHNOLOGY, THE EGO SNOW THROWERS PROVIDE PETROL-MATCHING POWER TO CLEAR SNOW WITH EASE.



## EXTREME POWER FOR EXTREME WEATHER CONDITIONS






SNT2400E

**61CM SELF-PROPELLED 2-STAGE SNOW THROWER WITH PEAK POWER™ TECHNOLOGY**

This powerful 2-stage snow thrower has variable speed, self-propelled control with serrated steel augers, to handle even the deepest snow with ease. Snow is thrown into a high-speed impeller which then discharges the snow up and out of the multi-directional chute. The generous 61cm clearing width and 51cm intake height work with the shoot for a clearing distance of up to 13m, while the on-board controls are easy to operate – even when wearing bulky winter gloves.



SNT2120E-AP

**AUGER PROPELLED SNOW THROWER**

The SNT2120E-AP can clear 21cm of snow and throw it up to 14 metres, making it ideal for those early morning clearing jobs along driveways and footpaths. The auger clears the snow and discharges it through the chute in a single motion.



	SNT2400E	SNT2120E-AP
CLEARING AREA @ 15CM DEPTH	223m <sup>2</sup>	160m <sup>2</sup>
NUMBER OF BATTERY PORTS	2 parallel	2 parallel
CLEARING WIDTH	61cm	52cm
INTAKE HEIGHT	51cm	30cm
CHUTE ROTATION	200° Joystick control	180°
THROWING DISTANCE (MAX)	13m	Up to 14m
THROWING DISTANCE (HEAVY SNOW)	7.6m	5m
AUGER MATERIAL & DIAMETER	Steel 28cm	Metal frame/rubber auger 18cm
NUMBER OF STAGES	2	1
SELF-PROPELLED SPEED	0.4-1.2m/s	Single
SELF-PROPEL TYPE	Brushless motor	Auger propel
REVERSE	Yes	Yes
WEIGHT WITHOUT BATTERY	68kg	27kg
MOTOR TYPE	Brushless	Brushless
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	2 years	1 year
AVAILABLE AS A KIT	SNT2400E-K2753: Includes snow thrower, 2x 7.5Ah batteries and 2x rapid chargers	SNT2124E-AP: Includes snow thrower, 2x 6Ah batteries and rapid charger



WE'VE REDEFINED FLEXIBLE WORKING. CUT, SAW, EDGE AND MORE. ALL WITH ONE POWER UNIT AND ALL WITHOUT THE FUSS AND FUMES OF PETROL.

## ONE TOOL, MULTIPLE OPTIONS

The EGO Power+ Multi-Tool is the outdoor power tool you can't do without. With a single power unit and a large range of high-tech attachments, you can easily tackle every garden task, from trimming grass, edging lawns, cutting hedges, sawing branches, tilling soil, to sweeping the patio.

Switching between different jobs is simple thanks to the secure tool-free coupling system on every attachment. And, with our carbon fibre extension pole, even the hardest-to-reach places are no challenge for the Multi-Tool. Combined with the 56V ARC Lithium™ battery, you have all the power you need, without the noise, fuss, or emissions of petrol-power.



1 POWER HEAD POWERS UP TO  
13 DIFFERENT ATTACHMENTS



# THE FLEXIBILITY TO TACKLE ANY TASK

With one Multi-Tool Power Head you can tackle any task with up to 13 attachment options.

With two Multi-tool Power Head options available, you can choose between the EGO Professional Power Head with 2 speed control, or the EGO PRO X Power Head with carbon fibre shaft and 3 speed control. Both have powerful brushless motors and are compatible with all current and future attachments.







## THE POWER TO TACKLE ANY TASK



### PH1420E MULTI-TOOL POWER HEAD

With more power, better ergonomics and an upgraded motor the PH1420E is compatible with all current and future attachments.



### EP7501 EXTENSION POLE

Nothing is out of reach with this strong yet lightweight extension pole. Just click in the attachment you need and off you go.



TOTAL LENGTH: 78cm  
WEIGHT 600g



### PHX1600 PRO X MULTI-TOOL POWER HEAD

EGO's first PRO X Multi-tool head provides all day working for the professional user. The motor and PCB have both been upgraded to ensure the powerhead is robust and suitable for the toughest tasks. Has BLE connectivity built-in - allowing monitoring of firmware status, battery capacity and run times.



	PH1420E	PHX1600
MOTOR TYPE	Brushless	Brushless
SPEED CONTROL	Two speed Variable speed	Three speed Variable speed
DRIVE SHAFT MATERIAL	7mm solid steel	7mm solid steel
DRIVE TUBE TYPE	Carbon fibre	Carbon fibre
COUPLING MECHANISM	Tool-free quick change	Tool-free quick change
WEIGHT	2.8kg	2.95kg
TOTAL LENGTH	97cm	100cm
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	2 years	3 years

# ONE REVOLUTIONARY POWER UNIT. SO MANY WAYS TO USE IT



## HEDGE TRIMMERS

With a choice of standard or short pole lengths available, tackling high or low hedges is made easy. The head angle is adjustable to suit the job at hand and allows for compact storage.



## POLE SAW

Slices through tree branches fast and efficiently. Combines with the carbon fibre extension pole to reach further and cut more.



## EDGER

Give lawns a professional finish with the edger attachment. Ideal for neatening edges along paths, driveways or flowerbeds.



## CULTIVATOR

The cultivator prepares soil prior to planting. Removing weeds and introducing air, it creates a loose bed, encouraging the growth of healthy plant life.



## BRISTLE BRUSH & PADDLE BROOM

The bristle brush makes short work of sweeping away moss, wet leaves and ingrained dirt, whilst the paddle broom makes it easy to clear away standing water.



## LINE TRIMMERS

Trim grass along fences and walls with precision. Line Trimmer options include:


**Powerload™ Head** - for fast line replacement at the touch of a button.

**Line IQ™ Head with Powerload™** - for automatic line feeding on the go.



## OLIVE SHAKER

Shake ripe olives off branches at approximately 2000 strokes per minute, with 10 replaceable carbon fibre fingers, a durable and market tested gearbox and integrated lubrication for simple maintenance.



## BRUSH CUTTER

The brush cutter is built to deal with difficult undergrowth. From thick grass to tough weeds, it cuts through the toughest tasks with ease.



## SNOW SHOVEL

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.



## ROTOCUT

Cuts through grass, weeds and moss on concrete, pathways and verges with ease. Featuring two counter-rotating blades, preventing debris from being thrown.




## DETHATCHER

Removes the thatch layer between grass and soil for a healthier lawn.



### HTA2000 HEDGE TRIMMER ATTACHMENT

Laser cut, diamond ground blades and simple angle adjustment makes this trimmer as precise as it is powerful.




### PSA1000 POLE SAW ATTACHMENT

25cm guide bar and chain make cutting branches fast and efficient.



### HTA2000S SHORT HEDGE TRIMMER ATTACHMENT

With the same sharp blades and quick cutting action, this attachment makes short work of low, deep hedges.



### OSA1000 OLIVE SHAKER ATTACHMENT

10 carbon fibre fingers shake and drop olives from their branches in no time at all.



### STA1600 LINE TRIMMER ATTACHMENT

This attachment features Powerload™ Technology for fast line replacement. The carbon fibre shaft adds robustness for tough tasks.



### BBA2100 BRISTLE BRUSH ATTACHMENT

Clear moss and wet leaves from hard surfaces easily with the bristle brush attachment.



### SSA1200 SNOW SHOVEL ATTACHMENT

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.



### STA1700 LINE TRIMMER ATTACHMENT

Featuring Line IQ™ and Powerload™ Technologies for automatic line feeding and fast line replacement. The carbon fibre shaft adds robustness for tough tasks.



### BCA1200 BRUSH CUTTER ATTACHMENT

Tough enough to take on anything, the three-sided metal blade makes short work of any overgrown area.



### DA1400 DETHATCHER ATTACHMENT

Removes the thatch layer between grass and soil for a healthier lawn. Also removes debris and dead grass from the surface.



### EA0800 EDGER ATTACHMENT

With quick depth adjustment and handy guide, this attachment makes achieving a perfect edge easy.




### CTA9500 CULTIVATOR ATTACHMENT

The easier way to prepare soil for planting, the cultivators rotating teeth remove weeds and aerates soil.



### RTA2300 ROTOCUT ATTACHMENT

Cuts through grass, weeds and moss with ease. Featuring two counter rotating blades, which prevent debris from being thrown, make it ideal for use in delicate areas.



	HTA2000 / HTA2000S	PSA1000	STA1600	STA1700	BCA1200	RTA2300
WEIGHT	2.3kg / 2.2kg	1.9kg	1.53kg	1.7kg	1.8kg	2kg
LENGTH	160cm (99cm folded) / 120cm	142cm	97cm	97cm	97cm	-
RUN TIME*	2.5Ah Up to 37 mins 4.0Ah Up to 65 mins 5.0Ah Up to 82 mins 6.0Ah Up to 98 mins 7.5Ah Up to 122 mins 8.0Ah Up to 130 mins 10.0Ah Up to 157 mins 12.0Ah Up to 188 mins	2.5Ah Up to 70 cuts 4.0Ah Up to 110 cuts 5.0Ah Up to 140 cuts 6.0Ah Up to 170 cuts 7.5Ah Up to 210 cuts 8.0Ah Up to 224 cuts 10.0Ah Up to 285 cuts 12.0Ah Up to 340 cuts	2.5Ah Up to 18 mins 4.0Ah Up to 35 mins 5.0Ah Up to 45 mins 6.0Ah Up to 55 mins 7.5Ah Up to 70 mins 7.5Ah Up to 90 mins 8.0Ah Up to 75 mins 10.0Ah Up to 90 mins 12.0Ah Up to 110 mins	2.5Ah Up to 30 mins 4.0Ah Up to 48 mins 5.0Ah Up to 60 mins 6.0Ah Up to 72 mins 7.5Ah Up to 95 mins 8.0Ah Up to 96 mins 8.0Ah Up to 100 mins 10.0Ah Up to 120 mins 12.0Ah Up to 144 mins	2.5Ah Up to 27 mins 4.0Ah Up to 47 mins 5.0Ah Up to 60 mins 6.0Ah Up to 75 mins 7.5Ah Up to 90 mins 8.0Ah Up to 100 mins 10.0Ah Up to 125 mins 12.0Ah Up to 150 mins	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 6.0Ah Up to 60 mins 7.5Ah Up to 80 mins 8.0Ah Up to 85 mins 10.0Ah Up to 105 mins 12.0Ah Up to 125 mins
BLADE LENGTH	51cm	-	-	-	-	-
CUTTING WIDTH	-	-	40cm	43cm	30cm	23cm
LINE DIAMETER SUPPLIED	-	-	2.4mm	2.4mm	-	-
CUTTING HEAD	-	-	Powerload™	Powerload™	-	-
SHAFT TYPE	-	-	Carbon Fibre	Carbon Fibre	-	-
ARBOUR SIZE	-	-	-	-	25.4mm	-
CUTTING CAPACITY	26mm	-	-	-	-	-
BLADE MATERIAL & TYPE	Double-sided laser cut steel blade	-	-	-	Three-sided steel blade	-
FIXED CUTTING ANGLES	12/9 articulating cutting angles	-	-	-	-	-
GUIDE BAR LENGTH	-	25cm	-	-	-	-
CHAIN PITCH / GAUGE	-	9.5mm. 1.1mm	-	-	-	-
MAX. CUTTING DIAMETER	-	200mm	-	-	-	-
OIL TANK CAPACITY	-	220ml	-	-	-	-
ROTATING DIRECTION	-	-	-	-	-	Two blades counter rotation
BLADE TYPE	-	-	-	-	-	High strength alloy steel
VIBRATION (M/S <sup>2</sup> )	-	-	-	-	-	1.1/1.5
NOISE RATING	-	-	-	-	-	83dB(A)/96dB(A)
CUTTING SPEED	-	-	-	-	-	450rpm
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years	2 years

	EA0800	CTA9500	BBA2100	OSA1000	SSA1200	DA1400
WEIGHT	2.3kg	3.9kg	5kg	2.2kg	5.5kg	7.2kg
LENGTH	92cm	92cm	102cm	140cm	176cm	176.5cm
RUN TIME*	- 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 6.0Ah Up to 76 mins 7.5Ah Up to 100 mins 8.0Ah Up to 105 mins 10.0Ah Up to 132 mins 12.0Ah Up to 152 mins	2.5Ah Up to 40 mins 4.0Ah Up to 60 mins 5.0Ah Up to 80 mins 6.0Ah Up to 100 mins 7.5Ah Up to 120 mins 8.0Ah Up to 130 mins 10.0Ah Up to 160 mins 12.0Ah Up to 200 mins	2.5Ah Up to 50 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 6.0Ah Up to 140 mins 7.5Ah Up to 150 mins 8.0Ah Up to 160 mins 10.0Ah Up to 200 mins 12.0Ah Up to 280 mins	2.5Ah Up to 50 mins 4.0Ah Up to 70 mins 5.0Ah Up to 100 mins 6.0Ah Up to 120 mins 7.5Ah Up to 160 mins 7.5Ah Up to 135 mins 8.0Ah Up to 170 mins 10.0Ah Up to 210 mins 12.0Ah Up to 240 mins	2.5Ah Up to 45 mins 4.0Ah Up to 75 mins 5.0Ah Up to 90 mins 6.0Ah Up to 110 mins 7.5Ah Up to 135 mins 8.0Ah Up to 145 mins 10.0Ah Up to 180 mins 12.0Ah Up to 216 mins	2.5Ah Up to 17 mins 4.0Ah Up to 27 mins 5.0Ah Up to 34 mins 6.0Ah Up to 41 mins 7.5Ah Up to 52 mins 8.0Ah Up to 55 mins 10.0Ah Up to 68 mins 12.0Ah Up to 82 mins
BLADE LENGTH	20cm	24cm	-	-	-	-
ROD LENGTH / DIAMETER	-	-	-	33cm/0.5cm	-	-
CUTTING DEPTH	Up to 75mm	-	-	-	-	-
BLADE THICKNESS	3mm	-	-	-	-	-
ROD QUANTITY	-	-	-	10 (5+5)	-	-
DEBRIS GUARD MATERIAL	Aluminium with rubber skirt	Plastic	Plastic	-	-	-
CUTTING WIDTH	-	21/24cm	-	-	-	-
CLEANING SWATH	-	-	560mm	-	300mm	381mm
TILLING SPEED	-	-	High 240rpm, Low 210rpm	-	2000-1650rpm	2600-3000 rpm
WORKING RANGE	-	-	-	58cm-33cm	-	-
BRISTLE GAUGE	-	-	1.5mm	-	-	-
ARBOUR SIZE	25.4mm	-	-	-	-	-
DIMENSION	-	-	102 x 56.5 x 29.5cm	-	-	-
ROD MATERIAL	-	-	-	Carbon fibre	-	-
STROKES PER MINUTE	-	-	-	1780/2120spm	-	-
MAX THROWING DISTANCE	-	-	-	-	7.5m	-
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years	2 years

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass or hedge and user's operation technique. Cuts of PSA1000 is based on cuts of 100x100mm.

## BE READY FOR ANYTHING WITH EGO POWER+ MULTI-TOOL KITS

A great value way to enjoy all the benefits of petrol-free power.

EGO Power+ multi-tool kits combine the most popular tools you'll need, with the power and performance to get the job done.

### MHBC1204E MULTI-TOOL KIT

#### Kit Includes:

- PH1420E - Power head
- STA1600 - Line trimmer attachment
- HTA2000 - Hedge trimmer attachment
- PSA1000 - Pole saw attachment
- BCA1200 - Brush cutter attachment
- BA2800T - 5.0Ah battery
- CH5500E - Rapid charger
- AP1500 - Single-shoulder harness



### MRC2306E MULTI-TOOL KIT

#### Kit Includes:

- PH1420E - Power head
- BBA2100 - Bristle brush attachment
- RTA2300 - Rotocut attachment
- CTA9500 - Cultivator attachment
- BA2242T - 2 x 4.0Ah battery
- CH5500E - Rapid charger
- AP1500 - Single-shoulder harness





OUR CLEANING RANGE BRINGS INTELLIGENT  
TECHNOLOGY AND PORTABILITY  
TO INDOOR AND OUTDOOR CLEANING.



## THE POWER TO COMPLETE TOUGH CLEANING TASKS

Heavy duty cleaning power combined  
with market-leading battery run times.

Making the most of EGO's single battery platform, any EGO 56V ARC Lithium™ battery will fit any of EGO's cleaning products – all designed for maximum cleaning power.

EGO's new compact Pressure Washer and Wet/Dry Vac models offer the convenience of powerful cleaning in a portable package. Both models come equipped with innovative features and accessories. Now you can just 'grab and go' to complete any demanding cleaning task.

**New portable power**  
WDV0300E Compact Wet/Dry Vacuum

**Industry leading battery-powered Wet/Dry Vac**  
WDV0900E Wet/Dry Vac

**Surprising power from EGO's cordless pressure washer**  
HPW2000E Pressure Washer

# HEAVY DUTY CLEANING POWER



## HPW2000E PRESSURE WASHER

The innovative EGO Pressure Washer combines heavy duty cleaning power with market-leading battery run times.

Remote power control and a selection of nozzles give you complete control for the most effective, efficient results for a range of different cleaning tasks.



# PORTABLE POWER & PERFORMANCE



## HPW1800E COMPACT PRESSURE WASHER

EGO's new compact Pressure Washer offers the convenience of powerful cleaning in a portable package.

Now you can just 'grab and go' to complete any demanding cleaning task. Easy to adjust cleaning modes and quick connections, combine with four nozzle options, foam cannon and siphon hose accessories.



	HPW2000E	HPW1800E
MAX PRESSURE	135 bar/2000 psi	125 bar/1800 psi
MAX FLOW RATE	390 L/H	270 L/H
WEIGHT	17kg	9.2kg
NOZZLES	Turbo, 15°, 25°, 40°, rinse	Turbo, 15°, 25°, 40°
	Inlet siphon hose	Inlet siphon hose
ACCESSORIES INCLUDED	Inlet filter	Inlet filter
	Foam cannon	Foam cannon
ACCESSORIES SOLD SEPARATELY	Premium brass foam cannon	Premium brass foam cannon
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year

# VACUUMING POWER FOR INDOORS AND OUTDOORS

EGO POWER+ 34 Litre Wet/Dry Vacuum delivers industry-leading performance with over 180m<sup>3</sup>/h of suction power.

Adapt to the demands of your cleaning tasks with 3 power modes, controlled onboard or via the wireless remote control. Battery run time will provide up to 60 minutes on ECO, 33 minutes on high, or 18 minutes on turbo, when powered by EGO's 56V 5Ah ARC Lithium™ battery.

Onboard storage, provides a convenient space for nozzles, extensions, and hoses. Accessories include; two extension tubes, crevice nozzle, round brush dust nozzle, small floor nozzle with brush bar, wide nozzle with rubber bar, and a 2.1m hose. A built-in filter cleaning function maintains optimal performance.

## Wireless remote functions



**EGO  
POWER+**

## WDV0900E WET/DRY VACUUM

Heavy duty cleaning power with onboard power selection and optional wireless remote. Inclusion of 8 accessories for different cleaning tasks, with built-in filter cleaning function.



CREVICE TOOL

(with LED light)

HORSE BRUSH NOZZLE

SMALL FLOOR BRUSH

WIDE NOZZLE  
(with rubber scraper)

EXTENSION WANDS

The EGO Power+ Wet/Dry Vacuum has an accessory for every cleaning situation - these accessories are included:



CREVICE TOOL

(with LED light)

HORSE BRUSH NOZZLE

SMALL FLOOR BRUSH

WIDE NOZZLE  
(with rubber scraper)

EXTENSION WANDS




# PORTABLE POWER & PERFORMANCE

EGO's new compact Wet/Dry Vacuum offers the convenience of powerful cleaning in a portable package, with 2 power modes controlled onboard or via a wireless remote control.

The compact wet/dry vac comes equipped with utility nozzle and crevice tool for a wide range of applications. Now you can just 'grab and go' to complete any demanding cleaning task.



The EGO Power+ Compact Wet/Dry Vacuum's utility nozzle and crevice tool will complete most cleaning tasks:



**EGO  
POWER+**

**NEW FOR 2026**

## WDV0300E COMPACT WET/DRY VACUUM

Powerful cleaning with onboard power selection and optional wireless remote. Inclusion of four accessories for different cleaning tasks.



	WDV0900E	WDV0300E
MAX PRESSURE	250mBar	149mBar
FLOW RATE	Low: 1900 L/min High: 2500 L/min Turbo: 3100 L/min	Eco: 1400 L/min Turbo: 2260 L/min
WEIGHT WITHOUT BATTERY	12.1kg	5.3kg
ACCESSORIES INCLUDED	2x extension tubes 1x crevice nozzle 1x horse brush nozzle 1x small floor brush nozzle 1x wide nozzle 1x power-tool adapter	1x utility nozzle 1x crevice nozzle (with brush and light bar) 1x hose 1x nozzle adaptor
ACCESSORIES SOLD SEPARATELY	AVG0905 Dust bag AVF0900 Replacement filter	AVF0300 Flat filter AVG0305 Wet/Dry Vacuum dust bag
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year



OUR CONSTRUCTION & AGRICULTURE RANGE  
PROVIDES POWERFUL AND INNOVATIVE  
SOLUTIONS FOR DEMANDING OUTDOOR TASKS.



## THE POWER TO COMPLETE DEMANDING TASKS

Now you can easily drill deep holes for fence posts, and efficiently spray large collections of fruit trees, hedges and plants. EGO have designed innovative features to make the tasks easier and more efficient.

Features like the EGO Chemical Sprayer's flow adjustment system, and the Auger Drill's variable speed trigger, help give more control for completion of heavy-duty tasks.



## CONTROLLED, PROFESSIONAL CHEMICAL SPRAYING

The EGO Professional Backpack Sprayer has an innovative flow control system with a comfortable carrying harness for long working hours.

High efficiency and pressure, comparable to petrol engine equivalents, provides users with an effective variable spray action. The unique flow adjustment system is convenient to use, allowing users to easily control the amount of spray from the lance handle.



VARIABLE FLOW DIAL FOR  
DIFFERENT APPLICATIONS  
Pressure up to 24 Bar  
(150+ psi can reach higher places,  
or carry out light cleaning work)

STAINLESS STEEL SPRAY WAND

FILTRATION SYSTEM  
Reduces clogging – the water inlet of the tank, the liquid suction are all equipped with filtration devices

BATTERY COVER  
Anti-liquid protection



### BSP3500E CHEMICAL SPRAYER

Professional chemical spraying control, with innovative onboard variable flow control of up to 24 Bar for different applications.

	BSP3500E
MAX. TANK CAPACITY	15L
MAX. WORKING PRESSURE	24 bar
MAX. SPRAY FLOW RATE (WITH ADJUSTABLE NOZZLE, SPRAY MODE)	2.3 L/min
INLET FILTER DIAMETER	35mm
INLET FILTER MESH SIZE	0.35mm
OUTLET FILTER DIAMETER	124mm
WEIGHT WITHOUT BATTERY	7.6kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	2 years



## HEAVY-DUTY HOLE DRILLING FOR SOIL & ICE

High speed drilling of soil and ice made easy - with convenient user controls including 2 speeds, variable speed trigger, reverse function and ergonomic handle design.

An Anti-Kickback system (electronic and gyroscopic protection) combined with Soft Stop in case of overload, ensure user safety. Quick-Connect Auger drill bits are designed with seamless steel tube construction for balance, strength and reliability.



AVAILABLE AS A KIT  
PHA7404E: Includes Auger, 5Ah Battery and Rapid Charger

	Earth Auger Bit ETA0400E	Earth Auger Bit ETA0600E	Earth Auger Bit ETA0800E	Ice Auger Bit ITA0800E
HOLE DIAMETER	100mm	150mm	200mm	200mm
MAX DRILLING DEPTH	800mm	800mm	800mm	990mm
WEIGHT WITHOUT BATTERY	2.4kg	4.1kg	5.2 kg	3.7 kg
NOISE RATING LpA/LwA	89.6 dB(A) 97.6 dB(A)	89.6 dB(A) 97.6 dB(A)	89.6 dB(A) 97.6 dB(A)	89.6 dB(A) 97.6 dB(A)
VIBRATION (M/S <sup>2</sup> )	3.09/3.44	3.09/3.44	3.09/3.44	2.52/2.45
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years

### EGO POWER PROFESSIONAL

#### PHA7404E EARTH & ICE AUGER

Makes heavy duty hole drilling in soil and ice easy, with many features designed with user convenience, comfort and safety in mind. Optional drill bit accessories are available: see page 151 for details on ETA0800E Earth drill bit and ITA0800E Ice drill bit.





WITH SUPERIOR PORTABILITY, OUR INNOVATIVE LIFESTYLE RANGE BRINGS INTELLIGENT TECHNOLOGY TO THE EVERYDAY.



## INTELLIGENT TECHNOLOGY FOR THE GREAT OUTDOORS

Making the most of EGO's single battery platform, any EGO 56V ARC Lithium™ Battery can connect with any of EGO's latest lifestyle products – all designed to enhance the enjoyment of our outdoor spaces, and beyond.

To help you make the most of your time in the garden or away camping—whether it's staying cool in hot weather, extending a summer's day into the evening, or efficiently inflating a car tyre without the hassle of an electric cord—EGO has developed and engineered a range of new innovations. These include portable outdoor power sources, bright lighting, efficient cooling for warm conditions, music for outdoor enjoyment, and EGO's latest advancement in battery-powered air inflation.



Creates 50m<sup>2</sup> of cooling air for those hot days

FN1800E 45cm Misting Fan



Provides power when and wherever you need it

PAD5000E 400W Nexus Escape Power Inverter



10,000 Lumens of bright, adjustable light for your outdoor space

LT1000E Portable Area Light



Powerful, fast inflation for anything from a car tyre to an air mattress

IF1600E Compact 3-In-1 Inflator

# OUR COOLEST INNOVATIONS YET

With up to double the airflow of standard fans, the EGO Power+ Misting Fans are essential tools for warm conditions.

Complete with two misting modes: intermittent and continuous, six speed settings, the EGO Power+ Misting Fans have an impressive Cooling Area Capacity (up to 50m<sup>2</sup> with the 45cm Fan). With a minimal noise level of up to 68dB and up to 60 hours run time (with 5Ah battery) on speed one, these fans are suitable for both indoor and outdoor cooling. Their lightweight and advanced portable features make them ideal for hot working conditions, sporting events, camping trips and BBQs, with two sizes and specifications to choose from.



**FN1800E**  
**45CM MISTING FAN**

With a Cooling Area Capacity of 50m<sup>2</sup>, two misting modes, five speed settings and double the airflow of a standard 45cm fan, the EGO Power+ 45cm Misting Fan is ideal for cooling both indoor and outdoor environments.



**EGO**  
POWER+

**FN1000E**  
**25CM MISTING FAN**

A compact portable Misting Fan, folds down for easy storage and transport – with 3 misting settings, 5 speeds + turbo, 3-stage oscillation, and garden hose connector. The EGO Power+ 25cm Misting Fan can be conveniently controlled with your smartphone via the EGO Connect App, ideal for cooling both indoor and outdoor environments.



	<b>FN1800E</b>	<b>FN1000E</b>
<b>RUN TIME</b>	2.5Ah Up to 30 hours 4.0Ah Up to 48 hours 5.0Ah Up to 60 hours 6.0Ah Up to 72 hours 7.5Ah Up to 90 hours 8.0Ah Up to 96 hours 10.0Ah Up to 120 hours 12.0Ah Up to 144 hours	2.5Ah Up to 30 hours 4.0Ah Up to 48 hours 5.0Ah Up to 60 hours 6.0Ah Up to 72 hours 7.5Ah Up to 90 hours 8.0Ah Up to 96 hours 10.0Ah Up to 120 hours 12.0Ah Up to 144 hours
<b>WEIGHT WITHOUT BATTERY</b>	10.4kg	4.6kg
<b>DOMESTIC WARRANTY</b>	5 years	5 years
<b>PROFESSIONAL WARRANTY</b>	1 year	1 year



## PORTABLE POWER WHEREVER YOU NEED IT

Compatible with any EGO ARC Lithium™ battery, the Nexus Escape provides power when and wherever you need it.

Built with a powerful 220-240V AC outlet and up to three USB ports, the Nexus Escape boasts flexible power to charge mobile phones, laptops, cameras, lights, and other electrical devices up to a maximum output of 400 Watts. Ideal for camping trips, beach visits, festivals or for use at home, the Nexus Escape is lightweight and small enough to carry in a rucksack or store in a tent.



### PAD1800E 180W NEXUS ESCAPE POWER INVERTER

The EGO Power+ Nexus Escape's 220-240V 180W AC power outlet and 2 USB ports enable you to charge or power devices wherever you are. The lightweight design and carry handle make the device easy to transport. The pure Sine Wave inverter makes it suitable for use with even the most sensitive electronic devices.

	PAD1800E	PAD5000E
AC OUTPUT	180W	400W
CONNECTION METHOD	Compatible with any EGO portable battery	Compatible with any EGO portable battery
WEIGHT WITHOUT BATTERY	0.7kg	1.6kg
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	-	-
AVAILABLE AS A KIT	-	PAD5000E: Includes Nexus power inverter and 2.5Ah battery

#### BOTH CAPABLE OF POWERING OR CHARGING\*

\*Based on 7.5Ah battery BA4200T



## POWERFUL, FAST MULTI-FUNCTIONAL

With selectable pressure / high volume modes, you can now accurately and quickly inflate anything from a car tyre to an air mattress with ease.

The inflator also includes a cleverly designed, removable floodlight for illuminating tricky tasks in the dark.



### IF1600E COMPACT 3-IN-1 INFLATOR

A high air volume, multi-purpose, super-fast inflator with high pressure / volume modes. Plus, a removable floodlight provides better visibility at night or in low light levels.



	IF1600E
MAX PRESSURE	160 psi
HIGH PRESSURE MODE PUMPING SPEED	18 L/min / 2.5 Bar
IP RATING	IPX4
ACCESSORIES INCLUDED	High pressure hose, high volume hose, sports ball needle, Presta valve, high pressure tapered nozzle
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year



## A HIGH-QUALITY OUTDOOR AUDIO EXPERIENCE

The EGO Outdoor Speaker boasts an impressive 180W RMS power and a sophisticated configuration of 7 advanced transducers. This powerful combination includes 1 woofer, 2 mid-range, 2 tweeters and 2 passive radiators for a dynamic and rich audio experience.

Engineered for durability, the EGO Outdoor Speaker carries an IP54 weather rating, providing protection against dust and water. Whether you're at the beach, on a picnic, or in the garden, this speaker is built to withstand the elements, ensuring uninterrupted playback from your Bluetooth device, or via a 3.5mm AUX cable.

The integrated USB-C PD port also lets you charge your devices, from phones to laptops up to 100W, ensuring your gadgets stay powered. For a bigger party sound – connect up to 100 EGO Outdoor Speakers.



**EGO POWER+**

### SK1800E OUTDOOR SPEAKER

For high-quality portable sound, the EGO Outdoor Speaker carries an IP54 weather rating, built to withstand the elements with up to 50 hours of playtime, compatible with all EGO portable batteries

	SK1800E
CONNECTIONS	1 x 100W USB-C PD (in/out), 1 x USB-A, 3.5mm Audio Jack
BLUETOOTH CONNECTION DISTANCE	55m
IP RATING	IP54
RUNTIME	50hrs W/ 5.0AH
WEIGHT (WITHOUT BATTERY)	7.7kg
TOOL LENGTH / WIDTH / HEIGHT	505.5mm / 224.5mm / 245.5mm
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year

## PORTABLE, FLEXIBLE BRIGHT LIGHTING

EGO's powerful LED lights are compatible with any portable EGO ARC Lithium™ Battery. The light level can be tailored to suit the conditions, so these versatile tools are perfect for bright task lighting, illuminating larger areas and ambient mood lighting.



**CONTROL PANEL**  
With adjustable brightness and colour temperature, Bluetooth connection and 3 light modes



### LT1000E PORTABLE AREA LIGHT

Ideal for illuminating outdoor tasks

With adjustable power of up to 10,000 lumens, the EGO Power+ Portable Area Light is the world's most powerful area light in handheld cordless outdoor power. With five brightness settings, turn up the power boost mode for maximum output. The diffused, foldable panels allow for soft 360 degree illumination. Transporting and storing the area light is easy thanks to its compact design and integrated handle. Charge devices on the go with the built-in USB A port.

	LT1000E					
BRIGHTNESS LEVEL	1	2	3	4	5	BOOST
LUMINOUS FLUX/BRIGHTNESS (4 PANELS COMBINED)	600lm	1600lm	3200lm	4800lm	6400lm	10000lm
APPROXIMATE RUN TIME* (4 PANELS WITH EGO 56V 5.0 AH BATTERY)	36h	16h	8h	5h	4h	1h
WEIGHT (WITHOUT BATTERY)	4.3kg					
DOMESTIC WARRANTY	5 years					
PROFESSIONAL WARRANTY	1 year					

\*The light will illuminate at 10,000lm in ambient temperature 25°C for 1 hour and will run for 2 more hours in brightness level 5. Please note that the 1 hour run time is dependent on ambient temperature. In a cooler environment the "Boost" mode will have a longer run time, but in a hot environment the "Boost" mode will have a shorter run time.

	LT0300E
LUMINOUS FLUX/BRIGHTNESS	600lm-3000lm
APPROXIMATE RUN TIME* (ON BRIGHTEST MODE WITH 5.0AH BATTERY)	6.5hrs
WEIGHT (WITHOUT BATTERY)	1.8kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	1 year

**EGO**  
ROBOTIC MOWERS

**AURA-R2™**



## THE NEXT EVOLUTION IN SMART LAWN CARE

Boundary-wire-free. Effortless. Engineered with PATH IQ™

EGO's most advanced robotic mower, AURA-R2, redefines what intelligent lawn care looks like. At its core is EGO's unique PATH IQ™ system bringing together the most advanced navigation technologies that deliver flawless accuracy, efficient coverage and healthier, better-looking lawns.

It learns your space, adapts to every challenge and takes pride in delivering the precision EGO is known for. The result is more time back, less effort, and a perfectly even cut.

AURA-R2 doesn't need time off, doesn't annoy the neighbours, and has the built-in know-how to keep your lawn looking pristine with a strikingly human touch.

Smart, connected and powered by EGO's cutting-edge technology, AURA-R2 is the teammate every garden deserves.

Welcome to the future of mowing. Welcome to AURA-R2.

## MEET AURA-R2

# ROBOT MOWING DESIGNED FOR YOUR LIFE

This isn't just another robot mower. It's a gardening companion that's tuned into your space, your standards, and your routine.

From smart mapping and navigation to adaptive cutting technology and whisper-quiet operation that will make you forget it's even there, AURA-R2 knows how to deliver an immaculate cut just the way you want it, and it does so in style.

AURA-R2 doesn't need reminding. It doesn't take breaks. And it never cuts corners unless you've told it to. It's the kind of teammate you wish you had everywhere else: dependable, focused, and quietly proud of a job well done.

AURA-R2: The mower that understands lawns like you do.



**RMR600E**  
**6000M<sup>2</sup> CAPACITY**

**RMR300OE**  
**3000M<sup>2</sup> CAPACITY**

**RMR1500E**  
**1500M<sup>2</sup> CAPACITY**


# PATH IQ™: PRECISION LAWN CARE WITHOUT COMPROMISE

## PATH IQ™ TECHNOLOGY

### Smarter mowing. Stunning results.

PATH IQ™ is EGO's unique combination of three intelligent technologies that work together to deliver unmatched mowing accuracy in complex environments. AURA-R2 uses cutting-edge technology to adapt in real-time to changing conditions, navigating every nook and cranny.

Intelligent navigation from PATH IQ™ is always working quietly in the background, so the only thing you notice is the flawless finish.



#### CONSISTENT PRECISION IN ANY TERRAIN

It handles slopes, dips, and tricky corners with ease, so every patch of grass gets the care it deserves.



#### ACCURATE NEAR TREES OR BUILDINGS

Thanks to its fusion of visual and motion technologies, it always knows where it is and stays on track.



#### MORE PRECISION, LESS TIME

PATH IQ™ maps, adapts and corrects in real time, efficiently delivering precise results without wasted passes.



#### ADAPTS INSTANTLY TO OBSTACLES

Whether it's a toy on the lawn or a curious pet, it intelligently avoids obstacles and keeps working.



#### INTELLIGENT PATH PLANNING

AURA-R2 works systematically in a stripe pattern for the most efficient cut, maximising coverage and leaving every lawn looking pristine.



#### FLAWLESS FINISH, EVERY TIME

Leaves your lawn effortlessly trimmed to perfection, time and time again, for a professional result you can rely on.

## A TEAMMATE WITH TOP-NOTCH TECH



Wheelbarrow



*PATH IQ™ allows AURA-R2 to navigate with ease to read your space, learn as it moves, and stay effortlessly on course to give you a precision-cut lawn every time.*

## PATH IQ™ TECHNOLOGY

### PINPOINT ACCURACY, GPS PRECISION

Using satellite technology with Real-Time Kinematic (RTK), AURA-R2 ensures every inch of your lawn gets the attention it deserves. RTK ensures straight-line mowing and efficient coverage with minimal overlap. AURA-R2 is your consistent, energy-efficient gardening companion.

### THE MOWER THAT NEVER GETS LOST

Visual Inertial Odometry (VIO) helps AURA-R2 stay on track even in tricky spots - under a shady tree or in a narrow passage. It stays focused and on course, allowing you to set it, forget it and rest assured knowing you can expect a flawless trim.

### AURA-R2'S BUILT-IN VISION

AURA-R2 takes in every detail of the world around it with Visual Simultaneous Localisation and Mapping (VSLAM). Using its binocular camera and advanced vision technology, it builds a map of your lawn. It knows where it is, where it's been and what's coming up, so it can make every pass straight and sharp.

## ADDITIONAL FEATURES

AURA-R2 has everything you need for a flawless lawn, plus a few clever extras you didn't know you needed:



### IP66 WEATHERPROOF

Built to withstand the elements and easy to clean, even with a pressure washer.



### ADJUSTABLE CUTTING HEIGHT

Use the app to tailor your lawn to your taste, with a height range of 20-90mm.



### SLOPE HANDLING

Tackles tough terrain up to a 50% gradient with ease, while maintaining the mow pattern.




### RAINFALL DETECTION

AURA-R2 takes a break when it detects rainfall to prevent damaging your lawn.



### SAFETY & SECURITY

Peace of mind, wherever you are. AURA-R2 knows where it belongs and alerts you if it's moved, with built-in GPS, remote locking and theft tracking.



### FILL LIGHT

Night mode activated. AURA-R2 can work through the dark so your lawn's ready by morning.



## ENGINEERED FOR COMPLEXITY DESIGNED FOR YOUR GARDEN

AURA-R2 wirelessly handles the most complex of gardens, taking the hassle out of lawn care however intricate your landscaping is.



Map up to 40 distinct zones with their own schedules



Travel between zones across paths, driveways, patios



All setup and controlled from your phone via the EGO Connect App



## APP INTEGRATION & FUNCTIONALITY

Easy to use.  
In your pocket




AURA-R2 connects seamlessly to the EGO Connect App using Bluetooth, Wi-Fi and 4G with three years included data, giving you complete control from anywhere.

The EGO Connect App gives you full flexibility to set and forget or fine-tune every detail as you wish. Adjust schedules, mowing directions, cut height, lighting, sound and voice. Always in sync and always dependable, AURA-R2 keeps you updated and is ready to respond wherever you are.

## INSTALLATION

Mapping.  
**AURA-R2 adapts to your environment**

Precisely map up to 40 zones and the paths between them. When setting up your AURA-R2, choose between the EGO Connect-enabled remote-control option or ask your dealer about specialist mapping to define your boundaries and program AURA-R2 to mow seamlessly.



Flexible PATH IQ™ antenna positioning.  
**AURA-R2 adapts to your environment**

AURA-R2's PATH IQ™ Antenna options allow for precise location feedback in even the sparsest of properties, whether you want a pole or building mount. Aside from being under a tree, our pole mounts can be installed anywhere you can put spikes in the ground. For more flexibility, enable Network RTK instead of the RTK hardware\*.

\*Not available in all regions at launch



# THE AURA-R2 RANGE

NEW FOR 2026



**RMR1500E**  
1500M<sup>2</sup> CAPACITY



**RMR3000E**  
3000M<sup>2</sup> CAPACITY



**RMR6000E**  
6000M<sup>2</sup> CAPACITY

## SPECIFICATIONS

	RMR1500E	RMR3000E	RMR6000E
RECOMMENDED MOWING AREA	1500m <sup>2</sup>	3000m <sup>2</sup>	6000m <sup>2</sup>
MOWING TIME PER CHARGE	2h	2h	4h
MOWING EFFICIENCY	180m <sup>2</sup> /h	180m <sup>2</sup> /h	180m <sup>2</sup> /h
MOWING AREA PER CHARGE	330m <sup>2</sup>	330m <sup>2</sup>	660m <sup>2</sup>
DAILY MOWING AREA (24H)	2500m <sup>2</sup>	2500m <sup>2</sup>	3300m <sup>2</sup>
BOUNDARY TYPE	Virtual Boundary	Virtual Boundary	Virtual Boundary
DATA	3 Years Data Included	3 Years Data Included	3 Years Data Included
MULTI-ZONE MOWING	20 Zones	20 Zones	40 Zones
OBSTACLE AVOIDANCE	Vision	Vision	Vision
LAWN BOUNDARY IDENTIFICATION	Vision	Vision	Vision
CAMERA	Binocular Stereo Vision RGB	Binocular Stereo Vision RGB	Binocular Stereo Vision RGB
MOWING HEIGHT	20-90mm	20-90mm	20-90mm
MOWING WIDTH	24cm	24cm	24cm
NUMBER OF BLADES	3 Pivoting Blades	3 Pivoting Blades	3 Pivoting Blades
CUTTING HEIGHT ADJUSTMENT	Electronic Height Adjustment	Electronic Height Adjustment	Electronic Height Adjustment
BATTERY CAPACITY	5Ah	5Ah	10Ah
MOWING MOTOR TYPE	Brushless Motor	Brushless Motor	Brushless Motor
IP RATING	IP66	IP66	IP66
SIZE	670x510x310mm	670x510x310mm	670x510x310mm
ROBOT WEIGHT	~15kg	~15kg	~15.5kg
MACHINE WARRANTY PERIOD	3 years	3 years	3 years
BATTERY WARRANTY PERIOD	2 years	2 years	2 years



## BOUNDARY WIRE ROBOTIC MOWERS

### RM4000E and RM2000E

Autonomous lawn care with precision and simplicity.

The RM4000E and RM2000E deliver outstanding performance with a 24cm cutting width and three pivoting razor-sharp blades for a consistently perfect finish.

Take control your way: set schedules and preferences via the 3.5" colour touchscreen or manage everything remotely through the EGO Connect App for total smartphone convenience.

Advanced safety and security come built in. Lift and tilt sensors protect the user and machine, while GPS tracking provides instant theft alerts and traceability to keep your mower safe.

### INSTALLATION KITS

AIK0150 150m of 3.4mm boundary wire, 300 stakes, 3 connectors, 2 couplers

AIK0300 300m of 3.4mm boundary wire, 500 stakes, 3 connectors, 2 couplers

AIK0400 400m of 3.4mm boundary wire, 750 stakes, 3 connectors, 2 couplers



## BENEFITS

### GPS ASSISTED NAVIGATION

Smart docking, systematic cutting: On board GPS capability allows the robot to navigate efficiently around your lawn, and find its way back to charge.

### COMPLETE APP CONTROL

Connect your phone via bluetooth using the EGO Connect App to set schedules, cutting heights and see live progress.

### SECONDARY AREAS

Include additional areas in your boundary wire that the mower cannot reach automatically, and you can manually start the machine here to complete mowing.



### RAIN DETECTION

Takes a break when it detects rainfall to prevent damaging your lawn.



# EVERYTHING YOU NEED TO KEEP YOU CUTTING, MOWING AND BLOWING

## EGO POWER+ MOWERS

### Blades

**AB1701**  
42cm standard (bagging) blade for LM1710E, LM1710E-SP



**AB1700**  
42cm mulching blade for LM1710E, LM1710E-SP



**AB1901**  
47cm standard (bagging) blade for LM1910E, LM1910E-SP



**AB1900**  
47cm mulching blade for LM1910E, LM1910E-SP



**AB2001**  
High lift blade for LM2010E-SP



**AB2000**  
Standard blade for LM2000E, LM2010E-SP



**AB2101**  
52cm high lift blade for LM2100E-SP



**AB2100**  
52cm standard blade for LM2100E-SP



**AB2102D-E**  
52cm dual-blade standard (bagging) for LM2130E-SP (2 blades set)



**AB2100D-E**  
52cm dual-blade mulching for LM2130E-SP (2 blades set)



**AB5301**  
Single blade for LMX5300SP



### Storage cover

**CM002**  
Storage cover for lawnmowers: LM1710E, LM1710E-SP, LM1910E, LM1910E-SP, LM2130E-SP, LM2230E-SP, LMX5300SP




### Rear Roller Kits

**AR1700**  
42cm rear roller kit for LM1710E, LM1710E-SP



**AR1900**  
47cm rear roller kit for LM1910E, LM1910E-SP



### Mulching Kits/Side Discharge

**ABP1700**  
42cm mulching kit (blade & mulching plug) for LM1710E, LM1710E-SP



**ABP1900**  
47cm mulching kit (blade & mulching plug) for LM1910E, LM1910E-SP



**ABP2100D-E**  
52cm mulching kit (mulching blade set & mulching plug) for LM2130E-SP



**AM5300**  
Mulch plug for LMX5300SP



**ASD2230**  
Side discharge chute for LM2230E-SP



**AB4201**  
53cm high-lift blade (improved bagging) for TR4200E, ZT4200E-L, ZT4200E-S - single blade



**ASD5300**  
Side discharge chute for LMX5300SP



**AB4200**  
53cm standard blade (side discharge, mulching & bagging) for TR4200E, ZT4200E-L, ZT4200E-S - single blade



**AB5201**  
46cm bagging blade for ZT5200E-L



**AB5200**  
46cm standard blade for ZT5200E-L



### Bagging & Mulching Kits

**ABK4200-A**  
Bagging kit for ZT4200E-L



**ABK5200-A**  
Bagging kit for ZT5200E-L



**AMP3800T**  
Mulching plug for 98cm Tractor TR3800E-B



**AMP4200**  
Mulching plug for ZT4200E-L



**ABP5200**  
Mulching kit (include mulching plug) for ZT5200E-L



### General

**AMB1000**  
Rear bumper for ride-on mowers



**AMG1000**  
On-board storage for Z6



**AMS1000**  
Sun shade for Z6



**CRM001**  
Storage cover for Z6



### EGO POWER+ LINE TRIMMERS & BRUSH CUTTERS

#### Line

**AL2015T**   
15m 2.0mm low-noise twist line (STRATUS)



**AL2050T**   
50m 2.0mm twist line with line cutter for ST1300E



**AL2415T**   
15m 2.4mm low-noise twist line (STRATUS) | orange/green



**AL2715T**   
15m 2.7mm low-noise twist line (STRATUS) | red/green



**AL3012T**   
12m 3.0mm low-noise twist line (STRATUS) | yellow/green



**AL2475T**   
75m 2.4mm low-noise twist line (STRATUS) | orange/green



**AL2760T**   
60m 2.7mm low-noise twist line (STRATUS) | red/green



**AL3050T**   
50m 3.0mm low-noise twist line (STRATUS) | yellow/green



**AL2415R**   
15m 2.4mm round line (NYLGRASS) | orange



**AL2715R**   
15m 2.7mm round line (NYLGRASS) | red



**AL3012R**   
12m 3.0mm round line (NYLGRASS) | yellow



**AL2490R**   
90m 2.4mm round line (NYLGRASS) | orange



**AL2780R**   
80m 2.7mm round line (NYLGRASS) | red



**AL3060R**   
60m 3.0mm round line (NYLGRASS) | yellow



### Line Heads

**AH1520**  
Powerload™ head w/line for ST1510E-T



**AH1522**  
Powerload™ head w/line for ST1400E-ST



**AH1530**  
Any Insert Rapid Reload head w/line (clockwise rotation) for ST1500E-F, BC1500E-F



**AH1531**  
Any Insert Rapid Reload head w/line (anti clockwise rotation) for ST1530E, BC3800E



**AH4500**  
Auto-feed Trimmer Head for STX4500



**AH1600**  
Trimmer head for new multi head STA1600



**AH1620**  
Line-IQ trimmer head for Line-IQ string trimmer ST1610E-T



**ABT3800**  
Bump feed button for AH3800



**AH3800**  
Bump Feed Line Trimmer Head



**AH4200**  
Bump feed trimmer head for STX4200



## EGO POWER+ LINE TRIMMERS & BRUSH CUTTERS continued

### Line Spools

**AS1300**  
Trimmer spool for standard bump feed head for ST1500E & BC1500E w/ line



**AS1301**  
Trimmer spool for standard bump feed head for ST1210E w/ line



**AS1302**  
Trimmer spool for standard bump feed head for ST1300E w/ line



**AS3800**  
Trimmer spool for BCX3800 w/o line



### Blades

**ABB0903P**  
Elastoblade



**ABB1203**  
Brush cutter blade for ST1530E, BC3800E, BCX3800, BCA1200



**ABR2300**  
Replacement blades for Rotocut



**ABB2250**  
Saw blade for BCX4500



### Harnesses

**AP4500**  
Double shoulder harness for PRO X line trimmer (incl. hip pad)



**AHP4500**  
Hip pad for PRO X line trimmer




**AP1500D**  
Standard double-shoulder harness



**AHP1300**  
Leg protector/line trimmer harness attachment for AFH1300 (BAX1300), BH1001 & BHX2001



**AHP1500**  
Leg protector/line trimmer harness attachment for AFH1500 (BAX1500 & BHX1000)



**AD4500**  
Brush cutter guard




**AD2250**  
Saw blade guard for BCX4500



## EGO POWER+ CHAINSAWS & POLE SAWS

### Chains



**AC1200**  
30cm replacement chainsaw chain for CSX3000



**AC1401**  
35cm replacement chainsaw chain for CS1410E [TRILINK]



**AC1601**  
40cm replacement chainsaw chain for CS1610E [TRILINK]



**AC1801**  
45cm replacement chainsaw chain for CS1810E



**AC2005**  
50cm replacement chainsaw chain for CS2000E



**AC1635**  
40cm replacement chainsaw chain for CSX5000



**AC1835**  
45cm replacement chainsaw chain for CSX5000



**AC2035**  
50cm replacement chainsaw chain for CSX5000



**AC1204Q**  
30cm chainsaw chain for CS1200E



**AC1000Q**  
25cm chainsaw chain for PS1000E



**AC1200**  
30cm replacement chainsaw chain for CSX3000



**AC1001**  
Pole saw chain for PSA1000, PSX2500

### Bars



**AG1401**  
35cm replacement chainsaw bar for CS1410E



**AG1601**  
40cm replacement chainsaw bar for CS1610E



**AG1801**  
45cm replacement chainsaw bar for CS1810E



**AG2005**  
50cm chainsaw bar for CS2000E



**AG1000Q**  
25cm chainsaw bar for PS1000E



**AG1200**  
30cm replacement chainsaw bar for CSX3000



**AG1001**  
Pole saw bar for PSA1000, PSX2500



### Bar & Chain Kits



**AK1635**  
40cm replacement bar and chain kit for CSX5000



**AK1835**  
45cm replacement bar and chain kit for CSX5000



**AK2035**  
50cm replacement bar and chain kit for CSX5000



**AK1204Q**  
30cm replacement bar and chain kit for CS1200E



**BCS1000**  
Chainsaw bag

## EGO POWER+ MULTI-TOOL

### General

**BMH1000**  
Wheeled multi-tool kit bag



**ACB9500**  
Cultivator blade set



**ABS2100**  
Bristle brushes (pair)



**ARB2100**  
Rubber paddles (pair)



**AOF3300**  
Olive shaker fingers (10 pcs)



**AEB0800**  
Edger blade for EA0800



**ASB1400**  
Scarifier blade set for DA1400



## EGO POWER+ HEDGE TRIMMERS

### General

**ATP2000**  
Tip protector for HTA2000



## EGO POWER+ PRESSURE WASHER

### General

**AFC2000E**  
Premium Foam Cannon for HPW2000E and HPW1800E



## EGO POWER+ SNOW THROWERS

### General

**ARP2120**  
52cm snow blower rubber paddle (PAIR)



**ASS2120**  
52cm snow blower scraper bar



**AKS2400**  
Skid shoes (pair) for SNT2400E



**ACT2400**  
Chute cleaning tool for SNT2400E



**ADC2400**  
Drift cutters for SNT2400E



**CB002**  
Snow blower cover for SNT2120E-SP



**CB003**  
Cover for SNT2400E



## EGO POWER+ BATTERY & CHARGER ACCESSORIES

### General

**AWH1500**  
Wall mounted frame for BAX and CHX



**ACH1500**  
Harness clip for BAX & BH cable management



**AP1300**  
Comfort harness straps for BAX1300



**BBOX2550**  
Large battery storage & transport box




**BBOX3000**  
Small battery storage & transport box



**ACE0700**  
70cm cable for PGX1400PB/PGX3000D



**ACE1500**  
150cm cable for PGX1400PB/PGX3000D



**AEK1000**  
E-track mounting attachment kit



**ATA1000**  
PGX power bank transportation tool for PGX1400PB, PGX2500PB



## EGO POWER+ ROBOTIC MOWERS

### General

**AB1009R**

9pcs blades for robotic mower



**AIK0150**

Small installation kit with 150m 3.4mm boundary wire for robotic mower



**AIK0300**

Medium installation kit with 300m 3.4mm boundary wire for robotic mower



**AIK0400**

Large installation kit with 400m 3.4mm boundary wire for robotic mower



**SP1401**

Solar & battery kit

**ARA2000**

PATH IQ™ antenna including wall hanging pole



**APB2000**

PATH IQ™ antenna pole & fixing base



**ACE1000**

10m Power supply extension cable for RMR1500E, RMR3000E & RMR6000E, 10pcs pegs



**CHR0750E**

175W Power supply for RMR1500E & RMR3000E and PATH IQ™ antenna



## EGO POWER+ BLOWERS

### General

**AST1000**

Short tube attachment for handheld leaf blower



**AGC1001**

Gutter cleaning kit + safety glasses (clear)



**AP4800**

Shoulder strap with two hooks for LB4800E



**ALB5000**

Leaf Vacuum Bag for LV5000E



## EGO POWER+ WET/DRY VAC

### General

**AVF0900**

Wet/Dry Vacuum flat filter for WDVO900E



**AVG0905**

Wet/Dry Vacuum dust bag (5 pcs) for WDVO900E




**AVF0300**

Flat filter for WDVO300E



**AVG0305**

Wet/Dry Vacuum dust bag (5 pcs) for WDVO300E



**ABE2000**

50cm auger extension

## EGO POWER+ GREASE

### General

**AGT1000**

100g bio grease tube



## EGO POWER+ SHOULDER STRAP

### General

**AP1500**

Shoulder strap with carrying ring



## EGO POWER+ WORKWEAR

### General

**GV001E**

Multi-purpose synthetic work gloves. Sizes from Small to XXX-Large available



**GS001E**

Safety glasses - Clear



**GS002E**

Safety glasses - Grey



**GS003E**

Safety glasses - Yellow





Your local dealer:

**EGO**<sup>TM</sup>  
POWER BEYOND BELIEF<sup>TM</sup>

[www.egopowerplus.com](http://www.egopowerplus.com)



**ZERO**  
EMISSION

All rights reserved. Neither this catalogue nor its text, images, illustrations or part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without our consent. To the best of our knowledge, all descriptions, images and illustrations contained in this catalogue are correct at the time of going to print.

We cannot, however, be held liable for any inaccuracies of description, image or illustration and reserve the right to change specifications without notification.

©EGO 2026

01ENCAT01-2600